

Indoff

INDUSTRIAL EQUIPMENT
& SUPPLIES



STORAGE & SHELVING	4
MATERIAL HANDLING	39
CARTS & TRUCKS	52
HVAC & FANS	68
JANITORIAL & FACILITY MAINTENANCE	79
FURNITURE & DÉCOR	100
OFFICE & SCHOOL SUPPLIES	113
PLUMBING & PUMPS	122
SAFETY & SECURITY	128
MEDICAL & LABORATORY	151
PACKAGING & SHIPPING	158
FOODSERVICE & RETAIL	164
TOOLS & INSTRUMENTS	167
MOTORS & POWER TRANSMISSION	178
LIGHTING & ELECTRICAL	180
MACHINING	182
FASTENERS & HARDWARE	186
VEHICLE MAINTENANCE	188
BUILDING SUPPLIES	190
WORKBENCHES & SHOP DESKS	191



CAN IT BE MADE BETTER?

We looked at popular products and started with a simple question: Can it be made better?

This led us to completely rethink how products are designed, built, and guaranteed. Each step along the way, we had you, our customer, front-and-center in our minds.



QUALITY

Made with quality materials by industry experts, offering strength and long-lasting durability to help drive your business forward.



IN STOCK

Exclusive Brands™ products are available to ship within 24 hours, helping your day-to-day operations stay on track.



INDUSTRY STANDARDS

Designed to meet or exceed industry standards, carrying our full endorsement.



SOMETHING EXTRA

Made with your business in mind and constructed with precision, offering added features and robust support components.



WARRANTY

We back each of our products with a competitive warranty for your peace of mind. Warranty length varies by product and some exclusion and restrictions apply.

MADE TO EXCEED.™

EXCLUSIVE BRANDS


STORAGE & SHELVING




Consists of 4 posts, specified number of shelves, 4 clips per shelf, 1 pair of back braces, 2 pair of side braces, and necessary nuts and bolts.

18 & 20 GAUGE OPEN STEEL SHELVING


Constructed from durable 20 or 18 gauge steel, open industrial shelving is ideal for stockrooms, factories, or offices where extra storage space is needed. These units feature bracing that covers the perimeter of the rack & X-shaped, anti-sway braces for support on uneven floors. The adjustable shelves are constructed from ribbed roll-formed steel with box beam-reinforced front and rear edges for greater load capacity, while the posts are made of 14-gauge rib-reinforced steel for ultimate strength. Shelving units are phosphatized to prevent corrosion with maximum paint adhesion and are finished in long-lasting, baked-on gray enamel.




7 SHELVES



6 SHELVES



5 SHELVES



4 SHELVES

73" | 20 gauge | 36" x 18" | 6 shelves

20 Gauge

W" X D"	73"H Model	85"H Model	97"H Model	73"H Model	85"H Model	97"H Model
4 SHELVES			4 SHELVES			
36 x 12	234000A	234192A	234363A	562150A	562182A	562214A
36 x 18	234004A	234196A	234367A	562151A	562183A	562215A
36 x 24	234008A	234200A	234371A	562152A	562184A	562216A
36 x 30	234012A	234204A	234375A	562153A	562185A	562217A
48 x 12	234032A	234224A	234381A	562154A	562186A	562218A
48 x 18	234036A	234228A	234385A	562155A	562187A	562219A
48 x 24	234040A	234232A	234389A	562156A	562188A	562220A
48 x 30	234044A	234236A	234393A	562157A	562189A	562221A
5 SHELVES			5 SHELVES			
36 x 12	234064A	234191A	234374A	562158A	562190A	562222A
36 x 18	234068A	234193A	234378A	562159A	562191A	562223A
36 x 24	234072A	234195A	234382A	562160A	562192A	562224A
36 x 30	234076A	234197A	234386A	562161A	562193A	562225A
48 x 12	234096A	234199A	493834	562162A	562194A	562226A
48 x 18	234100A	234201A	234410A	562163A	562195A	562227A
48 x 24	234104A	234203A	234414A	562164A	562196A	562228A
48 x 30	234108A	234205A	234418A	562165A	562197A	562229A
6 SHELVES			6 SHELVES			
36 x 12	234128A	234256A	234438A	562166A	562198A	562230A
36 x 18	234132A	234260A	234442A	562167A	562199A	562231A
36 x 24	234136A	234264A	234446A	562168A	562200A	562232A
36 x 30	234140A	234268A	234450A	562169A	562201A	562233A
48 x 12	234160A	234278A	234470A	562170A	562202A	562234A
48 x 18	234164A	234282A	234474A	562171A	562203A	562235A
48 x 24	234168A	234286A	234478A	562172A	562204A	562236A
48 x 30	234172A	234290A	234482A	562173A	562205A	562237A
7 SHELVES			7 SHELVES			
36 x 12	234129A	234310A	234502A	562174A	562206A	562238A
36 x 18	234131A	234314A	234506A	562175A	562207A	562239A
36 x 24	234133A	234318A	234510A	562176A	562208A	562240A
36 x 30	234135A	234322A	234514A	562177A	562209A	562241A
48 x 12	234137A	234342A	234534A	562178A	562210A	562242A
48 x 18	234139A	234346A	234538A	562179A	562211A	562243A
48 x 24	234141A	234350A	234542A	562180A	562212A	562244A
48 x 30	234143A	234354A	234546A	562181A	562213A	562245A

20 & 18 GAUGE CLOSED INDUSTRIAL STEEL SHELVING

Crafted from heavy-duty steel, these closed steel shelving units feature box beam-reinforced edges for increased weight capacities, adjustable shelves, clips, 14 gauge steel uprights, and a gray baked enamel with an anti-corrosion undercoat. Starter Units include 4 uprights, 5 shelves, 4 clips per shelf, 1 back panel, and 2 side panels plus all required nuts and bolts. Add-on Units include 4 uprights, 5 shelves, 4 clips per shelf, 1 back panel, and 1 side panel plus all required nuts and bolts. Additional Shelves include 4 clips. Additional Clips: 234071A.

ADDITIONAL SHELVES			
W" x D"	20 -Ga.	Shelf Cap. Lbs.	Shelf Cap. Lbs.
36 x 12	234048	800	1,000
36 x 18	234050	800	1,000
36 x 24	234052	800	1,000
36 x 30	234054	800	1,000
48 x 12	234056	600	800
48 x 18	234058	600	800
48 x 24	234060	600	800
48 x 30	234062	600	800



ADD-ON

STARTER

20 GAUGE

18 GAUGE

W" X D"	Starter Model	Add-On Model	73"H	Starter Model	Add-On Model
36 x 12	236064A	236066A		236700	236800
36 x 18	236068A	236070A		236702	236802
36 x 24	236072A	236074A		236704	236804
36 x 30	236076A	236078A		236706	236806
48 x 12	236096A	236098A		236708	236808
48 x 18	236100A	236102A		236710	236810
48 x 24	236104A	236106A		236712	236812
48 x 30	236108A	236110A		236714	236814
85"H					
36 x 12	236191A	236193A		236716	236816
36 x 18	236195A	236197A		236718	236818
36 x 24	236201A	236205A		254236	236820
36 x 30	236203A	236207A		236722	236822
48 x 12	236223A	236225A		236724	236824
48 x 18	236227A	236229A		236726	236826
48 x 24	236233A	236231A		236728	236828
48 x 30	236237A	236235A		236730	236830
97"H					
36 x 12	796376	796384		796392	796400
36 x 18	796377	796385		796393	796401
36 x 24	796378	796386		796394	796402
36 x 30	796379	796387		796395	796403
48 x 12	796380	796388		796396	796404
48 x 18	796381	796389		796397	796405
48 x 24	796382	796390		796398	796406
48 x 30	796383	796391		796399	796407



LABEL HOLDERS - These reusable clear plastic strips with paper inserts allow you to relabel quickly and easily. The self-adhesive style adheres to any clean surface, while the magnetic models are ideal for steel surfaces. Quantity: 12 label holders per box

W" x H"	SELF-ADHESIVE Model	MAGNETIC Model
6 x 3/4	952000	952072
6 x 1	952003	952004
6 x 2	952072	952067



STORAGE & SHELVING


BOLTLESS WIDESPAN SHELVING UNITS

Extremely durable and dependable, these racks assemble and expand easily, allowing access from all sides. The bolt less design snaps together securely without tools or hardware, while add-on units include (2) T-posts that join units together for more stability with less construction. Featuring a scratch-resistant enamel finish & roll-formed, 14-gauge steel uprights, these units are equipped with shelves that adjust at 1 1/2" increments. 96"W models with a 1000 lb. capacity include (3) center deck supports per level. 96"W models with a 1200 lb. capacity include extra heavy-duty C-channel beams & (3) center deck supports per level.

STARTER UNIT includes (4) 84"H upright angle posts & (3) sets of horizontal beams. Select your own decking.

ADD-ON UNIT includes (2) 84"H upright T-posts & (3) sets of horizontal beams. Select your own decking.

Double Rivet Beams - When additional weight capacity is needed.



STARTER UNIT

ADD-ON UNIT



SINGLE RIVET



DOUBLE RIVET



Wood Decking Shown



Wire Decking Shown

DOUBLE RIVET WIDE SPAN

C-CHANNEL BEAMS

W" X D"	SHELF CAP.	STARTER Model	ADDITIONAL SHELF Model	STARTER Model	ADDITIONAL SHELF Model
SINGLE RIVET WOOD DECKING					
36 x 12	400	B3165922	254459	B3165712	601932
36 x 18	400	B3165923	254460	B3165713	601933
36 x 24	400	B3165924	254461	B3165714	601934
48 x 12	300	B3165925	254462	B3165716	601935
48 x 18	300	B3165926	254463	B3165717	601936
48 x 24	300	B3165927	254464	B3165718	601937
DOUBLE RIVET WOOD DECKING					
36 x 12	1,800	785555GY	601908	785609GY	601914
36 x 18	1,800	785556GY	601909	785610GY	601915
36 x 24	1,800	785557GY	601910	785611GY	601916
42 x 15	1,600	B3164281	B3164469	---	---
42 x 30	1,600	B3164291	B3164470	---	---
DOUBLE RIVET WIDE SPAN WOOD DECKING					
48 x 12	1,500	785558GY	601911	785612GY	601917
48 x 18	1,500	785559GY	601912	785613GY	601918
48 x 24	1,500	785560GY	601913	785614GY	601919
48 x 36	1,500	601461A	601478A	502463	502487
48 x 48	1,500	601465A	601481A	502464	502488
60 x 18	1,400	B3171343	B3171211	---	---
60 x 24	1,400	601130A	601139A	502465	502489
60 x 36	1,400	785562GY	601140A	785616GY	502490
60 x 48	1,400	601132A	601141A	785617GY	502491
72 x 15	1,200	601451A	601472A	---	---
72 x 18	1,200	B3170829	B3171212	B3171262	B3171215
72 x 24	1,200	601249	601261	785618GY	502492
72 x 30	1,200	601250	601262	B3164562	B3164619
72 x 36	1,200	601251	601263	502469	502493
72 x 48	1,200	601133A	601138A	785620GY	502494
96 x 18	1,000	B3170793	B3171213	B3171448	B3171255
96 x 24	1,000	601487A	601643A	502471	502844
96 x 30	1,000	B3171027	B3171214	B3171606	B3171256
96 x 36	1,000	601635A	601644A	502822	502846
96 x 48	1,000	601636A	601645A	785625GY	502848
C-CHANNEL BEAMS WOOD DECKING					
96 x 24	1,200	785568GY	601493A	785622GY	502495
96 x 36	1,200	601488A	601494A	502472	502496
96 x 48	1,200	601489A	601495A	502473	502497
C-CHANNEL BEAMS WIRE DECKING					

STORAGE & SHELVING

8' HIGH			STARTER	ADD-ON
W" x D"	Beam H"	Shelf Cap.	Model	Model
48 x 42	4	6,590	412337	412367
48 x 48	4	6,590	412338	412368
96 x 42	4	3,230	412349	412379
96 x 42	4	5,030	796572NA	796573NA
96 x 42	5½	7,160	412345	412375
96 x 48	4	3,230	412350	412380
96 x 48	4½	5,030	412341	412371
96 x 48	5½	7,160	412346	412376
108 x 42	5½	6,420	412356	412386
108 x 48	5½	6,420	796586NA	796587NA
120 x 42	5½	5,630	412359	412389
120 x 48	5½	5,630	412360	412390
144 x 42	6	5,702	412363	412393
144 x 48	6	5,702	412364	412394

10' HIGH			STARTER	ADD-ON
W" x D"	Beam H"	Shelf Cap.	Model	Model
48 x 42	4	6,590	412339	412369
48 x 48	4	6,590	796600NA	796601NA
96 x 42	4	3,230	412351	412381
96 x 42	4	5,030	796592NA	796595NA
96 x 42	5½	7,160	796594NA	796593NA
96 x 48	4	3,230	412352	412382
96 x 48	4½	5,030	412342	412372
96 x 48	5½	7,160	412347	412377
108 x 42	5½	6,420	412357	412387
108 x 48	5½	6,420	796606NA	796607NA
120 x 42	5½	5,630	796598NA	796599NA
120 x 48	5½	5,630	412361	412391
144 x 42	6	5,702	320868A	320870A
144 x 48	6	5,702	412365	412395

12' HIGH			STARTER	ADD-ON
W" x D"	Beam H"	Shelf Cap.	Model	Model
48 x 42	4	6,590	796610NA	796611NA
48 x 48	4	6,590	412340	412370
96 x 42	4	3,230	412353	412383
96 x 42	4½	5,030	796612NA	796613NA
96 x 42	5½	7,160	796614NA	796615NA
96 x 48	4	3,230	412354	412384
96 x 48	4½	5,030	412343	412373
96 x 48	5½	7,160	412348	412378
108 x 42	5½	6,420	796616NA	796617NA
108 x 48	5½	6,420	412358	412388
120 x 42	5½	5,630	796618NA	796619NA
120 x 48	5½	5,630	412362	412392
144 x 42	6	5,702	320864A	320866A
144 x 48	6	5,702	412366	412396

WELDED PALLET RACKS

Constructed from durable, heavy-gauge steel, these racks are built to endure the most demanding industrial conditions. The welded upright frames offer quick and easy, tool-free assembly, while the teardrop design allows for beam height adjustments at 2" increments. Weight capacity is based on 36" beam shelf spacing. 16' high and additional W x D configurations are also available.

8' HIGH			STARTER	ADD-ON
W" x D"	Beam H"	Shelf Cap.	Model	Model
96 x 42	5½	7,160	796574N	796575N
108 x 42	5½	6,420	796576N	796577N


10' HIGH			STARTER	ADD-ON
W" x D"	Beam H"	Shelf Cap.	Model	Model
96 x 42	5½	7,160	796594N	796595N
108 x 42	5½	6,420	796596N	796597N

12' HIGH			STARTER	ADD-ON
W" x D"	Beam H"	Shelf Cap.	Model	Model
96 x 42	5-½	7,160	796614N	796615N
108 x 42	5-½	6,420	796616N	796617N

Pallet Rack Disclaimer: If seismic conditions apply, verification of capacities must be confirmed with a seismic engineer. Global Industrial is not responsible for the engineering, installation, and/or application of this material. Global Industrial is not responsible for permits. It is the full responsibility of the customer to check the contents and quantities. The payload capacity rating(s) provided are for reference only. These ratings apply to static (non-seismic) conditions only.



Knock-down design for optimized shipping



Pre-attached bracing folds out from columns



Uprights bolt together for quick and easy assembly



STARTER UNIT
Includes two upright frames and two pairs of beams.

ADD-ON UNIT
Includes one upright frame and two pairs of beams.

BOLTED PALLET RACKS


Bolted upright frames come partially assembled, with pre-attached bracing, for quick & easy setup. Our patent-pending knock-down design reduces freight costs and on-site storage space. The teardrop design allows for beam height adjustments at 2" increments, while the bolted design allows for easier repairs and replacements. Constructed from durable, heavy-gauge steel, these racks are built to endure the most demanding industrial conditions. Best-in-Class 2-Year Warranty. Weight capacity is based on 36" beam shelf spacing. 16' high also available.



Welded Bracing



STORAGE & SHELVING



PALLET RACK UPRIGHT FRAMES

Pallet Rack Upright Frames are available in Bolted or Welded options. Frames are constructed from heavy-duty steel with durable powder coated finish for long-lasting service. 3" x 3" column size.

Bolted Pallet Rack Upright Frames feature a patent-pending design with pre-attached braces for faster and easier assembly.

Capacity is based on 36" beam shelf spacing.

H" x D"	BOLTED		WELDED	
	Model	Cap. Lbs.	Model	Cap. Lbs.
96 x 42	298678	33,000	320809	27,600
96 x 48	298689	33,000	320810	27,600
120 x 42	298690	33,000	320813	27,600
120 x 48	298691	33,000	320814	27,600
144 x 42	298692	33,000	320815	32,900
144 x 48	298693	33,000	320816	32,900
192 x 42	298694	33,000	320817	32,900

BEAM PAIRS

These high-strength, tube-seamed steel beams with a powder coat finish provide secure connections to upright frames using 3-button positive-locking studs and self-engaging, spring-loaded safety clips. Their step-beam design accommodates cross bars & decking, while the full C-type weld construction ensures maximum durability under all conditions.

Model	Clear Span"	Cap. Lbs./Pr.	Beam Ht."
245970	48	6,590	3 ⁵ / ₁₆
597001	96	3,230	3 ⁵ / ₁₆
245972	96	5,030	4 ¹ / ₃₂
245973	96	7,160	5 ¹ / ₈
245975	108	6,420	5 ¹ / ₈
245976	120	5,630	5 ¹ / ₈
597007	144	5,970	6



WRAP-AROUND FRAMEGUARDS

Made from durable 9-gauge steel, these convenient frame guards help protect pallet rack uprights from forklift damage.

Model	Ht"	1-4
798617	12	\$24.75
798618	18	27.95



TO ORDER:

MEASURE BEAM LENGTH BETWEEN UPRIGHTS (LEFT-TO-RIGHT)

MEASURE BEAM DEPTH OVERALL (FRONT-TO-BACK)

MEASURE DEPTH BETWEEN BEAM STEPS (FRONT-TO-BACK)

Beam Length"	Use	Beam Length"	Use
96	Two 46"	120	Two 58"
108	Two 52"	144	Three 58"

STEEL WIRE MESH DECKING

This 6-gauge wire decking with baked-enamel finish features a welded construction & 14-gauge channel supports. Unlike wood or metal decking, wire permits light, air, & sprinkler penetration, allowing a clear view of upper tiers and minimizing dust and debris accumulation. Easy installation—simply drop into place over beams. For use with beams that have ¹/₂" or ¹⁵/₁₆" step.

Model	Cap. Lbs.	Length Left/Right"	Depth Front/Back"	Between Step"
798651	2,700	46	36	32 ¹ / ₂
798652	2,750	52	36	32 ¹ / ₂
798653	2,800	58	36	32 ¹ / ₂
798654	2,500	46	42	38 ¹ / ₂
798655	2,700	52	42	38 ¹ / ₂
798656	2,750	58	42	38 ¹ / ₂
798657	2,500	46	48	44 ¹ / ₂
798658	2,500	52	48	44 ¹ / ₂
798659	2,500	58	48	44 ¹ / ₂

PALLET RACK SAFETY STRAP

Keep palletized or shrink-wrapped items from falling into aisles or pushing into flue spaces. Bright yellow polyester straps attach to the front or back of racks without tools or retrofitting. J-Hook attachment is compatible with teardrop uprights.



Model	Length"
412397	96
412398	108
412399	120
412400	144



STEEL WIRE DECK DIVIDERS

Dividers can be used to separate products or to prevent them from falling off shelves. Securely attaches to wire shelves with 2 clips.

Model	D" x H"
B2051763	34 x 10
B2051767	42 x 10
968641	34 x 18
968642	40 x 18
968643	46 x 18

HEAVY-DUTY GALVANIZED STEEL PALLETS

- Heavy-duty welded steel with a galvanized finish for rust resistance
- Offers 8,000 lb. static, 4,000 lb. fork, and 2,200 lb. rack capacity
- 3.9"H fork openings allow 4-way fork access for fork trucks and pallet jacks

Model	L" x W" x H"	Entry	Bottom Stringers	Fork	Cap. Lbs.	
					Floor	Rack
298531	36 x 36 x 4 ³ / ₄	Four-Way	3	4,000	8,000	2,200
298532	48 x 40 x 4 ³ / ₄	Two-Way	5	4,000	8,000	2,200
298533	48 x 42 x 4 ³ / ₄	Two-Way	5	4,000	8,000	2,200
298534	48 x 48 x 4 ³ / ₄	Two-Way	5	4,000	8,000	2,200



NESTABLE PLASTIC PALLETS

Nestable Plastic Pallets resist weather, splitting, mildew, and rot. Made from USDA-approved, 100% recyclable black polyethylene, these units have an improved textured surface that helps prevent slipping. Allows 4-way forklift. Most pallets are ISPM 51-exempt for export shipping.

Model	L" x W" x H"	Capacity Lbs.	
		Fork	Floor
268811	31 ¹ / ₂ x 23 ³ / ₄ x 5	2,200	5,500
268812	47 ¹ / ₄ x 31 ¹ / ₂ x 5 ¹ / ₂	2,200	8,800
236642	48 x 40 x 5 ¹ / ₂	2,750	15,000
270207	48 x 40 x 5 ³ / ₁₆	2,200	3,500



RACKABLE & STACKABLE PLASTIC PALLETS

Rackable Pallets are designed for use in high-density stacking and shelf storage systems. These pallets feature a one-piece structural design that is strong and durable. Ideal for coolers and freezers, they are capable of handling various load sizes. Pallets are also stackable, cutting costs by saving space.

Model	L" x W" x H"	Color	Capacity Lbs.		
			Fork	Floor	Rack
269804	36 x 32 x 4 ¹ / ₂	Gray	1,500	3,000	500
412511	48 x 40 x 6	Black	4,000	30,000	2,300
412512	48 x 40 x 6	Blue	4,000	30,000	1,800
269809	96 x 48 x 5	Black	3,000	6,000	1,500



412512



ALUMINUM PALLETS


Aluminum Pallets are lightweight, cost-effective, and ideal for storing food products and other perishables. Built to meet USDA and FDA requirements, these anodized aluminum pallets are extremely durable and offer enhanced corrosion resistance. Choose from various sizes and weight capacities to fit the needs of your specific storage and handling applications.

Model	L" x W" x H"	Fork	Capacity Lbs.	
			Floor	Rack
B2692173	24 x 36 x 3 ³ / ₄	4,000	4,000	4,000
B2692163	24 x 24 x 6	4,000	4,000	4,000
269330	48 x 40 x 5 ¹ / ₄	5,000	30,000	5,000
270016	48 x 40 x 6	4,000	6,000	6,000

USDA- & FDA-APPROVED PALLETS

Ensure your products stay safe from contamination during transportation, storage, and transfer. These sanitary pallets are compliant with food industry regulations and are designed to help create a safe and organized work environment. Pallets are easy to clean and feature strong, corrosion-resistant constructions. Various styles available.

Model	L" x W" x H"	Color	Fork	Capacity Lbs.	
				Floor	Rack
B2246909	48 x 40 x 6 ³ / ₄	Open Deck w/ Lip	5,000	30,000	5,000
B2246910	48 x 40 x 6 ¹ / ₄	Open Deck	5,000	30,000	5,000
298527	48 x 40 x 6 ¹ / ₄	Open Deck	4,400	8,800	4,400
298528	48 x 40 x 6 ¹ / ₄	Closed deck	4,400	8,800	4,400



298527



WOOD PALLETS

Built with hardwoods, these pallets are strong and durable, ensuring the safe transfer of goods from one location to another. Wood pallets are not only reusable but also recyclable, promoting sustainability and minimizing environmental impact. Pallets are heat treated and ISPM 15 approved for export.

Model	L" x W" x H"	Capacity Lbs.
270274	48 x 40 x 4 ¹ / ₂	2,800
270275	48 x 48 x 4 ¹ / ₂	3,500


STORAGE & SHELVING



EASY TO ASSEMBLE

HEAVY-DUTY BOLTED DIE RACK SHELVING

These 14-gauge steel shelves with rigid angle posts hold heavy items such as jigs, fixtures, dies, & more. Reinforced with flanged channel construction, these shelves adjust at 1" increments and feature a 3000 lb. shelf capacity. Gray enamel finish. Easy assembly.



CHANNEL REINFORCED SHELF

	60"H	72"H	96"H	
	4 SHELVES	4 SHELVES	4 SHELVES	ADDITIONAL SHELF
W"x D"	Model	Model	Model	Model
36 x 18	968720	236603	236633	236662
48 x 18	968721	236607	236637	236666
60 x 18	968722	236609	236639	236668
36 x 24	968723	236611	236641	236670
48 x 24	968724	236615	236645	236674
60 x 24	968725	236617	236647	236676
72 x 24	968726	493844	236649	236678
	5 SHELVES	5 SHELVES	5 SHELVES	ADDITIONAL SHELF
W"x D"	Model	Model	Model	Model
36 x 18	240000	236602	236632	236662
36 x 24	240001	236606	236636	236666
48 x 18	240002	236608	236638	236668
48 x 24	240003	236610	236640	236670
60 x 18	240004	236614	236644	236674
60 x 24	240005	236616	236646	236676
72 x 24	240006	236619	236648	236678



272114

HEAVY-DUTY BOLTLESS DIE RACK SHELVING

This all-steel and adjustable boltless shelving solution is essential for storing heavy motors, jigs, car parts, and other hefty equipment around your facility. Ideal for auto body shops, manufacturing plants, and warehouses, the boltless design allows easy assembly and adjust-ability so you can easily store, set, & organize your inventory how you need it. The smooth steel surface makes placement easy compared to wood or wire shelves – simply slide items on and off. Available in a multitude of sizes.



258179

HEAVY-DUTY ROLL OUT DIE RACK SHELVING

Great for storing dies, fixtures, engine parts, and more, these industrial shelving units are equipped with heavy-duty, 10-gauge steel shelves that can be fully extended one at a time for ease of loading and unloading. The adjustable shelves have a 2000 lb. shelf capacity and can be locked into an extended position for maximum safety, while the fixed top shelf has a 500 lb. capacity. Gray enamel finish. Easy assembly. Add-On Units available to expand units to meet your storage requirements.


	Cap.	STARTER	ADD ON	ADDITIONAL SHELF
W" x D"	Lbs.	Model	Model	Model
36 x 18	4,000	272114	B3152922	272152
48 x 18	4,000	272120	B3152926	272154
72 x 18	2,750	272135	B3152946	272159
36 x 24	4,000	272117	B3152924	272153
48 x 24	4,000	272123	B3152928	272155
60 x 24	3,250	272129	B3152943	272157
72 x 24	2,750	272138	B3152948	272160
96 x 24	2,600	272144	B3152964	272162
48 x 36	3,250	272126	B3153810	272156
60 x 36	3,250	272132	B3152940	272158
72 x 36	2,750	272141	B3152961	272161
96 x 36	2,600	272147	B3152960	272163



W" x D" x H" Levels		STARTER Model	ADD-ON Model	ADDITIONAL SHELF Model
36 x 36 x 62	3	258173	258182	796366
48 x 36 x 62	3	258174	258183	796367
48 x 48 x 62	3	258175	258184	796368
36 x 36 x 72	3	258176	258185	796366
48 x 36 x 72	3	258177	258186	796367
48 x 48 x 72	3	258178	258187	796368
36 x 36 x 85	4	258179	258188	796366
48 x 36 x 85	4	258180	258189	796367
48 x 48 x 85	4	258181	258190	796368

HIGH-CAPACITY BULK STORAGE RACKS

This cost-effective, sturdy metal storage rack offers almost twice the capacity per level as standard racks thanks to the formed step Z-beam. The boltless design allows the horizontal beams to be easily installed and quickly adjusted at 2" increments. Heavy-duty, **12-gauge** beams have 3 hooks at each end for positive connection. Uprights are **14-gauge** steel measuring 1 1/4" x 1 1/4". Gray powder coat finish. **Easy assembly.**



Starter Unit

Includes 2 upright frames, 3 shelf levels, and 15 deck supports.


Choose the **Decking** that suits your needs: **No Deck, Wood, Wire, or Steel.**

Wood Deck - Budget friendly, precut 5/8" thick particle board.

Wire Deck - Allows for better ventilation and water to pass through if sprinkler system is activated. Epoxy finish for added durability.

Steel Deck - Long lasting, ultra-durable, easy-to-clean surface. Will not splinter under heavy loads.

WOOD DECK



Add-On Unit

Includes 1 upright frame, 3 shelf levels, and 15 deck supports.


DECK SUPPORTS

18" depth units do not include deck supports.

Additional Uprights, Beams and Decks available online.



Three hooks for positive connection



Formed step beam creates extra support for increased capacity



Safety pins lock beams in place



Foot plates allow rack to be bolted to the floor



14-Gauge deck supports loads

W" x D" x H"	Cap. Lbs./ Level	NO DECK		WOOD DECK		WIRE DECK		STEEL DECK	
		STARTER Model	ADD-ON Model	STARTER Model	ADD-ON Model	STARTER Model	ADD-ON Model	STARTER Model	ADD-ON Model
60 x 18 x 72	3800	504530	504533	504590	504591	---	---	---	---
60 x 24 x 72	3800	504407	504434	504281	504308	504464	504491	504344	504371
60 x 36 x 72	3800	504408	504435	504282	504309	504465	504492	504345	504372
60 x 48 x 72	3800	504409	504436	504283	504310	504466	504493	504346	504373
72 x 18 x 72	2750	504531	504534	504536	504538	504542	504544	---	---
72 x 24 x 72	2750	504410	504437	504284	504311	504467	504494	504347	504374
72 x 36 x 72	2750	504411	504438	504285	504312	504468	504495	504348	504375
72 x 48 x 72	2750	504412	504439	504286	504313	504469	504496	504349	504376
96 x 18 x 72	2150	504532	504535	504537	504539	504543	504545	---	---
96 x 24 x 72	2150	504413	504440	504287	504314	504470	504497	504350	504377
96 x 36 x 72	2150	504414	504441	504288	504315	504471	504498	504351	504378
96 x 48 x 72	2150	504415	504442	504289	504316	504472	504499	504352	504379
60 x 24 x 96	3800	504416	504443	504290	504317	504473	504500	504353	504380
60 x 36 x 96	3800	504417	504444	504291	504318	504474	504501	504354	504381
60 x 48 x 96	3800	504418	504445	504292	504319	504475	504502	504355	504382
72 x 24 x 96	2750	504419	504446	504293	504320	504476	504503	504356	504383
72 x 36 x 96	2750	504420	504447	504294	504321	504477	504504	504357	504384
72 x 48 x 96	2750	504421	504448	504295	504322	504478	504505	504358	504385
96 x 24 x 96	2150	504422	504449	504296	504323	504479	504506	504359	504386
96 x 36 x 96	2150	504423	504450	504297	504324	504480	504507	504360	504387
96 x 48 x 96	2150	504424	504451	504298	504325	504481	504508	504361	504388
60 x 24 x 120	3800	504425	504452	504299	504326	504482	504509	504362	504389
60 x 36 x 120	3800	504426	504453	504300	504327	504483	504510	504363	504390
60 x 48 x 120	3800	504427	504454	504301	504328	504484	504511	504364	504391
72 x 24 x 120	2750	504428	504455	504302	504329	504485	504512	504365	504392
72 x 36 x 120	2750	504429	504456	504303	504330	504486	504513	504366	504393
72 x 48 x 120	2750	504430	504457	504304	504331	504487	504514	504367	504394
96 x 24 x 120	2150	504431	504458	504305	504332	504488	504515	504368	504395
96 x 36 x 120	2150	504432	504459	504306	504333	504489	504516	504369	504396
96 x 48 x 120	2150	504433	504460	504307	504334	504490	504517	504370	504397



CANTILEVER RACK STARTERS

Constructed from heavy-gauge, roll-formed steel to endure demanding industrial conditions, cantilever storage racks feature strong, open arms that can store materials like tubes, pipes, conduits, lumber, or bars. Single- or double-sided racking is available in a variety of sizes, weight capacities, and arm options.

Arms available with or without 2" lip




Model	Side Type	W" x D" x H'	Cap. Lbs.	Arm Length"	Arm Type	Arm Cap.	Arm Qty.
320821	Single	48 x 38 x 8	13,300	24	No Lip	1,200	8
320822	Single	48 x 38 x 8	13,300	24	2" Lip	1,200	8
320823	Single	72 x 50 x 10	10,300	36	No Lip	800	10
320824	Single	72 x 50 x 10	10,300	36	2" Lip	800	10
320825	Single	72 x 58 x 12	8,500	48	No Lip	600	12
320826	Single	72 x 58 x 12	8,500	48	2" Lip	600	12
320827	Double	48 x 60 x 8	26,600	24	2" Lip	1,200	16
320830	Double	48 x 60 x 8	20,800	24	2" Lip	1,300	16
298904	Double	48 x 65 x 8	12,000	24	2" Lip	1,000	16
298909	Double	72 x 84 x 10	12,000	36	2" Lip	800	24

Additional sizes and add-on units available

STRUCTURAL CANTILEVER RACK STARTERS

Constructed from structural steel with a minimum yield of 50,000 PSI, these racks save horizontal space, reduce forklift damage, and allow for faster load & unload times. These units feature arms that vertically adjust in 4" increments, heavy arm connector plates, and bolted column-to-base connections. Capacity is based on 36" arm spacing.

Model	Side Type	W" x D" x H'	Cap. Lbs.	Arm Length"	Arm Cap.	Arm Qty.
B2366078	Single	72 x 58 x 16	18,530	48	2,600	8
B2366080	Single	48 x 58 x 16	18,530	48	2,600	8
B2366082	Single	72 x 56 x 12	13,010	48	2,600	6
B2366085	Single	48 x 56 x 12	13,010	48	2,600	6
B2366068	Double	72 x 106 x 16	18,530	48	2,600	16
B2366072	Double	48 x 106 x 16	18,530	48	2,600	16
B2366074	Double	72 x 104 x 12	13,010	48	2,600	12
B2366076	Double	48 x 104 x 12	13,010	48	2,600	12



Additional sizes and add-on units available



VERTICAL BAR RACK

Ideal for storing pipes, lumber, & other long materials, this storage rack has a 3,000 lb. capacity. Long pieces can be stacked vertically in one of three 10"W storage bays, while shorter pieces can be stored on the 3" pan shelves. Unit is easy to assemble and includes a safety chain to retain contents.

Model	W" x D" x H'	Cap. Lbs.
798899	39 x 24 x 84	3,000

PORTABLE STACK RACKS

These stacking storage racks provide a convenient, economical alternative to pallet racks. Featuring a base that allows 4-way forklift access, these racks accept pallet storage or can be used as a pallet itself. They are built to stack up to 4 units high, and, when stacked, eliminate load-on-load contact. Easy modular assembly. Blue enamel finish.

Model	W" x D" x H"	Cap. Lbs.
798925	48 x 42 x 56 $\frac{1}{2}$	4,000
798924	48 x 42 x 44 $\frac{1}{2}$	4,000
798923	48 x 48 x 44 $\frac{1}{2}$	4,000
798922	48 x 48 x 56 $\frac{1}{2}$	4,000
798927	60 x 42 x 56 $\frac{1}{2}$	4,000
798926	60 x 42 x 44 $\frac{1}{2}$	4,000
272151	48 x 48 x 68 $\frac{1}{2}$	4,000



MODULAR BAR STACK RACKS

Simplify the storage of bars, channels, doors, angles, and pipes easily and efficiently with these modular bar stack racks. Featuring a heavy-duty welded steel construction, these sturdy bar racks are economically built to stack up to five units high, minimizing space occupancy while maximizing storage capabilities.



Model	W" x D" x H"	Cap. Lbs.
293283	16 x 12 x 14	1250
293284	19 x 14 x 18	1850
293285	22 x 15 x 21	2800
293286	26 x 16 x 24	3750





SAFETY U-RACK

Constructed from heavy-duty welded steel, these U-Racks can be stacked up to 4 units high and are equipped with safety pins that lock the stacked racks together to help prevent injuries. These units are ideal for storing bars, channels, angles, pipes, and more.

Model	W" x D" x H"	Cap. Lbs.
952201	25 x 4 x 20	10,000





MODULAR INPLANT OFFICES

Create fast, affordable office space anywhere you need it with these easy-to-assemble, high-quality modular inplant offices. Ideal for industrial warehouses, factories or facilities. Ships with everything you need to construct a complete four wall enclosure. Available in either Class A or C wall panels. Recommend clearance height to be at least 9' to ensure the metal roof deck can be easily installed.

CLASS C				CLASS A			
Model	W' x D' x H'	Light Fixtures	Outlets	Model	W' x D' x H'	Light Fixtures	Outlets
B2688570	10' x 10' x 8'2"	1	(3) 115V Duplex	B2688575	10' x 10' x 8'2"	1	(3) 115V Duplex
B2688571	10' x 12' x 8'2"	2	(3) 115V Duplex	B2688576	10' x 12' x 8'2"	2	(3) 115V Duplex
B2688572	10' x 16' x 8'2"	2	(4) 115V Duplex	B2688577	10' x 16' x 8'2"	2	(4) 115V Duplex
B2379097	12' x 12' x 8'2"	2	(4) 115V Duplex	B2379091	12' x 12' x 8'2"	2	(4) 115V Duplex
B2379094	12' x 16' x 8'2"	2	(4) 115V Duplex	B2379090	12' x 16' x 8'2"	2	(4) 115V Duplex
B2688573	12' x 20' x 8'2"	2	(5) 115V Duplex	B2688578	12' x 20' x 8'2"	2	(5) 115V Duplex
B2688574	16' x 20' x 8'2"	3	(6) 115V Duplex	B2688579	16' x 20' x 8'2"	3	(6) 115V Duplex
B2379098	8' x 10' x 8'2"	1	(3) 115V Duplex	B2379095	8' x 10' x 8'2"	1	(3) 115V Duplex
B2379100	8' x 12' x 8'2"	2	(3) 115V Duplex	B2379093	8' x 12' x 8'2"	2	(3) 115V Duplex
B2379099	8' x 16' x 8'2"	2	(3) 115V Duplex	B2379092	8' x 16' x 8'2"	2	(3) 115V Duplex
B2379101	8' x 8' x 8'2"	1	(3) 115V Duplex	B2379096	8' x 8' x 8'2"	1	(3) 115V Duplex



PORTA-KING™ INPLANT OFFICE

- Creates highly-functional space in your facility
- Prepared & pre-finished components for easy installation
- All required wall panels, connecting post, roof deck & acoustic ceiling system, 20-gauge steel door, and hardware included
- Includes a standard electrical kit that consists of a light switch, 115-volt electrical outlets, and 2' x 4' recessed LED light fixtures
- Available in gray or white



Type	Optional Accessories	Model
Additional Swing Door		B2379087
Additional Fixed Window		B2171587
Cat 5 Data Jack		B2379086
Additional 115V Duplex Outlet		B2171545
2 x 4 LED Light Panel w/ Wiring		B3131920
10k BTU Wall AC Unit		B2171542
12k BTU Wall AC Unit		B2171543
AC Wall Cutout Kit		B3056361

CLASS A Fire Rated Wall Panels						
W' x D'	2 Wall Units		3 Wall Units		4 Wall Units	
	Model	Light Fixtures	Model	Light Fixtures	Model	Light Fixtures
8 X 8	B2171638	1	B2171623	1	B2171622	1
8 X 12	B2171663	1	B2171662	1	B2171679	1
10 X 12	B2171572	2	B2171555	2	B2171528	2
12 X 12	B2171475	2	B2171455	2	B2171504	2
16 X 16	B2171531	2	B2171579	2	B2171571	2
20 X 20	B2171583	4	B2171575	4	B2171567	4

CLASS C Fire Rated Wall Panels						
W' x D'	2 Wall Units		3 Wall Units		4 Wall Units	
	Model	Light Fixtures	Model	Light Fixtures	Model	Light Fixtures
8 X 8	B2171393	1	B2171392	1	B2171391	1
8 X 12	B2171383	1	B2171382	1	B2171381	1
10 X 12	B2171430	2	B2171386	2	B2171418	2
12 X 12	B2171661	2	B2171646	2	B2171643	2
16 X 16	B2171603	2	B2171667	2	B2171650	2
20 X 20	B2171624	4	B2171625	4	B2171606	4

WILDECK® INDUSTRIAL STEEL MEZZANINES

Fully utilize existing overhead space, so you can operate more efficiently and profitably. Gain valuable working, office, storage, or manufacturing areas at a fraction of the cost of new construction. Put this space to work fast, with minimal interruption to your working floor area. All units meet OSHA, BOCA, UBC, and ADA standards.

Model	W x D x H	Sq. Ft.
B2002334	11' x 31'-5" x 10'	346.5
B2002332	11' x 31'-5" x 8'	346.5
B2002333	11' x 31'-5" x 9'	346.5
B2002322	16' x 11' x 8'	176
B2002324	16' x 11' x 10'	176
B2002323	16' x 11' x 9'	176
B2002327	16' x 21'-7" x 10'	336
B2002325	16' x 21'-7" x 8'	336
B2002326	16' x 21'-7" x 9'	336
B2002337	21'-7" x 31'-5" x 10'	677.25
B2002335	21'-7" x 31'-5" x 8'	677.25
B2002336	21'-7" x 31'-5" x 9'	677.25
B2002328	31'-5" x 16' x 10'	504
B2002320	31'-5" x 16' x 8'	504
B2002321	31'-5" x 16' x 9'	504
B2002342	32'-2" x 31'-5" x 10'	1013.355
B2002338	32'-2" x 31'-5" x 8'	1013.355
B2002341	32'-2" x 31'-5" x 9'	1013.355



CUSTOM MEZZANINES

**You Can Think It,
We Can Build It!**

- Create additional manufacturing, storage, office, and retail space in the most cost-effective way.
- Utilizes a state of the art 3D Mezzanine "Configurator" program.
- Single level, multi-level, decking, landings, stairs, and railing; all customized to your design and layout.
- We can assist with building codes, seismic conditions, load analysis, and permit requirements.
- Recommendation of local installation services within the US and Canada.

Contact your factory-trained Global Mezzanine Expert today to request a free quote! 1-800-645-1232



INDUSTRIAL STAIRCASES OSHA APPROVED

OSHA approved stairways are in strict compliance with building code requirements to ensure safe access to elevated areas. These industrial access stairway ladders are designed on a climbing angle with handrails and secure footing placements to allow safe stairway descent and ascent. Our OSHA stairways have a heavy duty steel build for long lasting durability. Available from 4 to 16 steps.

Model	Steps	Width"
B2237281	4	36
B2237280	5	36
B2237258	6	48
B2237301	7	48
B2237267	8	36
B2237299	9	48
B2237298	10	48
B2237274	12	36
B2237295	14	48
B2237261	16	42



MEZZANINE ACCESSORIES

Mezzanine accessories provide safe access to mezzanine floors, loading docks, and other industrial work areas. Key products include Safety swing gates, pivot gates, Handrail kick plates, self-closing safety gates, folding ladders, and ladder safety swing gates.



Model	Steps
B2002381	Welded Bar Grating
B2002317	Handrail / Kick Plate
B2114639	Handrail
708360YL	Spring Laded Safety Swing Gate
708537YL	Adjustable Safety Swing Gate
708372	Self-Closing Guard Rail Safety Gate
M1812153	Ladder Safety Swing Gate
798929	Safety Pivot Gate
B2113186	60"H Folding Mezzanine Ladder



NEX[®] UNEX PROVIDES UNIQUE SOLUTIONS FOR MOVING AND STORING PRODUCTS OF ALL SIZES



B1229022

FLOW CELL HEAVY-DUTY GRAVITY RACK WITH WHEELBED STARTER

This unit has a SpanTrack wheelbed that allows front-feeds to keep products at pick point. Uprights and beams are made from powder-coated tube steel with welded plates for floor-mounting. Low-friction wheels for easy mobility with 1,000 lb. capacity per level.



B1249692

STRAIGHT GALVANIZED STEEL SKATEWHEEL CONVEYOR

With zinc-plated steel wheels and a corrosion-resistant steel frame, this conveyor provides portable conveyor lines and is ideal for moving lightweight packages. 50 lb. wheel capacity and 210 lb. per foot load capacity.



272169

CARTON FLOW RACK WITH SPANTRACK LANE

Ideal for active warehouses and assembly plants, the carton flow rollers provide the most surface contact, eliminating hang-ups on the track and increasing throughput. 108"W x 96"D x 96"H



B3153265

SPEEDCELL[®] KIT WITH MEDIUM COLUMNS

This dynamic, high-density shelving solution maximizes space utilization within standard pallet racking, improving pick speed and accuracy. Unit has a medium column cell size – 12"W x 13"H x 12"D (6 cell locations per column).



B1578614

PALLET TRACK STEEL FLOOR CONVEYOR

Ideal for fast-moving SKUs picked straight from the pallet. 96" long x 50" overall width, this track includes front ramp stops, fixed-angle rear-end stops, with mid- and rear-floor supports. 2 lanes, 8'L, 8,000 lb. capacity.

REEL RACKS

Sturdy steel reel storage racks feature 6 levels that can hold up to 3 axles each. Can be customized to hold a total of 18 axles. The boltless construction is easy to assemble and allows tool-free level adjustment. Secures to walls or floors for maximum stability and is finished in a chip-resistant baked enamel for lasting durability.

Model	W" x D" x H"
MOUNT RACK	
390205	36 x 24 x 84
390213	48 x 24 x 84

Model	W x Diameter	Capacity Lbs.
AXLE BRACKETS		
390206	36" x 1/2"	45
968555	48" x 1/2"	45
968556	48" x 3/4"	90
390207	36" x 13/16"	90



10,000 LB. HIGH-CAPACITY REEL RACKS

10,000 lb. high-capacity reel racks adjust to hold spools that measure up to 60" in diameter. The axle brackets accommodate up to 2" diameter axles for a 2,000 lb. capacity per pair. Safety pins lock the axle brackets and cross beams to the 12-gauge steel upright frames. 10-gauge steel axle brackets attach to lapped and welded beams with three hooks for a positive connection. The cross beams and brackets adjust on 3" centers for large or small reels. Should be secured to floor.

Base D" x W" x H"	STARTER Model	ADD-ON Model
24 x 24 x 96	653171	653182
24 x 36 x 96	653172	653183
24 x 48 x 96	653173	653184
36 x 24 x 96	653174	653185
36 x 36 x 96	653175	653186
36 x 48 x 96	653176	653187
24 x 24 x 120	653177	653188
24 x 36 x 120	653178	653189
24 x 48 x 120	653179	653190
36 x 36 x 120	653180	653191
36 x 48 x 120	653181	653192

AXLE KIT	
Width"	Model
24	653193
36	653194
48	653195



REEL DISPENSERS

Most efficient method for winding or dispensing cable, wire, rope, hose, and chain. Accommodates all reel diameters. Rear roller adjusts to six positions. Inclined ramp permits easy loading and unloading. Constructed of 4" structural steel with heavy ball bearing rollers. Side rollers permit easier, steadier reel handling.

Model	Type	Capacity Lbs.	Max Reel Size"	W" x D"
298675	Single Reel	1,500	28	31 x 28
298676	Double Reel	3,000	48	52 x 28

230002

WIRE REEL CADDY

Pays out wire quickly and easily. Designed for wire spools of assorted sizes. Includes 8 axles, 3/4" diameter and 2 axles, 11/8" diameter. Rugged 16 gauge welded steel frame is constructed of 3/4" tubing with durable powder coated bright orange finish.



STORAGE & SHELVING

NEXEL® STANDARD WIRE SHELVES

Open wire rack shelving is an ideal storage solution that maximizes visibility to shelved contents while minimizing dust and moisture accumulation in any business, warehouse, or facility. Available in a variety of finishes, these units feature reinforced shelves that adjust in 1" increments. Units are easy to assemble and come in a range of styles and sizes to fit any storage needs.

BUILD YOUR OWN SHELVING UNIT

Creating customized storage solutions for your business has never been easier. Simply use the chart below to build our starter unit. First pick the finish that best meets your unique needs, then choose the size of your shelf, the height of your posts, and the number of shelves you want.

FINISH TYPES

CHROME	SILVER EPOXY	BLACK EPOXY	POLY-Z-BRITE®	POLY-GREEN®	NEXELON®	STAINLESS STEEL
Dry Environments	Dry/Wet Environments	Dry/Wet Environments	Dry/Wet Environments	Dry/Wet Environments	Dry/Wet Environments	Dry/Wet Environments
Bright, high-gloss finish, over nickel-chrome electroplating.	Silver epoxy powder coat over a rust-inhibiting undercoat.	Silver epoxy powder coat over a rust-inhibiting undercoat.	Clear epoxy powder coat over zinc-chromate electroplating that resembles chrome with NEXGard*.	Green epoxy powder coat over zinc-chromate electroplating with NEXGard.	Metallic blue epoxy powder coat electrostatically applied over zinc chromate electroplating and chemical conversion undercoat with NEXGard*.	Electro-polished to present a bright, attractive finish. Highly rust- & corrosion-resistant. It can handle extremes of moisture & temperature.

*NEXGard, is an antimicrobial agent that inhibits bacteria, mold, & mildew.



SHELVES



L" x W"	CHROME Model	SILVER EPOXY Model	BLACK EPOXY Model	POLY-Z-BRITE® Model	POLY-GREEN® Model	NEXELON® Model	STAINLESS STEEL Model
14 x 24	S1424C	S1424EP	S1424B	S1424Z	S1424GZ	S1424N	S1424S
14 x 30	S1430C	S1430EP	S1430B	S1430Z	S1430GZ	S1430N	S1430S
14 x 36	S1436C	S1436EP	S1436B	S1436Z	S1436GZ	S1436N	S1436S
14 x 42	S1442C	S1442EP	S1442B	S1442Z	S1442GZ	S1442N	S1442S
14 x 48	S1448C	S1448EP	S1448B	S1448Z	S1448GZ	S1448N	S1448S
14 x 54	S1454C	S1454EP	S1454B	S1454Z	S1454GZ	S1454N	S1454S
14 x 60	S1460C	S1460EP	S1460B	S1460Z	S1460GZ	S1460N	S1460S
14 x 72	S1472C	S1472EP	S1472B	S1472Z	S1472GZ	S1472N	S1472S
18 x 24	S1824C	S1824EP	S1824B	S1824Z	S1824GZ	S1824N	S1824S
18 x 30	S1830C	S1830EP	S1830B	S1830Z	S1830GZ	S1830N	S1830S
18 x 36	S1836C	S1836EP	S1836B	S1836Z	S1836GZ	S1836N	S1836S
18 x 42	S1842C	S1842EP	S1842B	S1842Z	S1842GZ	S1842N	S1842S
18 x 48	S1848C	S1848EP	S1848B	S1848Z	S1848GZ	S1848N	S1848S
18 x 54	S1854C	S1854EP	S1854B	S1854Z	S1854GZ	S1854N	S1854S
18 x 60	S1860C	S1860EP	S1860B	S1860Z	S1860GZ	S1860N	S1860S
18 x 72	S1872C	S1872EP	S1872B	S1872Z	S1872GZ	S1872N	S1872S
21 x 24	S2124C	S2124EP	S2124B	S2124Z	S2124GZ	S2124N	S2124S
21 x 30	S2130C	S2130EP	S2130B	S2130Z	S2130GZ	S2130N	S2130S
21 x 36	S2136C	S2136EP	S2136B	S2136Z	S2136GZ	S2136N	S2136S
21 x 42	S2142C	S2142EP	S2142B	S2142Z	S2142GZ	S2142N	S2142S
21 x 48	S2148C	S2148EP	S2148B	S2148Z	S2148GZ	S2148N	S2148S
21 x 54	S2154C	S2154EP	S2154B	S2154Z	S2154GZ	S2154N	S2154S
21 x 60	S2160C	S2160EP	S2160B	S2160Z	S2160GZ	S2160N	S2160S
21 x 72	S2172C	S2172EP	S2172B	S2172Z	S2172GZ	S2172N	S2172S
24 x 24	S2424C	S2424EP	S2424B	S2424Z	S2424GZ	S2424N	S2424S
24 x 30	S2430C	S2430EP	S2430B	S2430Z	S2430GZ	S2430N	S2430S
24 x 36	S2436C	S2436EP	S2436B	S2436Z	S2436GZ	S2436N	S2436S
24 x 42	S2442C	S2442EP	S2442B	S2442Z	S2442GZ	S2442N	S2442S
24 x 48	S2448C	S2448EP	S2448B	S2448Z	S2448GZ	S2448N	S2448S
24 x 54	S2454C	S2454EP	S2454B	S2454Z	S2454GZ	S2454N	S2454S
24 x 60	S2460C	S2460EP	S2460B	S2460Z	S2460GZ	S2460N	S2460S
24 x 72	S2472C	S2472EP	S2472B	S2472Z	S2472GZ	S2472N	S2472S

POSTS

Height"	CHROME Model	SILVER EPOXY Model	BLACK EPOXY Model	POLY-Z-BRITE® Model	POLY-GREEN® Model	NEXELON® Model	STAINLESS STEEL Model
6	711225	711269	711237	711250	711259	711227	---
14	711235	711270	711246	711233	711260	711228	---
34	320783	711254	711262	711248	711236	711229	320820
54	320784	320785	711238	711244	711220	711221	320819
63	711232	320781	711247	711243	320787	711252	711258
74	711255	320782	711241	711226	320788	711245	711251
86	320780	320786	711242	711257	320789	711239	711265
96	711223	---	P96B4	---	---	---	---

NEXEL® NEXELATE® SILVER EPOXY WIRE SHELVING & TRUCKS

Your Best Buy For Wet or Dry Storage Applications.



EASY ASSEMBLY & ADJUSTMENT



Slide shelf over sleeve for secure, positive locking

Shelves Are Adjustable on 1" Increments

UTILITY CART 1200 lb. Capacity, 39"H.
4 swivel 5" Polyurethane Casters.

2 Shelf

W" x D"	Model
36 x 18	168207
36 x 24	168208
48 x 24	168209

3 Shelf

W" x D"	Model
36 x 18	168210
36 x 24	168211
48 x 24	168212

LEDGES

L" x H"	Model
18 x 4	AL418EP
24 x 4	AL424EP
36 x 4	AL436EP
48 x 4	AL448EP
60 x 4	AL460EP
72 x 4	AL472EP

SHELF DIVIDERS

D" x H"	Model
18 x 8	AD818EP
24 x 8	AD824EP

SHELF TRUCK
1200 lb. Capacity
4 shelf.
4 swivel 5" Polyurethane Casters

W" x D" x H"	Model
36 x 18 x 69	168191
48 x 18 x 69	168192
60 x 18 x 69	168193
72 x 18 x 69	168194
36 x 24 x 69	168195
48 x 24 x 69	168196
60 x 24 x 69	168197
72 x 24 x 69	168198
36 x 18 x 80	168199
48 x 18 x 80	168200
60 x 18 x 80	168201
72 x 18 x 80	168202
36 x 24 x 80	168203
48 x 24 x 80	168204
60 x 24 x 80	168205
72 x 24 x 80	168206


600-800 lb. capacity per shelf

STATIONARY SHELF

W" x D" x H"	STARTER UNIT 4 posts, 4 shelves, and snap sleeves.	ADD-ON UNIT 2 posts, 4 shelves, snap sleeves, and 8 S-hooks.	ADDITIONAL SHELF
	Model	Model	Model
36 x 18 x 63	990131	990147	990163
48 x 18 x 63	990132	990148	990164
60 x 18 x 63	990133	990149	990165
72 x 18 x 63	990134	990150	990166
36 x 24 x 63	990135	990151	990167
48 x 24 x 63	990136	990152	990168
60 x 24 x 63	990137	990153	990169
72 x 24 x 63	990138	990154	990170
36 x 18 x 74	990139	990155	990163
48 x 18 x 74	990140	990156	990164
60 x 18 x 74	990141	990157	990165
72 x 18 x 74	990142	990158	990166
36 x 24 x 74	990143	990159	990167
48 x 24 x 74	990144	990160	990168
60 x 24 x 74	990145	990161	990169
72 x 24 x 74	990146	990162	990170

Nexelate's® high-performance finish has a 7-Year Limited Warranty against rust and corrosion in wet or dry applications. NSF approved.

STORAGE & SHELVING



NEXEL® CHROME WIRE SHELVING

Nexel® Chrome Wire Shelving simplifies storage within a facility by keeping items neatly organized, on strong, durable, and adjustable flat-wire shelves. Shelving units are constructed from steel with electro-plated nickel-chrome resulting in brilliant high gloss finish. NSF approved in dry storage applications, from retail to warehouse storage. Open shelving permits sprinkler, air, and light penetration, and minimizes dust accumulation. Wire shelves feature a patented truss reinforced design for extra strength and up to 800 lb. capacity depending on shelf width. Each wire shelf easily adjusts in 1" increments and is reinforced with welded surface ribs for added strength to support large quantities of items. 1-Year Limited Warranty. **Starter Units** include 4 posts with leveling feet, 4 wire shelves, and plastic snap on sleeves to secure shelves. Wire shelving starter units can be connected with optional add-on shelving units (available online) to expand the quantity of storage rows.



Snap sleeve around numbered post.




Slide shelf over sleeve for secure, positive locking.

W" x D"	54" High 4 Shelf Model	63" High 4 Shelf Model	74" High 4 Shelf Model	86" High 4 Shelf Model
24 x 14	188200	188264	188288	188312
30 x 14	188202	188266	188290	188314
36 x 14	188204	184725	184737	184749
42 x 14	188206	188268	188292	188316
48 x 14	188208	184726	184738	184750
54 x 14	188210	188270	188294	188318
60 x 14	188212	184727	184739	184751
72 x 14	188214	184728	184740	184752
24 x 18	188216	188272	188296	188320
30 x 18	188218	188274	188298	188322
36 x 18	188220	188400	188420	188440
42 x 18	188222	188276	188300	188324
48 x 18	188224	188402	188422	188442
54 x 18	188226	188278	188302	188326
60 x 18	188228	188404	188424	188444
72 x 18	188230	188406	188426	188446
24 x 21	796125	796141	796157	796173
30 x 21	796127	796143	796159	796175
36 x 21	796129	796145	796161	796177
42 x 21	796131	796147	796163	796179
48 x 21	796133	796149	796165	796181
54 x 21	796135	796151	796167	796183
60 x 21	796137	796153	796169	796185
72 x 21	796139	796155	796171	796187
24 x 24	188232	188280	188304	188328
30 x 24	188234	188282	188306	188330
36 x 24	188236	188408	188428	188448
42 x 24	188238	188284	188308	188332
48 x 24	188240	188410	188430	188450
54 x 24	188242	188286	188310	188334
60 x 24	188244	188412	188432	188452
72 x 24	188246	188414	188434	188454



DOCUMENT HOLDER
12³/₈"W x 2"D x 8⁵/₈"H
Model
489070



LEDGES

DIVIDERS

LEDGES L" x H"	Model
14 x 4	AL414C
18 x 4	188580
21 x 4	AL421C
24 x 4	188582
30 x 4	AL430C
36 x 4	188584
42 x 4	AL442C
48 x 4	188586
54 x 4	AL454C
60 x 4	188558
72 x 4	188590

SHELF DIVIDERS D" x H"	Model
14 x 8	AD814C
18 x 8	AD818C
21 x 8	AD821C
24 x 8	AD824C

NEXEL® BLACK EPOXY WIRE SHELVING

The unique baked-on process bonds a black epoxy powder coat finish directly to the steel's surface resulting in an attractive, rugged, and affordable shelving unit. Shelves easily adjust without tools and align accurately at 1" increments on numbered posts. Shelves have up to 800 lb. capacity. Limited 7 Year Warranty against rust and corrosion.

Starter Unit includes 4 posts with leveling feet, 4 wire shelves, and plastic snap on sleeves to secure shelves. **Add-On Unit** includes 2 posts with leveling feet, 4 wire shelves, plastic snap on sleeves, and S-hook to join units.



NSF

W" x D"	74"H STARTER UNIT 4 SHELF Model	74"H ADD-ON UNIT 4 SHELF Model
24 x 18	B970151	B970195
30 x 18	B970190	B970145
36 x 18	B970214	B970208
42 x 18	B970158	B970150
48 x 18	B970216	B970165
54 x 18	B970155	B970172
60 x 18	B970164	B970179
72 x 18	B970174	B970185
24 x 24	B970191	B970146
30 x 24	B970153	B970148
36 x 24	B970200	B970161
42 x 24	B970154	B970171
48 x 24	B970163	B970178
54 x 24	B970170	B970184
60 x 24	B970176	B970187
72 x 24	B970181	B970192

NEXEL® BLUE EPOXY WIRE SHELVING

Nexelon® is the top of the line blue epoxy finish. Ideal for any environment, wet or dry, hot or cold; and are wear, impact, and chemical resistant. Includes NEXGard®, an anti-microbial agent that fights bacteria and mildew growth as well. Units assemble easily and shelves adjust at 1" increments without tools on numbered posts for quick alignment. Shelves have up to 800 lb. capacity. Limited Lifetime Warranty against rust and corrosion.

Starter Unit includes 4 posts with leveling feet, 4 wire shelves, and plastic snap on sleeves to secure shelves. **Add-On Unit** includes 2 posts with leveling feet, 4 wire shelves, plastic snap on sleeves, and S-hook to join units.



NSF

W" x D"	74"H STARTER UNIT 4 SHELF Model	74"H ADD-ON UNIT 4 SHELF Model
24 x 18	B969901	B969846
30 x 18	B969906	B969847
36 x 18	188420E	188421E
42 x 18	B969907	B969876
48 x 18	188422E	188423E
54 x 18	B969841	B969877
60 x 18	188424E	188425E
72 x 18	188426E	188427E
24 x 24	B969803	B969757
30 x 24	B969811	B969758
36 x 24	188428E	188429E
42 x 24	B969812	B969874
48 x 24	188430E	188431E
54 x 24	B969749	B969875
60 x 24	188432E	188433E
72 x 24	188434E	188435E

NEXEL® STAINLESS STEEL WIRE SHELVING

Stainless steel wire shelving allows for air circulation and functions well in environments with temperature fluctuations. Shelves adjust at 1" increments on numbered posts. Smooth, attractive, electro polished finish over stainless steel provides extra-long life. Stainless Steel handles all moisture and temperature extremes. Shelves have up to 800 lb. capacity. Limited Lifetime Warranty against rust and corrosion.

Starter Unit includes 4 posts with leveling feet, 4 wire shelves, and plastic snap on sleeves to secure shelves. **Add-On Unit** includes 2 posts with leveling feet, 4 wire shelves, plastic snap on sleeves, and S-hook to join units.



NSF

W" x D"	74"H STARTER UNIT 4 SHELF Model	74"H ADD-ON UNIT 4 SHELF Model
24 x 18	B2346187	B2345956
30 x 18	B2346178	B2346108
36 x 18	189408	189409
42 x 18	B2346149	B2345785
48 x 18	189410	189411
54 x 18	189486	189487
60 x 18	189488	189489
72 x 18	189490	189491
24 x 24	B2346141	B2346015
30 x 24	B2346243	B2346014
36 x 24	189412	189413
42 x 24	B2346235	B2345973
48 x 24	189414	189415
54 x 24	B2346206	B2345962
60 x 24	189516	189517
72 x 24	189518	189519

NEXEL® POLY GREEN® EPOXY WIRE SHELVING

Poly Green® Epoxy Wire Shelving provides an attractive finish that's guaranteed to last! Includes NEXGard® an anti-microbial agent that fights bacteria and mildew growth as well. Shelving is perfect for retail display and can also handle extreme temperatures and moisture making it ideal for dry storage, coolers, and freezers. Open wire design minimizes dust and maximizes ventilation and visibility. The easy-slide shelf surface makes loading and unloading a snap. Wire shelves adjust at 1" increments. Shelves have up to 800 lb. capacity. Limited 15 Year Warranty against rust and corrosion.

Starter Unit includes 4 posts with leveling feet, 4 wire shelves, and plastic snap on sleeves to secure shelves. **Add-On Unit** includes 2 posts with leveling feet, 4 wire shelves, plastic snap on sleeves, and S-hook to join units.



NSF

W" x D"	74"H STARTER UNIT 4 SHELF Model	74"H ADD-ON UNIT 4 SHELF Model
24 x 18	B1137227	B1137272
30 x 18	B1137228	B1137273
36 x 18	B1137229	B1137274
42 x 18	B1137230	B1137279
48 x 18	B1137243	B1137288
54 x 18	B1137244	B1137289
60 x 18	B1137245	B1137290
72 x 18	B1137246	B1137295
24 x 24	B1137259	B1137218
30 x 24	B1137260	B1137219
36 x 24	B1137261	B1137220
42 x 24	B1137262	B1137221
48 x 24	B1137275	B1137235
54 x 24	B1137276	B1137236
60 x 24	B1137277	B1137237
72 x 24	B1137278	B1137238



603355



269870

INDUSTRIAL DUTY CABINETS

Industrial-grade **20-gauge** steel body storage cabinets feature 4 adjustable shelves with a **300 lb.** weight capacity per shelf. Cabinets are designed with channel reinforced, box-formed doors, 3-point latching mechanism with a strong **5/16"** round locking bar for consistent alignment. Box-formed shelves adjust easily adjust with tool-free shelf clips. Cabinets feature dual chrome cast key locking handles for ease of closing. Right handle includes keyed alike cylinder lock with 2 keys. Counter height cabinets available in color gray. **Add color suffix to Full Height Cabinets: Gray (GY), Black (BK), Tan (TN).**

W" x D" x H"	Openings/ Shelves	Handle Type	Unassembled Model	Assembled Model
Full Height				
36 x 18 x 78	5 / 4	Turn Handle	603355	603599
36 x 24 x 78	5 / 4	Turn Handle	493310	493312
48 x 18 x 78	5 / 4	Turn Handle	493311	493313
48 x 24 x 78	5 / 4	Turn Handle	603357	603600
Counter Height				
36 x 18 x 42	3 / 2	Turn Handle	269870GY	269871GY
36 x 24 x 42	3 / 2	Turn Handle	269872GY	269873GY



316053



3/16" Steel Turn Handle

HEAVY-DUTY CABINETS

Heavy-Duty all-welded storage cabinets are constructed from thick **16-gauge** steel. These cabinets are ideal for applications requiring a tough exterior and high capacity shelves. 4 shelves adjust on 3" centers, designed to support up to **1050 lbs. per shelf**. 3-point steel locking system locking system is operated by a **3/16"** thick steel turn handle. Full door height piano hinges and padlockable lever handle for added strength and security. Durable gray powder coat finish. Fully assembled.

Model	W" x D" x H"	Openings/Shelves
316053	36 x 18 x 72	5 / 4
316054	36 x 24 x 72	5 / 4
316056	48 x 24 x 72	5 / 4

EXTRA HEAVY-DUTY CABINETS

Extra Heavy Duty Grade Cabinets provide the ultimate durability in extreme environments. Rugged **12-gauge**, all-welded steel provides incredible structural support. 4 high capacity shelving support up to **1,200 lbs.** and are adjustable on 2 1/2" centers. Doors swing easily on 7-gauge leaf hinges. Features 3-point cast steel locking handles with 3/8" diameter retention rods and **integrated padlock hasp** for maximum security for valuable equipment. **6" tall box-style feet** allow for forklift accessibility. Durable gray powder coat finish for long lasting life.

Model	W" x D" x H"
B2682421	36 x 18 x 78
B2169504	36 x 24 x 78
B2169507	48 x 24 x 78
B2169506	60 x 24 x 78



490165



Padlock Hasp Steel Locking Handle



B2682421

STRONGHOLD® EXTRA HEAVY-DUTY STORAGE CABINETS

Extra heavy-duty cabinets feature 12-gauge all-welded steel body construction for maximum protection. Dual doors swing open 180° with brass hinge pins and cast bronze handles. 14-gauge adjustable shelves on 2" centers. Cabinet is padlockable with 3-point latching system for added security. 6" legs. Electrostatic gray enamel finish.

Model	W" x D" x H"
245000	36 x 20 x 78
490165	36 x 24 x 78
490167	48 x 24 x 78
217565	60 x 24 x 78
245001	72 x 24 x 78

COMMERCIAL JANITORIAL CABINETS

Janitorial Cabinets are constructed from a 24-gauge steel body with a 22-gauge steel frame. Features top-right shelf compartment measuring 18"W x 38-1/2"H with 3 fixed height shelves. Channel reinforced, box formed doors feature 3-point locking mechanism with 5/16" round locking bar and nylon glides for consistent alignment. Recessed locking handle with 2 keys included. Ultra-durable powder coat finish. Add color suffix: Gray (GY), Black (BK), Tan (TN).



Model	W" x D" x H"	Assembly
269902	36 x 18 x 72	Unassembled
269903	36 x 18 x 72	Assembled

COMMERCIAL CLEAR VIEW STORAGE CABINETS

Commercial clear view storage cabinets are designed to provide security and visibility. Cabinets feature channel reinforced impact resistant acrylic windows, 3 extra-large 4" x 3/8" barrel hinges, 3-point locking system with pry-resistant solid steel 5/16" latching rods, and dual key locking handles for added security. Includes 4 adjustable shelves with 300 lb. capacity per shelf. Durable powder coat finish. Add color suffix: Gray (GY), Black (BK), Tan (TN).



237621GY

Model	W" x D" x H"	Assembly
237614	36 x 18 x 78	Unassembled
237666	36 x 18 x 78	Assembled
237615	48 x 24 x 78	Unassembled
237621	48 x 24 x 78	Assembled



DIVIDER KIT & DRAWER MAT



298447BL



298450BK

Drawer Height	W" x D" x H"	Divider Kit Black	Divider Kit Blue
3"	31 5/8 x 18 x 1 3/4	316070	298452
3"	25 1/2 x 21 x 1 3/4	316080	493341
4"	31 5/8 x 18 x 2 3/4	316071	298453
4"	25 1/2 x 21 x 2 3/4	316081	493342
5"	31 5/8 x 18 x 3 3/4	316072	298454
5"	25 1/2 x 21 x 3 3/4	316076	493321
6"	31 5/8 x 18 x 4 3/4	316073	298455
6"	25 1/2 x 21 x 4 3/4	316082	493343
8"	31 5/8 x 18 x 6 3/4	316074	298456
10"	31 5/8 x 18 x 8 3/4	316075	298457
10"	25 1/2 x 21 x 8 3/4	316083	493344

MODULAR DRAWER CABINETS

All-welded, steel modular cabinet has an attractive refined appearance with heavy-duty construction. 200 lb. capacity drawers lock with central cylinder locks with 2 keys included (keyed differently). Built-in drawer locking system prevents accidental tipping. Two styles are offered, Stationary and Mobile. Drawers open easily on side mounted tracks. Roller glides allow full-access drawer extension. Full width handles for better grip and a flush, catch-free front. Label with a plastic cover on each drawer handle allows easy labeling of drawer contents. Customize your modular drawer with additional accessories. Divider kits and a drawer mat help keep small parts and tools organized and easily accessible. Blue (BL) or Black (BK) color finish.

# of Drawers	Quantity of Drawers	Cabinet Type	STATIONARY Model	MOBILE Model	DRAWER MAT KIT Model
3	(1) 6"H, (2) 10"H	Counter Height	493340	298446	493325
5	(4) 5"H, (1) 6"H	Counter Height	493320	298447	493325
7	(4) 3"H, (2) 4"H, (1) 6"H	Counter Height	493360	298448	493325
8	(1) 4"H, (2) 5"H, (1) 6"H, (3) 8"H, (1) 10"H	Full Height	298470	---	298458
9	(9) 6"H	Full Height	298450	---	298458
14	(6) 3"H, (6) 4"H, (2) 6"H	Full Height	298451	---	298458



316105



298541



298670

**HEAVIER-DUTY
14-GAUGE
DOORS &
PIANO HINGE**



237292

**FLUSH PADDLE
HANDLE**



FUSIBLE LINK



Fusible link holds doors wide open and melts at 165°F to automatically close (on self-close models).

FLAMMABLE CABINETS

These cabinets meet NFPA, OSHA, & FM standards for securing and storing flammable liquids and protecting them in case of a fire. Available in two door options: manual- or self-close. Local/state ordinances may require self-close cabinets.

Capacity Gallons	W" x D" x H"	MANUAL DOOR		SELF CLOSING DOOR	
		Model	# Shelves	Model	# Shelves
4	17 x 18 x 22	298670	1	--	--
6	23 x 18 x 22	298671	1	240900	--
12	23 x 18 x 35	962355	1	316091	1
16	23 x 18 x 44	962356	1	298600	1
22	35 x 22 x 35	962357	3	316093	1
24	43 x 12 x 44	962358	1	--	--
30	43 x 18 x 44	116053	1	316094	1
44	34 x 18 x 65	268672	3	237780	3
45	43 x 18 x 65	298541	2	298601	2
60	34 x 34 x 65	237289	2	237291	2
90	43 x 34 x 65	237292	2	237294	2
110	59 x 34 x 65	316105	1	--	--
120	59 x 35 x 65	237777	2	--	--



4" HINGE



FLUSH PADDLE HANDLE

Choose from 2 door styles:
Manual-Close Doors will not close automatically, open full at 180°
Self-Close Double Doors automatically close when fusible link melts at 165°F

FLAMMABLE CABINETS WITH FORKLIFTABLE LEGS

Featuring an all-welded, double-wall construction for long-lasting durability, these 18-gauge steel cabinets with 14-gauge steel doors are FM-approved and meet NFPA Flammable Liquid Code #30 and OSHA standard 1910.106 for storage of class I, II, and III liquids. Units include 1½" of insulating air space, dual 2" flame arrester air vents, a 2" leakproof door sill to contain spills, a built-in grounding connector, and 4"H legs for floor anchoring & 2-way forklift access.

Capacity Gallons	W" x D" x H"	MANUAL DOOR	SELF CLOSING DOOR
		Model	Model
28	34 x 18 x 48	240415	--
45	43 x 18 x 69	240418	240429
60	34 x 34 x 69	240419	240430
90	43 x 34 x 69	240420	240431
120	59 x 34 x 69	240421	--

CYLINDER STORAGE CABINETS

Cylinder Storage Cabinets are made of solid 14 gauge steel top and bottom for strength. Features $\frac{1}{8}$ " x $\frac{13}{16}$ " expanded metal door(s) and sides which allow for ventilation and visibility of contents. Rust and acid resistant safety yellow powder coat finish for long lasting durability. Padlock hasp keeps contents secure for safely storing compressed air/gas cylinders and tanks. (padlock not included). LPG cabinets will accept 20lb. and 33lb. LPG cylinders. "DANGER FLAMMABLE MATERIALS" sign is located on the door(s). Door stoppers have magnets to keep doors safely shut when not locked. Pre-punched lagging holes in feet for anchoring to the ground. Complies with OSHA regulations.



270252



260756



260755

W" x D" x H"	Cylinder		Doors	Cylinder Type	UNASSEMBLED	ASSEMBLED
	Cap.	Style			Model	Model
31 x 30 x 35	4	Horizontal	1	LPG	270252	493352
31 x 30 x 65	8	Horizontal	1	LPG	270253	493353
50 x 40 x 71	12	Horizontal	1	Propane	---	784204
60 x 30 x 65	16	Horizontal	2	LPG	270254	493354
33 x 40 x 71	8	Vertical	1	Propane	---	260755
31 x 30 x 65	9	Vertical	1	LPG	270256	493356
60 x 30 x 65	18	Vertical	2	LPG	270255	493355
61 x 38 x 71	20	Vertical	2	Welding Gas	---	784208
60 x 30 x 65	8/9	8 Horizontal, 9 Vertical	2	LPG	270257	493357

MEDICAL GAS CYLINDER CABINETS

Securely store oxygen and other medical gas cylinders in these Medical Gas Cylinder Storage Cabinets. Made from durable solid steel, these cabinets store D and E size cylinders. These units feature full length, heavy-duty piano hinges and lockable, flush-mounted handles with keys for added security. OSHA & NFPA compliant.



288171

Model	W" x D" x H"	Cylinder Cap.	Type	Assembly	Style
288169	23 x 18 x 44	12	Vertical	1	Assembled
288170	23 x 18 x 44	12	Vertical	1	Assembled
288171	43 x 18 x 44	24	Vertical	2	Assembled
288172	43 x 18 x 44	24	Vertical	2	Assembled

WALL MOUNT CYLINDER BRACKETS

Designed to easily mount to permanent vertical surfaces to safely store gas cylinders, these wall-mount brackets support cylinders from $3\frac{1}{2}$ " to 12-1/2" in diameter. Made from durable materials such as welded steel and corrosion-resistant plastic, these units include a $1\frac{1}{2}$ " polypropylene strap with a steel cinch buckle. All units comply with OSHA & NFPA standards.



Model	Cylinder Cap.	Material
116036	One	Plastic
116037	One	Steel
116038	Two	Steel
116039	Three	Steel

FORKLIFTABLE CYLINDER CADDY

Constructed from heavy-duty steel for long-lasting durability, these cylinder caddies have a forkliftable design that allows for easy storage and transport. Units feature a 1,500 lb. load capacity, hinged retainer bars for securing cylinders in place during handling, and dissipative ground chains for added security. Designed for convenient loading and unloading, cylinders of up to 9"D can roll on or off these caddies at floor level without lifting or rolling up a ramp.



270128

Model	Style	Cylinder Cap.	Depth"
270217	Stationary	4	23
270218	Stationary	6	33
270219	Stationary	8	43
270217C	Mobile	4	23
270218C	Mobile	6	33
270219C	Mobile	8	43

KEEP FIRE AWAY SAFETY STORAGE CABINET



INFLAMMABLE
MANTENGASE ALEJADO DEL FUEGO

**STORAGE WITH PLENTY OF SPACE &
DURHAM-BILITY. WE CAN SUPPLY THAT.®**



14 GAUGE STEEL LOCKING BIN CABINETS

Durham® Steel Locking Cabinets are ideal for storing and organizing small items such as nuts, bolts, screws, nails, & more. Constructed from durable steel, these cabinets include adjustable shelves to customize configuration and louver panels for hanging stacking bins. Units are equipped with doors that open a full 180°, legs for easy forklift access, and a 3-point locking system with padlockable handle for added security. Featuring either solid flush doors or deep pocket flush doors, these cabinets are available in a range of bin sizes, colors, and quantities.

Model	Bin Qty.	L" x W" x H"	Door Type
B517768	264	72 x 24 x 84	Sold Flush Door
B517777	96	36 x 24 x 72	Sold Flush Door
B2280210	171	48 x 24 x 78	Deep Pocket Door



DURHAM® FLAMMABLE DRUM CABINET

Constructed from all-welded, double-walled steel, these sturdy cabinets with yellow powder coat finish are an ideal solution for safely storing flammable materials. Units include shelves that adjust on 4" centers, 2"W louvers, bunged air vents for ventilation, and an electrical grounding connector to aid in the elimination of electrostatic discharge. For added safety, these cabinets are equipped with a 3-point locking system and a recessed lockable paddle latch with a padlock hasp. FM-Approved & meets NFPA 30 standards.

Model	L" x W" x H"	Capacity Gal.	Door Type
B2336875	34 x 34 x 65	55	Manual-Close
B2336874	34 x 34 x 66 ^{3/8}	55	Self-Close
B2336876	43 x 12 x 65	30	Manual-Close



B2100084

DURHAM® WIRE SPOOL CART

Constructed from heavy-duty, all-welded 14-gauge steel and smooth polyurethane casters, this wire spool cart allows you to effortlessly move and access your reels wherever needed. This unit has a 1½" lip on the top work surface to prevent parts from falling while the recessed rods protect the spools during transport. This cart is equipped with (8) 23" removable rods to accommodate wire spools, (4) wire guides, louvered panels for hanging bins and trays, and a heavy-duty handle to make transport easy.



DURHAM® WELDED MACHINE TABLE

Update your workspace with Durham® Welded Machine Tables. Equipped with a 14-gauge welded steel top & iron legs for added durability, these tables are able to support up to 2,000 lbs., making them an ideal solution for warehouses, garages, and other workspaces. Units ship fully assembled and can be mounted to floors for added stability.

Model	L" x W" x H"
493773	24 x 18 x 24
493774	24 x 18 x 30
493776	36 x 24 x 30
493775	24 x 18 x 36

DIGITAL STEEL LOCKERS

Digital Lockers provide secure and reliable storage options that eliminate the need for keys or padlocks. Featuring easy-to-use keypads, these digital lockers can be opened with custom combinations and codes. They are available in a range of sizes and configurations to fit any space. Perfect for commercial use in schools, gyms, hotels and more.

W" x D" x H"	Doors	READY TO ASSEMBLE Model	ASSEMBLED Model
SINGLE TIER			
12 x 12 x 66	1	413217	290806
12 x 12 x 78	1	413220	290809
36 x 12 x 66	3	413228	290817
12 x 15 x 66	1	413223	290812
12 x 15 x 78	1	413190	290793
36 x 15 x 78	3	413194	290797
12 x 18 x 78	1	413192	290795
DOUBLE TIER			
12 x 12 x 78	2	413231	290820
12 x 15 x 78	2	413234	290799
36 x 15 x 78	6	413240	290829
12 x 18 x 78	2	413237	290826
36 x 18 x 78	6	413198	290803
TRIPLE TIER			
12 x 15 x 78	3	413242	290831
36 x 15 x 78	9	413245	290834
FOUR TIER			
12 x 12 x 78	4	413201	290778
12 x 15 x 78	4	413202	290779
36 x 15 x 78	12	413200	290777
12 x 18 x 78	4	413203	290780
SIX TIER			
12 x 12 x 78	6	413208	290785
36 x 12 x 78	18	413205	290782
12 x 15 x 78	6	413211	290788
12 x 18 x 78	6	413214	290791
16 PERSON			
72 x 18 x 78	16	413188	290775



- Engineered to provide years of heavy-duty service
- 16-gauge steel doors, 5-knuckle security hinge, and welded, reinforced frame-and-door assemblies for maximum security
- Additional sizes, configurations, and colors (Blue and Tan) available online

ELECTRONIC VERTICAL KEYPAD LOCK

This digital lock is easily programmable and can be used in either public (default) mode for single-use passcodes or private mode for longer-term individual use. It has a simple keypad operation with a master key for emergency unlocking. Includes (1) lithium button cell battery & (1) master key per lock.



641634



CLEAR VIEW DIGITAL LOCKERS

Clear View Lockers with Electronic Digital Keypad Lock are high-quality, durable storage units that permit easy viewing of stored contents. Featuring easy-to-use keypads, these digital lockers can be opened with custom combinations and codes, eliminating the need for keys or padlocks. Available in multiple sizes, these lockers are a great choice for many commercial business. Also available in Gray online.

W" x D" x H"	Doors	READY TO ASSEMBLE Model	ASSEMBLED Model
FIVE TIER			
12 x 12 x 66	5	412324	298735
36 x 12 x 66	15	412326	298737
12 x 15 x 66	5	412325	298736
36 x 15 x 66	15	412328	298739
12 x 18 x 66	5	412323	298734
36 x 18 x 66	15	412327	298738
SIX TIER			
12 x 12 x 78	6	412329	298740
36 x 12 x 78	18	412334	298745
12 x 15 x 78	6	412330	298741
36 x 15 x 78	18	412333	298744
12 x 18 x 78	6	412331	298742
36 x 18 x 78	18	412332	298743
16 PERSON			
72 x 18 x 78	16	412335	298746



412329



412326

STORAGE & SHELVING



INFINITY® LOCKERS

Featuring reinforced steel doors & frames to prevent theft, these lockers offer ventilation to protect against odors and 5-knuckle security hinges for smooth opening & closing. Specify color suffix: Gray (GY), Blue (BL) and Tan (TN)



Fingertip lift latches are recessed in stainless steel, catch-free handles

W" x D" x H"	Doors	READY TO ASSEMBLE Model	ASSEMBLED Model
ONE-TIER			
12 x 12 x 66	1	254109	968250
36 x 12 x 66	3	254110	968251
12 x 15 x 66	1	254111	968252
36 x 12 x 66	3	254112	968253
12 x 18 x 66	1	254113	968254
36 x 18 x 66	3	254114	968255
TWO-TIER			
12 x 12 x 78	2	254123	968264
36 x 12 x 78	6	254124	968265
12 x 15 x 78	2	254125	968266
36 x 15 x 78	6	254126	968267
36 x 18 x 78	6	254128	968269
THREE-TIER			
12 x 15 x 78	3	493413	493423
36 x 15 x 78	9	493414	493424
FOUR-TIER—Available in Gray Only			
18 x 18 x 78	4	290613	412140
18 x 21 x 78	4	290614	412141



BOX LOCKERS

Constructed from durable steel with louvered doors to promote ventilation, these box lockers with 5-knuckle security hinges are ideal for workplaces, gyms, schools, & more. Specify color suffix: Gray (GY), Blue (BL), and Tan (TN)



Padlockable friction hasps

W" x D" x H"	Doors	READY TO ASSEMBLE Model	ASSEMBLED Model
FOUR-TIER—Available in Gray Only			
12 x 12 x 78	4	493455	493481
36 x 12 x 78	12	493456	493482
12 x 15 x 78	4	493457	493483
36 x 15 x 78	12	493458	493484
SIX-TIER			
12 x 12 x 78	6	652054	652154
36 x 12 x 78	18	652055	652155
12 x 15 x 78	6	652056	652156
36 x 15 x 78	18	652057	652157
16-PERSON			
72 x 18 x 78	16	238232	238235



Chrome door latches provide smooth fingertip operation

PARAMOUNT® LOCKERS

Crafted from heavy-duty steel, these louvered lockers are equipped with 5-knuckle security hinges and reinforced doors & frames to keep belongings secure. Specify color suffix: Gray (GY), Blue (BL) and Tan (TN)

W" x D" x H"	Doors	READY TO ASSEMBLE Model	ASSEMBLED Model
ONE-TIER			
12 x 12 x 66	1	652060	652160
36 x 12 x 66	3	652061	652161
12 x 15 x 66	1	652062	652162
36 x 15 x 66	3	652063	652163
12 x 18 x 66	1	652064	652164
36 x 18 x 66	3	652065	652165
TWO-TIER			
12 x 12 x 78	2	652074	652174
36 x 12 x 78	6	652075	652175
12 x 15 x 78	2	652076	652176
36 x 15 x 78	6	652077	652177
36 x 18 x 78	6	652079	652179
THREE-TIER			
12 x 15 x 78	3	238230	238233
36 x 15 x 78	9	238231	238234



Catch-free recessed handles and padlockable friction hasps



CAPITAL® LOCKERS

Ideal for schools, gyms, and more, these durable louvered lockers with 5-knuckle security hinges keep belongings secure while promoting ventilation to protect against odors. Specify color suffix: Gray (GY) and Tan (TN)

W" x D" x H"	Doors	READY TO ASSEMBLE Model	ASSEMBLED Model
ONE-TIER			
12 x 15 x 78	1	652038	652138
36 x 15 x 78	3	652039	652139
12 x 18 x 78	1	652040	652140
36 x 18 x 78	3	652041	652141
TWO-TIER			
12 x 15 x 78	2	652046	652146
36 x 15 x 78	6	652047	652147
12 x 18 x 78	2	652048	652148
36 x 18 x 78	6	652049	652149
THREE-TIER			
12 x 15 x 78	3	290599	292814
36 x 15 x 78	9	290602	292817

WOOD LOCKERS

Elevate the look & feel of your locker room or changing room with these wood lockers. Constructed from Carb II-compliant particleboard that is covered in a durable, high-pressure laminate, these quiet lockers are ideal for use in country clubs, spas, resorts, fitness centers, executive suites, and more. They feature a lift-up hasp locking mechanism, heavy-duty concealed steel hinges, and a moisture-resistant steel base. To present a finished look, optional color-matched wood end panels, 290629 (cherry) & 290630 (gray), are sold separately. Lockers are available in cherry or gray.

NON-DIGITAL				DIGITAL	
		READY TO ASSEMBLE	ASSEMBLED	READY TO ASSEMBLE	ASSEMBLED
W" X D" X H"	Doors	Model	Model	Model	Model
ONE-TIER - Cherry					
12 x 15 x 72	1	290668	299238	290676	299246
36 x 15 x 72	3	290652	299222	290660	299230
ONE-TIER - Gray					
12 x 15 x 72	1	290672	299242	290680	299250
36 x 15 x 72	3	290656	299226	290664	299234
TWO-TIER (Z-Style) - Cherry					
12 x 15 x 72	2	290669	299239	290677	299247
36 x 15 x 72	6	290653	299223	290661	299231
TWO-TIER (Z-Style) - Gray					
12 x 15 x 72	2	290673	299243	290681	299251
36 x 15 x 72	6	290657	299227	290665	299235
THREE-TIER - Cherry					
12 x 15 x 72	3	290670	299240	290678	299248
36 x 15 x 72	9	290654	299224	290662	299232
THREE-TIER - Gray					
12 x 15 x 72	3	290674	299244	290682	299252
36 x 15 x 72	9	290658	299228	290666	299236
FOUR-TIER - Cherry					
12 x 15 x 72	4	290671	299241	290679	299249
36 x 15 x 72	12	290655	299225	290663	299233
FOUR-TIER - Gray					
12 x 15 x 72	4	290675	299245	290683	299253
36 x 15 x 72	12	290659	299229	290667	299237
SIX-TIER - Cherry					
12 x 15 x 72	6	413334	413342	413336	413344
36 x 15 x 72	18	413338	413346	413340	413352
SIX-TIER - Gray					
12 x 15 x 72	6	413333	413341	413335	413343
36 x 15 x 72	18	413337	413345	413339	413347



299223



Available with or
without Digital
Keypad Lock

238038 shown
stacked 3 high and
2 wide.

PLASTIC MODULAR LOCKERS

Plastic modular lockers feature a rugged, corrosion-resistant construction that can withstand food service wash-downs and are ideal for other damp conditions like pools or ice rinks. They feature a padlockable hasp, louvers, a double-walled door, and a number plate. Built for versatility, these lockers can be mixed and matched to create your own configurations. They can be joined side by side, back to back, or affixed to the wall using an optional mounting kit that is sold separately (model 652092). Available in flat-top or slope-top styles.

Model	W" x D" x H"	Doors
Flat-Top		
238038	12 x 15 x 12	1
652088	15 x 15 x 18	1
652086	12 x 15 x 36	1
Slope-Top		
238039	12 x 15 x 23	1
652089	15 x 15 x 29	1
652087	12 x 15 x 47	1



CLEAR VIEW CELL PHONE CHARGING LOCKERS WITH DIGITAL LOCK

Give your employees, guests, and students a secure place to store their belongings and charge their devices with this set of Clear View Cell Phone Charging Lockers. Featuring transparent doors to permit the viewing of contents, these lockers come equipped with USB-C, micro USB, and lightning cables in each compartment to conveniently charge cell phones. Their steel surface, with an attractive & durable powder coat finish, ensures a long service life, while the digital lock keeps contents safe. Easily programmable, the digital lock can be used in either Public mode for single-use passcodes or Private mode for longer-term individual use.

OVERALL		COMPARTMENT	
W" x D" x H"		W" x D" x H"	Doors
17 x 12 x 14½		6½ x 12 x 5	4
30 x 12 x 14½		6½ x 12 x 5	8
23½ x 12 x 25¾		6½ x 12 x 5	12
23½ x 12 x 47½		6½ x 12 x 5	24
			Model
			413247
			413248
			413249
			413250

HALLOWELL® EMERGENCY RESPONSE ALL- WELDED EQUIPMENT LOCKER WITH DRAWER

- Built to last using all-welded 16-gauge steel body & 14-gauge door
- All components are made of galvanized corrosion-resistant sheet steel for superior durability
- Door features 3-point high-security latching handle
- Interior includes a coat rod, 2 single-prong hooks, and a side pocket in the wardrobe compartment
- 2 full-width shelves on top, security box, a partial shelf, and a single-prong hook in the left compartment
- Single-prong coat hook on door acts as utility belt hook
- Base drawer includes a large lockable storage drawer with laminated maple wood seat



Model	W" x D" x H"
B192398	24 x 36 x 90

HALLOWELL® MILITARY GEAR STORAGE LOCKER

- Designed to store military gear using secure, durable, and guaranteed construction that lasts a lifetime
- All-welded, double-door lockers are ideal for your military gear storage needs
- Full-framed sides with 3/4" flattened expanded-metal encapsulated on all four sides for maximum strength and ventilation
- Doors are 14-gauge diamond-perforated steel and feature 3-point chrome latching handles and 13-gauge 3 1/2" 7-knuckle hinges for extra security
- Includes upper hat shelf, coat rod, & 3-single hooks



Model	W" x D" x H"
269238	42 x 24 x 78



238346BL

GEAR LOCKERS

Gear Lockers are great for gyms, team & sports locker rooms and more. They're made with all welded 6 gauge steel for strength that lasts. Side locker panels and hinged door are perforated to allow ventilation. Includes a full width coat rod and 2 coat hooks for hanging garments and wardrobe. 21"D top shelf for added storage. Door features a recessed T-handle with a cylinder key lock and 2 keys. Available with or without legs. Additional sizes and configurations available. Specify color suffix: Gray (GY), Blue (BL), Red (RD) and Putty (PY).



Foot Locker has a louvered front for ventilation and a hinged lid with padlockable hasp.

Model	W" x D" x H"
238342	24 x 18 x 72
238343	24 x 18 x 76
238346	24 x 24 x 72
238347	24 x 24 x 76

HEAVY-DUTY VENTILATED STEEL LOCKERS

- Made using heavy 16-gauge steel with diamond-shaped perforations for improved airflow
- Locker door features rubber bumpers on framing to ensure quiet operation
- Continuous piano hinges provide maximum security
- 1 & 3-Tier features recessed handle and fingertip lift
- 6-Tier features finger pull friction hasp



493151GY

493743GY

W" x D" x H"	Doors	READY TO ASSEMBLE Model	ASSEMBLED Model
Single Tier			
36 x 18 x 78	3	493145GY	493245GY
Double Tier			
36 x 18 x 78	6	493151GY	493251GY
Six Tier			
36 x 15 x 78	18	493156GY	493256GY

WIRE MESH SECURITY CAGE LOCKER

- See-thru and secure storage for retail, factories, warehouses, and more
- Cages are made with a 3" x 2" x 1/4" thick wire mesh
- Minimize dust accumulation and maximize visibility for simple inventory control
- Includes one height-adjustable shelf with 100 lb. capacity
- Double doors are welded to side panels and are flush against unit top
- Door hinges swing open 270° for full access

CAGE WITH DOORS		ADDITIONAL SHELF
Model	W" x D" x H"	Model
184083	36 x 24 x 36	184106
184084	36 x 24 x 48	184106
184085	36 x 24 x 60	184106
184086	36 x 24 x 72	184106
184087	48 x 24 x 36	184106
184088	48 x 24 x 48	184107
184089	48 x 24 x 60	184107
184090	48 x 24 x 72	184107
184092	60 x 24 x 60	184108
184093	60 x 24 x 72	184108
184095	72 x 24 x 60	184109
184096	72 x 24 x 72	184109
184097	48 x 36 x 48	184109
184098	48 x 36 x 60	184110
184099	48 x 36 x 72	184110
184100	60 x 36 x 48	184110
184101	60 x 36 x 60	184111
184102	60 x 36 x 72	184111
184104	72 x 36 x 60	184112
184105	72 x 36 x 72	184112



184096



184089



BULK TENANT STORAGE LOCKERS

- Ventilated design allows light, air, and sprinkler penetration
- Features welded padlockable hasp and ergonomic door pull for added security
- Lockers are easily wall-mounted to eliminate the need for locker back panel
- Eliminate clutter and allow for proper aisle space throughout the common storage area

W" x D"	Starter	Add-On	Roof
SINGLE TIER			
3 x 3	442657	442658	442681
4 x 3	442663	442664	442684
3 x 4	442659	442660	442682
4 x 4	442665	442666	442683
3 x 5	442661	442662	442685
4 x 5	442667	442668	442686
DOUBLE TIER			
3 x 3	442669	442670	442681
4 x 3	442675	442676	442684
3 x 4	442671	442672	442682
3 x 5	442673	442674	442683
4 x 4	442677	442678	442685
4 x 5	442679	442680	442686



Optional add-on units can easily be attached to the starter locker to create multiple units side-by-side or back-to-back



Optional roof secures to locker ceiling to deter theft

STORAGE & SHELVING



***Dividable to 1¹/₈" Square
Available in Standard
or Conductive.***



DIVIDABLE GRID CONTAINERS

Compatible with most racks, shelving, and automated material handling equipment, these containers are used in a variety of industries for storage, assembly, fabrication, & distribution applications. They offer a safe & efficient way to compartmentalize & protect small- to medium-sized parts by enabling the interior to be divided to your exact needs. Containers can be divided by length and width, allowing subdivisions down to as small as 1¹/₈" square compartments. They are injection-molded from high-density FDA-approved polyethylene, which is resistant to most solvents & chemicals. A molded-in ridge allows containers to stack securely with or without covers, and multi-ribbed external sides provide reinforced strength. Standard grid containers are available in 9 sizes and 3 colors; add a color suffix: Blue (BL), Gray (GY), or Red (RD).

			BOX		LENGTH DIVIDER		WIDTH DIVIDER	
			STANDARD*	CONDUCTIVE	STANDARD	CONDUCTIVE	STANDARD	CONDUCTIVE
Outside L" x W" x H"	Ctn. Qty.	Cap. Lbs.	Model	Model	Model	Model	Model	Model
10 ⁷ / ₈ x 8 ¹ / ₄ x 3 ¹ / ₂	20	25	334100	334203	334109	334212	334118	334221
10 ⁷ / ₈ x 8 ¹ / ₄ x 5	20	25	334101	334204	334110	334213	334119	334222
16 ¹ / ₂ x 10 ⁷ / ₈ x 3 ¹ / ₂	12	25	334102	334205	334111	334214	334120	334223
16 ¹ / ₂ x 10 ⁷ / ₈ x 6	8	35	334103	334206	334112	334215	334121	334224
16 ¹ / ₂ x 10 ⁷ / ₈ x 8	8	40	334104	334207	334113	334216	334122	334225
22 ¹ / ₂ x 17 ¹ / ₂ x 3	6	25	334105	334208	334114	334217	334123	334226
22 ¹ / ₂ x 17 ¹ / ₂ x 6	3	35	334106	334209	334115	334218	334124	334227
22 ¹ / ₂ x 17 ¹ / ₂ x 8	3	40	334107	334210	334116	334219	334125	334228
22 ¹ / ₂ x 17 ¹ / ₂ x 12	3	60	334108	334211	334117	334220	334126	334229

		COVER		CONDUCTIVE	LABEL HOLDER		STANDARD	CONDUCTIVE
		STANDARD*	CLEAR		Outside L" x W"	Ctn. Qty.		
Outside L" x W"	Ctn. Qty.	Model	Model	Model			Model	Model
10 ⁷ / ₈ x 8 ¹ / ₄	10	334127	334127CL	334230	8 x 2	6	334130	652710
16 ¹ / ₂ x 10 ⁷ / ₈	4	334128	334128CL	334231	5 x 3	6	334131	652711
22 ¹ / ₂ x 17 ¹ / ₂	3	334129	334129CL	334232	8 x 5	6	334132	652712

*Add Color Suffix: (BL) Blue, (GY) Gray or (RD) Red.

***Add Color Suffix: (BL) Blue, (GY) Gray or (RD) Red.**



ATTACHED-LID DISTRIBUTION CONTAINERS

These durable shipping containers have permanently attached interlocking lids and are made from high-density, FDA-approved polyethylene with molded grip handles and integral hasps that accept cable ties for security. They are designed with raised lip edges for secure stacking and can nest with the lids open when not in use for compact storage and to help reduce return shipping costs. Translucent container, model #443167, includes metal rails for hanging folders. Specify color suffix: Gray (GY), Blue (BL), or Red (RD).

Model	Top Outside L" x W" x H"	Cap. Alone	Lbs. Stacked	Stack Qty.
442218	19 ⁵ / ₈ x 11 ⁵ / ₈ x 7	35	175	5
270281	18 x 13 x 15	35	175	5
257808	21 ⁷ / ₈ x 15 ¹ / ₄ x 9 ¹¹ / ₁₆	45	225	5
257809	21 ⁷ / ₈ x 15 ³ / ₄ x 12 ⁷ / ₈	50	250	5
257810	22 ³ / ₈ x 13 x 13	45	225	5
257811	21 ⁷ / ₈ x 15 ³ / ₄ x 17 ¹ / ₄	45	225	5
257812	24 ¹ / ₂ x 14 ⁷ / ₈ x 13 ³ / ₄	45	225	5
257813	23 ³ / ₄ x 19 ¹ / ₄ x 12 ¹ / ₂	50	250	5
257814	27 ³ / ₁₆ x 16 ⁵ / ₈ x 12 ¹ / ₂	50	250	5
238148	28 ⁵ / ₈ x 20 ³ / ₄ x 15 ⁵ / ₈	60	300	5
334189	5 x 3 Label with clear holder 25/pkg.			

ALUMINUM TOTE BOX CARTS

Make transporting bins easier than ever with these Tote Box Carts. Made with lightweight aluminum for long-lasting durability, these NSF-Approved carts are ideal for storing food and small parts or components. Units are equipped with slide runners to support tote boxes and 5" stem casters with TPR wheels for easy maneuverability. Lug totes sold separately. Add Suffix when ordering: Gray (GY) or Black (BL).



Model	Overall Cart L" x W" x H"	Tote Cap.	Cap. Lbs.
493390	26 x 19 x 70	6	600
493388	28 x 16 x 33	2	200



BULK MOVERS WITH POLY TUBS

Designed for transporting a variety of items in food preparation, packing, and storage applications, these carts feature tubs made from sanitary, washable polyethylene, four casters for easy maneuverability, and an all-welded aluminum frame. NSF-certified & FDA-approved.

Model	L" x W" x H"	Tub Color	Type
B1918439	33 x 20 1/4 x 36	Off-White	6 Bushel Mover



ALL-PURPOSE UTILITY TOTE BOXES

Featuring reinforced handles, bottoms, and ribs for structural support, these all-purpose nesting utility tote boxes are made with durable, NSF-certified polyethylene to provide lasting protection against bacteria, mildew, and degradation. Add suffix when ordering: Gray (GY) or Black (BK).

Model	L" x W" x H"	Pkg. Qty.
493681	20 x 15 x 5	12
493683	21 1/2 x 17 3/4 x 7	5

CHROME WIRE CARTS

These chrome wire carts with dividable grid containers offer multi-sized, mobile content storage and organization. Featuring a weight capacity of up to 1,200 lbs., these carts have slides that adjust at 1" increments for convenient container access. Units roll smoothly on four 5" polyurethane swivel casters, two of which are braking, and are equipped with top & bottom chrome wire shelves with truss perimeter for extra strength and durability.



Model	Overall Cart L" x W" x H"	Bin Qty.	Bin Size L" x W" x H"
269028BL	24 x 21 x 69	7	22 1/2 x 17 1/2 x 6

EASY-ACCESS CONTAINER TRUCKS

Easy-access container trucks are a perfect solution for parts picking and assembly operations. Featuring a durable steel construction with a chrome-plated finish, these trucks roll smoothly on four 5" polyurethane swivel casters and can support up to 1,200 lbs. Built for versatility, these units are equipped with slanted shelves that allow easy access to contents and promote first-in, first-out rotation. Shelves easily adjust, without tools, at 1" increments, on numbered posts.



Model	L" x W" x H"
239429	36 x 18 x 63
269009	36 x 18 x 40




334180GY

CROSS-STACK & NEST LUG/TOTE BOX

Constructed from one piece of FDA-approved, industrial-strength polyethylene, these crack- and rust-resistant tote boxes are designed for easy 90° cross-stacking, allowing access to contents. When empty, these totes nest for space-saving storage. **Add suffix when ordering: Gray (GY), Blue (BL), or White (WH).**

O.D. L" x W" x H"	Capacity Cubic"	Gal.	Carton Qty.	TOTE Model	LID Model
17 1/4 x 11 x 8	890	3.85	6	603118	652475
17 1/4 x 11 x 12	1273	5.51	6	603119	652475
23 3/4 x 17 1/4 x 8	2266	9.81	6	603120	652476
23 3/4 x 17 1/4 x 12	3322	14.38	6	603121	652476
25 1/8 x 16 x 8 1/2	2160	9.35	6	334180	603001
Model 274320 3"x 5" Label Holder \$25.95 per pkg. of 6					

STORAGE & SHELVING



HANG & STACK BINS

These Hanging And Stacking Bins can be compared feature for feature to the nationally branded bins. Reinforced walls add strength and rigidity and wide top ledge permits stable, higher stacking. Constructed of FDA approved water and corrosion proof polypropylene, to withstand freezers and autoclaves from -40°F to 250°F. Includes a full-width hanger lip, for use with louvers below. Anti-slide stop prevents shifting when stacked. Slotted label holders for easy identification. Specify color suffix when ordering bins: Blue (BL), Yellow (YL), Red (RD), Beige (BG), Green (GN), Black (BK), or Clear (CL).

HANGING & STACKING BINS				
Overall W" x D" x H"	Carton Qty.	Model	WINDOW Model	Dividers (Black) Model
4 ¹ / ₈ x 4 ¹ / ₂ x 3	24	269687	---	---
4 ¹ / ₈ x 5 ³ / ₈ x 3	24	269680	---	550262
4 ¹ / ₈ x 7 ³ / ₈ x 3	24	269681	---	550264
4 ¹ / ₈ x 10 ⁷ / ₈ x 4	12	269688	652709	257902
5 ¹ / ₂ x 10 ⁷ / ₈ x 5	12	269682	245099	245100
5 ¹ / ₂ x 4 ³ / ₄ x 5	12	269689	334184	334185
6 x 9 ¹ / ₄ x 5	12	239608	239614	239611
8 ¹ / ₄ x 10 ³ / ₄ x 7	6	269683	550242	550270
8 ¹ / ₄ x 13 ⁵ / ₈ x 6	12	239609	239615	239612
8 ¹ / ₄ x 13 ⁵ / ₈ x 8	12	239610	239616	239613
8 ¹ / ₄ x 14 ³ / ₄ x 7	12	269684	245102	245103
8 ¹ / ₄ x 18 x 9	6	550123	550273	550275
11 x 10 ⁷ / ₈ x 5	6	269685	550238	550266
11 x 16 x 8	4	550117	550247	550277
11 x 18 x 10	4	550119	550249	550279
16 ¹ / ₂ x 10 ⁷ / ₈ x 5	6	550125	550274	550276
16 ¹ / ₂ x 14 ³ / ₄ x 7	6	269686	550244	550272
16 ¹ / ₂ x 18 x 11	3	550121	550251	245104

LITTLE BINS

Model	Overall W" x D" x H"	Carton Qty.
550103	1 ³ / ₄ x 3 ¹ / ₄ x 3	48
550105	2 ³ / ₄ x 5 ¹ / ₄ x 3	48


Add color suffix: Blue (BL) or Yellow (YL).

LABEL HOLDER

Model	W" x H"
443430	3 x 1
443432	4 x 1 ³ / ₄



SHELF BINS				PREMIUM/RECYCLED Dividers (Black)
Overall W" x D" x H"	Model	Ctn. Qty.	Ctn. Qty.	Model
3 x 12 x 4	184836	24	36	---
4 x 12 x 4	184837	24	36	184847
7 x 12 x 4	184838	12	30	184848
8 x 12 x 4	184843	12	20	184849
11 x 12 x 4	184845	12	8	184850
4 x 18 x 4	184839	12	20	184847
7 x 18 x 4	184840	12	20	184848
8 x 18 x 4	184844	12	10	184849
11 x 18 x 4	184846	12	12	184850
4 x 24 x 4	184841	12	16	184847
7 x 24 x 4	184842	6	8	184848
8 x 24 x 4	334190	6	6	184849
11 x 24 x 4	184825	6	6	184850
4 x 12 x 6	239722	36	---	239734
7 x 12 x 6	239723	30	---	239735
8 x 12 x 6	239724	20	---	239736
11 x 12 x 6	239725	8	---	239737
4 x 18 x 6	239726	20	---	239734
7 x 18 x 6	239727	20	---	239735
8 x 18 x 6	239728	10	---	239736
11 x 18 x 6	239729	8	---	239737
4 x 24 x 6	239730	16	---	239734
7 x 24 x 6	239731	8	---	239735
8 x 24 x 6	239732	6	---	239736
11 x 24 x 6	239733	6	---	239737



SHELF BINS & DIVIDERS

Plastic bins help efficiently organize 12", 18", and 24" deep shelving units, or racks. Bins are waterproof and chemical, grease, and oil resistant. Reinforced ribbed construction for added strength. Features slotted label holder for easy content identification and a wide hopper front for easy access. Optional black divider fits across bin width. Nestable when empty to save space. Bins sold in carton quantity.

Permanent, molded-in colored bins are virtually unbreakable. Use colors to differentiate items for quick content identification. *Specify color suffix when ordering: Blue (BL), Red (RD), or Yellow (YL). 4"H bins also available in Green (GN), Stone (BG), and Clear (CL).



550201RD

WALL PANELS AND BINS

Mounts easily on wall or shelving, carts, benches, inside cabinets, or service truck interiors. Premium Bins of all sizes may be moved or rearranged in unlimited configurations with no adjustment to panel. 16 gauge steel. For panel with bins add suffix Blue (BL), Red (RD), or Yellow (YL) for bin color.

BIN CAPACITY PER PANEL					WALL PANEL 36"W x 19"H W/ BINS		
Bin Size W" x D" x H"	18"W 19"H	36"W 19"H	27"W 21"H	36"W 61"H	Model	Bin Qty.	W" x D" x H"
4 ¹ / ₈ x 4 ¹ / ₂ x 3	16	32	30	120	550200	32	4 ¹ / ₈ x 7 ³ / ₈ x 3
4 ¹ / ₈ x 5 ³ / ₈ x 3	16	32	30	120	550201	18	5 ¹ / ₂ x 10 ⁷ / ₈ x 5
4 ¹ / ₈ x 7 ³ / ₈ x 3	16	32	30	120	550202	8	8 ¹ / ₄ x 10 ³ / ₄ x 7
4 ¹ / ₈ x 10 ⁷ / ₈ x 4	12	32	18	80	550203	8	8 ¹ / ₄ x 14 ³ / ₄ x 7
5 ¹ / ₂ x 10 ⁷ / ₈ x 5	9	18	12	60			
5 ¹ / ₂ x 13 ¹ / ₂ x 5	9	18	12	60			
5 ¹ / ₂ x 14 ³ / ₄ x 5	9	18	12	60			
8 ¹ / ₄ x 10 ³ / ₄ x 7	4	8	---	28			
8 ¹ / ₄ x 14 ³ / ₄ x 7	4	8	---	28			
8 ¹ / ₄ x 18 x 9	4	8	---	24			
11 x 10 ⁷ / ₈ x 5	3	9	6	30			
11 x 16 x 8	1	6	---	21			
11 x 18 x 10	1	3	---	15			
16 ¹ / ₂ x 10 ⁷ / ₈ x 5	3	6	4	20			
16 ¹ / ₂ x 14 ³ / ₄ x 7	2	4	---	14			
16 ¹ / ₂ x 18 x 11	1	2	---	10			

WALL PANEL WITHOUT BINS		
Model	W" x H"	Carton Qty.
550148GY	18 x 19	4
550150GY	36 x 19	4
239957	36 x 12	2
239956	27 x 21	2
239959	48 x 19	2
239955	18 x 61	2
239958	36 x 61	1
239960	48 x 61	1

HEAVY-DUTY HOPPER BINS

- Heavy-duty hopper bins provide convenient content storage, organization, and transport for heavy, bulky items
- Features a wide front opening for easy access. 1 rear and 2 side grip handles. Stabilizing ribs permit bins to stack
- The large-size bins have a large label slot, small-size bins have a front label area that accommodates adhesive labels
- Add color suffix: Gray (GY), Blue (BL), Red (RD).

Model 752397 also available in Green (GN) and Beige (BG)

W" x D" x H"	Ctn. Qty.	Bin Model	Clear Bin Model
19 ⁷ / ₈ x 15 ¹ / ₄ x 12 ⁷ / ₈	3	752397	B472287
10 ⁷ / ₈ x 17 ¹ / ₂ x 12 ¹ / ₂	4	652733	B472286



PREMIUM GIANT STORAGE BINS

Organize and store large bulky items with these strong injection molded plastic **24", 30", & 36"** deep jumbo bins. Sold in carton quantities. **Optional Black Dividers** organize contents. Sold in carton quantities. **Add color Suffix: Blue (BL), Red (RD), and Yellow (YL).**

BIN ONLY Outside W" x H"	Ctn. Qty.	24"D Bin Model	Divider Model	30"D Bin Model
8 ¹ / ₄ x 7	6	238048	238060	239514
8 ¹ / ₄ x 9	6	238049	238061	---
11 x 7	4	238050	238062	---
11 x 10	4	238051	238063	239515
16 ¹ / ₂ x 11	1	238052	238064	239516
18 ¹ / ₄ x 12	1	238053	238065	239517
16 ¹ / ₂ x 15	1	---	---	239518
16 ¹ / ₂ x 17 ¹ / ₂	1	---	---	238935*
19 ⁷ / ₈ x 17 ¹ / ₂	1	---	---	238936*
23 ⁷ / ₈ x 17 ¹ / ₂	1	---	---	238937*

* These models are 36" Bins

PREMIUM GIANT STORAGE BIN


Hopper front allows immediate access and visibility. Wide ledges interlock for positive stacking. Impervious to most solvents, corrosion, and rust. Rot resistant. Molded in label holders. **Mobile Bins** allow up to 250 lb. load capacity, with hard rubber non marring 3" casters (4 swivel with brake). Specify color suffix: Blue (BL), Red (RD), or Yellow (YL). *Models also available in Green (GN) and Black (BK). Sold in carton quantities.

Mobile Bin Model	Overall W" x D" x H"	Ctn. Qty.
603167*	16 ¹ / ₂ x 18 x 11	3
239507	16 ¹ / ₂ x 23 ⁷ / ₈ x 11	1
239508	18 ¹ / ₄ x 23 ⁷ / ₈ x 12	1
239509	16 ¹ / ₂ x 29 ⁷ / ₈ x 11	1
239510	18 ¹ / ₄ x 29 ⁷ / ₈ x 12	1
239511	16 ¹ / ₂ x 29 ⁷ / ₈ x 15	1
334202*	18 x 28 x 15	1

Model	Overall W" x D" x H"	Ctn. Qty.	BLACK DIVIDER Model	CLEAR WINDOW Model
613128*	12 x 20 x 6	6	506286	506290
613126*	12 x 20 x 8	6	506287	506291
613124*	12 x 20 x 12	3	506288	506292
613122*	18 x 20 x 12	1	506289	506293
613120*	18 x 28 x 12	1	---	---



Plastic Dolly - 1000 lb. cap.
I.D. 24"L x 16³/₄"W
O.D. 30"L x 18"W
239578



SUPER-CAPACITY BIN RACKS AND PANELS

- Heavy-duty 16-gauge steel construction
- Louvers provide easy hang and removal of stacking bins
- Accepts bins of different size, colors, and configurations
- Mobile racks feature 3" non-marring rubber wheel swivel casters
- Wall panels with pre-drilled holes allow easy wall mounting

Model	Type	Bin Qty.	Bin Color
500165YL*	Double-Side Mobile Bin Rack	96	Yellow
500163BL*	Single-Side Floor Bin Rack	42	Blue
550200YL*	Wall Bin Panel	32	Yellow
239958	Wall Panel - 36" x 61"	0	---
239959	Wall Panel - 48" x 19"	0	---



NEST & STACK SHIPPING TOTES

Ideal for storing, shipping, assembly, and picking, these nest & stack shipping totes are made with injection-molded, high-density polypropylene that withstands temperatures from -10°F to 250°F. Optional lids sold separately. Add suffix when ordering: Gray (GY), Blue (BL), and Red (RD).

Top Outside L" x W" x H"	Lbs. Cap. Per Box	Lbs. Cap. Stacked	Ctn. Qty.	TOTE Model	LID Model
18 x 11 x 6	45	225	6	274311	274321
18 x 11 x 9	90	450	6	274312	274321
19 ¹ / ₂ x 13 ¹ / ₂ x 8	65	325	6	274313	274322
19 ¹ / ₂ x 15 ¹ / ₂ x 10	55	275	6	274314	274323
19 ¹ / ₂ x 15 ¹ / ₂ x 13	65	325	6	274315	274323
23 ¹ / ₂ x 15 ¹ / ₂ x 12	90	450	3	274316	274324
23 ¹ / ₂ x 19 ¹ / ₂ x 10	45	225	6	274317	274325
23 ¹ / ₂ x 19 ¹ / ₂ x 13	75	375	3	274318	274325
29 ¹ / ₂ x 19 ¹ / ₂ x 15	100	500	3	274319	274326



NESTING UTILITY TOTE & LID

Ideal for distribution, transport, and storage, these corrugated plastic totes with reinforced steel banding are easy to clean and resistant to dust, dirt, moisture, & grease. Sold in carton quantities of ten, these nesting totes are available in white, blue (BL), yellow (YL), and red (RD). Use color suffix when ordering blue, red, or yellow. Tote dimensions are 18¹/₂"Lx13¹/₄"Wx12"H. Meets U.S. Postal Service requirements.

TOTE Model	Type	Color	LID Model
753500	Tote	White	753501
257915	Tote	Specify Color	257916
257920	Tote w/lid	Specify Color	---
257816	Tote w/lid	White	---



FIBERGLASS STACKING BOXES

Constructed from reinforced polyester fiberglass, these stacking boxes are able to endure temperatures from -40° to 300°F and can withstand oils, grease, degreasing, and more. Units are available in a range of sizes and weight capacities to fit the needs of your business.

Model	L" x W" x H"	Style	Color	Ctn. Qty.	Cap. Lbs.
114007GY	25 ³ / ₄ x 17 ³ / ₄ x 3	Stack	Gray	6	200
603091WH	18 ³ / ₄ x 11 ⁷ / ₈ x 1 ³ / ₄	Stack	White	1	200
422196GY	17 ⁷ / ₈ x 10 ⁵ / ₈ x 5	Stack & Nest	Gray	10	300
422202GN	24 ³ / ₄ x 14 ³ / ₄ x 8	Stack & Nest	Green	10	300



SOLID STRAIGHT WALL CONTAINERS

Efficiently transport goods with these stackable containers. Featuring a reinforced straight-wall design to maximize storage space, units are equipped with comfortable grip handholds on all four sides. Available in the color Gray, sold in pack quantities of 1

Model	L" x W" x H"	Cap. Lbs.
652740	12 x 7 ³ / ₈ x 5	40
652741	12 x 15 x 5	40
652742	12 x 15 x 7 ¹ / ₂	40
652743	13 ¹ / ₂ x 7 ³ / ₈ x 6 ³ / ₄	40
652744	24 x 15 x 5	40
652745	24 x 15 x 7 ¹ / ₂	40
652746	24 x 15 x 9 ¹ / ₂	40
652747	24 x 22 ¹ / ₂ x 14 ¹ / ₂	50
270288	24 x 15 x 11	50
270289	24 x 15 x 14	50
270290	24 x 22 x 7	50

MONOFLO
INTERNATIONAL



FOLDING BULK SHIPPING CONTAINERS & LIDS

These AIAG-approved recyclable bulk containers fold to save on return shipping costs (252 folded containers fit in a 53' truck). High-pressure, injection-molded plastic provides containers with resistance to impacts and rot. Four-way forklift access. Optional lid available separately.

CONTAINER Model	L" x W" x H"	Cap. Lbs.
155215A	48 x 45 x 27	1,500
442211A	48 x 45 x 34	2,000


LID Model	L" x W"	Cap. Lbs.
155212	48 x 45	Lid for 155215A and 442211A



FOLDING BULK CONTAINERS

Folding Bulk Shipping Containers are designed to securely hold & ship product, then collapse to less than half its height to reduce return shipping costs. Made from high density polyethylene to resist rust, odors, and moisture. Structurally reinforced at all stress points for added strength and stability. Smooth interior surface cleans easily. 3:1 return ratio reduces costs on return freight and storage. 4-way forklift; 2 hinged drop-down doors for easy access to contents. Spring-latches automatically lock sidewalls for easy set-up and quick folding. Flat labeling areas on all sides. AIAG-approved.

Model	L" x W" x H"	Cap. Lbs.
442211A	48 x 45 x 34	2,000
270284	32 x 30 x 25,	1,800
B3126883	48 x 40 x 34,	1,800
155215A	48 x 45 x 25	1,500
155208	32 x 30 x 34	1,800
B3126884	48 x 40 x 39	1,800



B3178585



B3178584

PREMIUM BULK CONTAINERS

Premium Collapsible Bulk Containers are your solution for convenient and flexible storage. Constructed from rigid, structural foam, these containers deliver reliable performance and durability for a variety of industries including rugged applications such as automotive and heavy equipment assembly. Units include panels with designated areas for labels, cardholders, or RFID tracking, and 4-way forklift with two drop down doors that do not block the fork tunnels when open. These containers have an impressive weight capacity of up to 2,000 lbs. and are ideal for use in the toughest of material handling environments. AIAG-approved.

Model	L" x W" x H"	Base Type	Cap. Lbs.
B3178583	32 x 30 x 25	Structural Foam	1,800
B3178584	32 x 30 x 34	Structural Foam	1,800
B3178585	48 x 40 x 34	Structural Foam; 1 Steel Runner	2,000
B3178586	48 x 45 x 25	Injection-Molded, Two-Piece Welded	2,000
B3178587	48 x 45 x 34	Injection-Molded, Two-Piece Welded	2,000



B3178587

STORAGE & SHELVING



DROP GATE FOR
EASY ACCESS
WHEN STACKED



FOLDS FOR
COMPACT STORAGE

FOLDING WIRE CONTAINERS

These one-piece containers are made from strong, all-welded wire mesh with heavily reinforced corners and a channel-formed steel base. The open mesh allows excellent visibility of contents and inventory control, while the notched legs interlock for positive stacking and permit forklift or pallet truck entry. Units can be mobilized with an optional caster kit, sold separately. Available in range of sizes and weight capacities, optional hinged lids available.

CONTAINER Overall L" x W" x H"	Inside Ht."	Drop Gate Side"	Model	HINGED LID Model
1000 LB. CAP. - Sides & Bottom 1" x 1", Powder Coat Finish				
32 x 20 x 21	16	32	198642	275975
3000 LB. CAP. - Sides & Bottom 2" x 2", Powder Coat Finish				
40 x 32 x 34 1/2	28	40	493396	275976
48 x 40 x 36 1/2	30	48	493395	275977
48 x 40 x 42 1/2	36	48	493394	275977
4000 LB. CAP. - Sides & Bottom 2" x 2", Powder Coat Finish				
40 x 32 x 34 1/2	28	40	239341	275976
48 x 40 x 36 1/2	30	48	239342	275977
48 x 40 x 42 1/2	36	48	239343	275977
5000 LB. CAP. - Sides & Bottom 2" x 2", Powder Coat Finish				
40 x 32 x 34 1/2	28	40	239344	275976
48 x 40 x 36 1/2	30	48	239345	275977
48 x 40 x 42 1/2	36	48	239346	275977

EASY-ASSEMBLY BULK CONTAINERS

Made from reinforced, high-density structural polypropylene, these bulk containers assemble easily with included hardware and can **hold up to 600 lbs.** of goods. The included stacking feet allow containers to stack up to four units high for a total capacity of 2,000 lbs.



ALLOWS 4-WAY
FORK ENTRY

Model	Type	L" x W" x H"
603087DC	w/Casters	39 1/2 x 31 1/2 x 34
603087DP	w/Lid & Casters	39 1/4 x 31 1/2 x 34



155202GY



652755BL



652948

PLASTIC BULK CONTAINERS

Ideal for use in agricultural, pharmaceutical, industrial, and food service settings, these reusable bulk containers are designed to withstand impacts, chipping, and corrosion. Units are available in a range of designs, sizes, and weight capacities. **FDA- & USDA-Approved.**

Model	L" x W" x H"	Cap. Lbs.	Color
155202GY	48 x 44 x 29	700	Gray
652755BL	48 x 40 x 31	1,500	Blue
442922	48 x 42 x 29	1,000	White
652948	43 1/2 x 43 1/2 x 43 1/2	1,200	White



ALL WELDED STACKABLE STEEL CONTAINER

Engineered for the toughest industrial uses, these all-welded steel containers feature **13-gauge** corrugated sides for strength and rigidity. They are able to **support up to 4,000 lbs.**, while the 2" angle corners and unique corner pockets permit positive stacking up to five units high. For easy pallet truck handling, these containers have heavy-duty stacking legs with 4" under clearance to allow four-way accessibility.

Stacks 5 High

L" x W"	23 1/2" HIGH Model	29 1/2" HIGH Model
30 x 24	800199	800101
30 x 31 1/2	---	800100
35 x 36 1/2	---	800104
42 x 31 1/2	800206	800106
42 x 36 1/2	---	800110
48 x 36 1/2	800212	800112
42 x 43 1/2	800214	800114
48 x 43 1/2	800216	800116
48 x 49 1/2	800218	800118



B495371

B2050724

RIGID STEEL CONTAINERS

Constructed from durable steel, these containers are equipped with heavy-duty stacking legs that allow four-way accessibility for easy fork or pallet truck handling. Units are available in a range of sizes and colors, with or without drop gates.

Container	Style	L" x W" x H"	Gray	Blue
Mini-Bulk	Mesh Sides	38 x 38 x 16	B2050724	---
Drop-Gate	Mesh Sides	40 1/2 x 34 1/2 x 32	B495374	B495373
Drop-Gate	Solid Sides	40 1/2 x 34 1/2 x 32	B495372	B495371




HEAVY DUTY ALUMINUM & STEEL DOCK BOARDS


Heavy-duty aluminum and steel dock boards are built to handle tough material handling tasks in warehouses, loading docks, and other industrial environments. Made with heavy-duty steel or aluminum, these loading dock boards feature an anti-skid diamond tread surface for safety, tapered curbs that help prevent tire damage, and a safety stop to fit between the truck and dock for stability.

ALUMINUM		
Model	W" x L"	Cap. Lbs.
244145	60 x 36	10,000
244146	60 x 48	10,000
244150	60 x 48	15,000
244155	72 x 60	15,000

STEEL		
Model	W" x L"	Cap. Lbs.
244160	60 x 36	10,000
244161	60 x 48	10,000
244165	60 x 48	15,000
244170	72 x 60	15,000



244146



241746

HIGH TRACTION DOCK PLATES

High-traction dock plates offer enhanced safety and grip for loading docks, warehouses, and similar industrial material handling facilities. Constructed with heavy-duty materials like steel, aluminum, and fiberglass, these dock plates feature an anti-slip design to reduce the risk of slips and falls. We offer OSHA-friendly traction plates with various weight capacities for a range of needs.

INDUSTRIAL DOCK PLATES		
Model	W" x L"	Cap. Lbs.
241742	36 x 24	3,350
241744	48 x 24	3,700
241746	48 x 48	2,050
241747	60 x 48	2,660

HEAVY DUTY DOCK PLATES		
Model	W" x L"	Cap. Lbs.
244340	36 x 24	4,000
244346	48 x 24	5,300
988885	60 x 30	9,450
988887	72 x 30	11,350

HAND TRUCK DOCK PLATES

Hand truck dock plates are lightweight yet sturdy products that provide a convenient, safe way to move heavy loads between dock and truck. Made with durable materials like plastic or aluminum, dock plates bridge the gap between loading docks and trucks for easy material handling.



Model	Material	W" x L"	Cap. Lbs.
989057	Plastic	35 x 36	750
989058	Plastic	48 x 36	750
B3147086	Aluminum	54 x 36	3,500
B3146979	Aluminum	78 x 36	7,800

FORKLIFT TINE NOTCH DOCK BOARDS

Made with heavy-duty steel or aluminum, these forklift dock boards feature notches that align with forklift tines for a secure connection without lifting loops or chains. OSHA and ANSI-compliant dock boards are available in various sizes and weight capacities.



Model	Material	W" x L"	Cap. Lbs.
985059	Steel	60 x 36	10,000
985064	Steel	72 x 48	10,000
987000	Aluminum	60 x 60	10,000
987012	Aluminum	72 x 60	15,000

EDGE OF DOCK LEVELERS

Edge of dock levelers are ideal for docks with limited space. They provide secure loading and unloading for small to medium-sized facilities. Ideal for lightweight deliveries, they mount in minutes and feature a hydraulic cylinder that allows for easy level adjustment. They are also lightweight and easy to install and operate in any commercial space.



241746

MECHANICAL EDGE OF DOCK LEVELERS			
Model	Brand	W" x L"	Cap. Lbs.
986634	Global Ind.	66 x 15	20000
986637	Global Ind.	66 x 15	25000
986640	Global Ind.	66 x 15	30000
986635	Global Ind.	72 x 15	20000
986638	Global Ind.	72 x 15	25000
986641	Global Ind.	72 x 15	30000
986636	Bluff Mfg	78 x 15	20000
986642	Bluff Mfg	78 x 15	30000

MECHANICAL EDGE OF DOCK LEVELERS			
Model	Brand	W" x L"	Cap. Lbs.
B3147312	Vestil	93 x 17 1/2	20000
B3147313	Vestil	93 x 17 1/2	25000
B3147207	Vestil	99 x 17 1/2	25000
B3147203	Vestil	93 x 17 1/2	30000
B2350142	Vestil	72 x 15	20000
B3147218	Vestil	98 x 26 3/4	25000
B3147204	Vestil	93 x 17 1/2	30000



HERE'S AN IDEA: IDEAL WAREHOUSE SOLUTIONS.



985369

IDEAL WAREHOUSE AUTO-STAND PLUS TRAILER STABILIZING STAND

- The easiest and most ergonomic solution to prevent trailer collapse
- Heavy-duty steel construction with 100,000 lb. load capacity
- Self-leveling gas shock system for precise positioning system for optimal positioning
- Ergonomically-positioned lever for quick lock/unlock
- 30" wide contact pad ensures superior stability
- Drop-tested for real world accident prevention
- Large 16" solid rubber tires for easy positioning on any surface
- Complies with OSHA 1910.178(k)(3) safety requirements

**OVERALL
WEIGHT**
200 lbs.
90.7 kgs

**HOLDS
4 POSTS
& 4
BASES**



672048

WHEELED SYSTEM

Features:

- Compact design allows for safe and easy storage between jobs
- Easier site securement means less set up time and more efficient work time

MOBILE BASE
12 ga. steel
Wt.: 75 lbs.
34 kgs

IDEAL WAREHOUSE RAPIDROLL™ PORTABLE BARRIER WHEELED SYSTEM, 50' SAFETY ORANGE FENCING

The Ideal Warehouse RapidRoll system creates a hi-viz outdoor barrier in minutes to make securing an outdoor work site, hazardous zone, or maintenance area fast & easy. With 50-feet of fencing, this ultra-portable system can be set up and taken down safely by just one worker in a matter of minutes.



IDEAL WAREHOUSE SLIDE-EFFECT DOCK BUMPERS

The SLIDE-effect® dock bumper absorbs the impact of trailer that reverses into its dock position, and features a built-in sliding mechanism to limit the effect friction and abrasion have on the bumper's life. Removable/replaceable Laminated Bumper Assembly features an integral spring system to limit rubber abrasion from trailer friction

Model	Configuration	W" x D" x H"
B3085721	Standard	6 ³ / ₄ x 13 x 20
B3085723	Right	6 ³ / ₄ x 10 ⁴ / ₈ x 20
B3085724	Standard	6 ¹ / ₂ x 13 x 20
B3085727	Standard	4 ³ / ₄ x 13 x 20
B3085730	Standard	5 ³ / ₄ x 13 x 20



IDEAL WAREHOUSE TOPPLE BARRIERS

Engineered and designed to contain large, heavy stacked inventories, these barriers will reduce the likelihood of a tumble and contain it if one should happen. A double-column structure, built with strong engineered steel stanchions and cross rails, the whole unit is anchored to the concrete slab with a 9500 lbs maximum load capacity for horizontal and vertical loads.

Model	Length	Height
670838	8'	14' 2"
670843	8'	16'
670839	12'	14' 2"
670848	8'	20'
670845	16'	16'
670840	16'	14' 2"
670844	12'	16'


Model	Length	Height
670849	12'	20'
670850	16'	20'
670841	20'	14' 2"
670842	24'	14' 2"
670846	20'	16'
670847	24'	16'
670851	20'	20'
670852	24'	20'

GRAVITY ROLLER CONVEYORS

Roller conveyors provide a secure and efficient method to transport boxes, totes, and other materials from one location to another in warehouses and other industrial spaces. Roller conveyors can be customized to fit any space with various lengths and widths available. Objects can be moved manually or using gravity rollers.

STRAIGHT SECTIONS

Model	Length Ft.	Between Frame W"	Axle Center"	Weight Cap. Lbs./Ft ³
293195	5	15	6	400
293194	5	15	4 1/2	520
293193	5	15	3	660
293198	5	21	6	400
293197	5	21	4 1/2	520
293196	5	21	3	660
293201	10	15	6	80
293200	10	15	4 1/2	100
293199	10	15	3	120
293204	10	21	6	80
293203	10	21	4 1/2	100
293202	10	21	3	120



ACCESSORIES

Model	Between Frame W"
293190	15
293191	21
Model	Support Stands Use With
293184	Straight Sections
293192	90 Deg. Curved Sections
Model	Side Guards Use With
293185	Straight Sections
293273	90 Deg. Curve - 18" OAW
293274	90 Deg. Curve - 24" OAW
Model	Angle End Stops Use With
293188	Straight Sections - 15" BFW
293189	Straight Sections - 21" BFW
293202	21

EXPANDABLE & FLEXIBLE CONVEYORS

Instantly set up conveyor lines for shipping, receiving, assembly and packaging areas. Series offered are Gravity Skate Wheel, Gravity Roller, and Powered Roller

Gravity Skate Wheel Conveyors

Model	Width	Adjustable Length	Weight Cap. Lbs.	Wheel Type
988988	14	2'4" to 8'11"	175	Steel
988989	18	3'3" to 12'10"	175	Steel
168110	18	6'2" to 24'8"	175	Nylon
168112	18	6'2" to 24'8"	175	Steel
168111	24	6'2" to 24'8"	175	Nylon
168113	24	6'2" to 24'8"	175	Steel

Gravity Roller Conveyors

Model	Width	Adjustable Length	Weight Cap. Lbs.
988987	24	2'8" to 8'6"	175

Powered Roller Conveyor

Model	Width	Adjustable Length	Weight Cap. Lbs./Ft ³ s
298711	24	9' to 19'	33.75



BALL TRANSFER TABLES

Featuring ball transfer units for smooth conveyance of lightweight objects over durable carbon steel surfaces, making it easier to rotate or move packages. The tables have a swivel base for easy mounting and positioning, suitable for use in warehouses, production lines, and workstations.



Model	Length Ft.	Between Frame W"	Weight Cap. Lbs./Ft ³
293268	2	15	880
293269	3	15	880
293270	2	21	880
293271	3	21	880

BELT CONVEYORS

Improve efficiency and keep goods moving with this Global Industrial™ Electric Belt Conveyor. Ideal for use in supermarkets, production lines, distribution centers, and more, this mini belt conveyor offers two-way transportation, a longterm stable transmission, and a convenient extra socket for daisy chaining.



Model	Belt Width"	Belt Length Ft.	Conveyor Speed FPM	Weight Cap. Lbs.
293289	19 11/16	5	98	100
293290	23 5/8	5	98	100

RIGID SKATE WHEEL CONVEYORS

Skate wheel conveyors support a smooth flow of lightweight materials, enhancing productivity through the use of free-rolling skate wheels. Their lightweight construction ensures easy reconfiguration, accommodating packages of various shapes and sizes. Skate wheel conveyors are particularly well-suited for distribution centers, warehouses, and other commercial material handling environments.

Straight Sections

Model	Length Ft.	Between Frame W"	Weight Cap. Lbs./Ft ³	Wheels per Ft.
293291	5	18	260	12
293293	5	24	260	12
293292	10	18	35	12
293294	10	24	35	13

Tripod Leg Stand

Model	Weight Cap. Lbs.	Adjustable Height"
293295	350	23 to 34 1/2





VESTIL GIVES YOUR BUSINESS A LIFT



SELF-DUMPING STEEL FORKLIIFT HOPPERS

These hoppers automatically dump when the bumper release contacts the side of the dumpster, then returns to an upright and locked position automatically. A cable release lets users manually dump the hopper. Units rotate approximately 68° and are stackable.

Model	Cu. Yd.	Cap. Lbs.
B54011	1	2,000
B54025	2	2,000
B54028	3	6,000
B2237100	4	6,000
B2237099	5	6,000



DOCK SEAL & DOCK LEVELER DRAFT BLOCKERS

Used to block drafts between dock seals and dock levelers, each bag is made of vinyl for durability and filled with foam for compressibility, with high-visibility yellow stripes for safety.

Model	L"
987970	18
987971	24
987972	36



A-LIFT-R MANUAL-WINCH LIFT TRUCKS

Ideal for areas where larger equipment can't go, they fit through standard doorways. Features include a steel & aluminum frame, forks that can be inverted for different lift heights, hand-crank operation with a folding handle, 2" front swivel casters, and 8" non-marking rear wheels. Steel and aluminum frame with forks that can be inverted for different lift heights. Hand-crank with a folding handle. Rolls on 8" non-marking rear wheels and 2" front swivel casters.

Model	Cap. Lbs.	Legs	Counterbalanced
241656	400	Fixed	No
241655	500	Fixed	No
241654	400	Straddle	No
241653	500	Straddle	No
242029	400	Straddle	Yes
242028	500	Straddle	Yes



HYDRAULIC ELEVATING CART

Material can be loaded onto this portable lift from a table or bench, lowered to a safe height for transporting, then raised at the destination for easy unloading. Moves on polyurethane casters, two swivel with brakes.

Model	L" x W"	Cap. Lbs.
988132	63 x 31	1,000
988133	47 x 24	1,500

MANUAL OPERATED MOBILE LIFT TABLES

Manual Operated Mobile Scissor Lift & Tilt Tables are designed to elevate your material handling capabilities in industrial environments. These scissor lifts can hold various weight capacities and include oversized platforms providing ample space for large heavy items. With rolling wheels and a hydraulic foot pump, these mobile scissor lifts offer easy and precise positioning in tight spaces.

Single Scissor Lift			
Model	Table L" x W"	Weight Cap. Lbs.	Raised Ht. "
168073	27 x 17	330	29
168074	32 x 19	550	35
168075	39 x 20	1100	39
988932	63 x 32	1100	36
Double Scissor Lift			
168075	39 x 20	1100	39
988932	63 x 32	1100	36
Double Scissor Lift			
168079	29 x 19	400	49
168080	36 x 24	600	59



WORK POSITIONING MOBILE LIFT TABLES

Work Positioning Mobile Post Lift Tables offer a safe and ergonomic solution used at conveyor or production lines for dock loading and unloading. The compact and design ensures stability, while the hydraulic lift system provides efficient vertical movement.



232054

Model	Table L" x W"	Weight Cap. Lbs.	Raised Ht. "
232054	18 x 18	500	48
241381	24 x 36	2000	48
241382	32 x 48	2000	48

BATTERY POWERED MOBILE LIFT TABLES

Battery Powered Mobile Scissor Lift Tables offer a range of mobile lift tables designed for lifting and transporting heavy loads. With battery-powered operation, these tables are ideal for areas where power sources are not easily accessible.



988854

Model	Table L" x W"	Weight Cap. Lbs.	Raised Ht. "
989062	40 x 20	660	63
988854	40 x 21	1100	63
988159	40 x 24	2000	72

POWERED SCISSOR LIFT TABLES

Powered scissor lift tables from Global Industrial are available in hand or foot operated models. They are made of durable steel and include captured rollers to reduce risk of injury when lifting heavy loads. Range of heights to suit any work environment. Various weight capacities on our powered lift tables.

Standard Platform Lift Tables			
Model	Table L" x W"	Weight Cap. Lbs.	Raised Ht. "
989034	48 x 36	2200	40
989035	48 x 48	3300	40
989036	72 x 48	4840	40
Extended Height Lift Tables			
293227	51 x 32	2200	70
293228	51 x 32	4400	70
293229	67 x 47	8800	80 ³ / ₄
Extended Length Lift Tables			
293225	98 ¹ / ₂ x 32 ¹ / ₄	4400	39 ¹ / ₂
293223	86 x 47	8800	55
293226	98 x 33	8800	39 ¹ / ₂



989018

239229

FLOOR LEVEL HYDRAULIC POWERED LIFT TABLES

Designed for situations without fork trucks or dock lifts, they raise pallets to a safe working height with ease. Crafted from durable steel, these tables support a range of weights.



Model	Table L" x W"	Weight Cap. Lbs.	Raised Ht. "
293231	57 x 31	2200	33 ⁷ / ₈
293230	57 x 44	2200	33 ⁷ / ₈
293259	48 ³ / ₁₆ x 50	2000	39 ³ / ₈

PALLET CAROUSELS & POSITIONERS

Allow for smooth and controlled rotation, positioning, and elevation of pallets. Pallet carousels and positioners are built to withstand heavy loads, provide exceptional stability, enable easy access to goods, and optimize workflow in various industrial settings.



988295

Model	Type	Carousel Outside Diameter "	Weight Cap. Lbs.	Raised Ht. "
988295	Spring Operated	43 ⁵ / ₈	4500	27 ³ / ₄
989007	Airbag Operated	43	4000	29 ¹³ / ₁₆
988940	Stainless Steel Spring Operated	43 ⁵ / ₈	4500	27 ³ / ₄



LIFTING SOLUTIONS YOU CAN TRUST. NEED WE SAY BALLYMORE?

BALLYMORE® POWER STOCK PICKERS

- Eliminates the need for ladders and associated injuries
- Rechargeable 12V DC battery uses standard 110V AC outlet
- 80-100 raise-and-lower cycles between charges
- Various working heights & capacities



Model	Working H	Platform Max H	Cap. Lbs.
640437	14'	9'	650
640438	17'	11' 6"	650
640439	20'	14' 9"	650



BALLYMORE® STACKERS

- Easily lift, transport, & stack palletized loads
- Ideal for commercial or industrial use
- Various lift heights and capacities available



Model	Fork Length"	Height"	Raised Height"	Cap. Lbs.
Powered Stackers with Adjustable Straddle				
B2299695	45 $\frac{3}{4}$	88 $\frac{1}{2}$	138	2,200
B3055200	51	91	142	2,600
B2299697	45 $\frac{3}{4}$	77	63	2,200
B2299693	45 $\frac{3}{4}$	83	157	3,500
B3055201	45	77	114	4,500

Model	Fork Length"	Height"	Raised Height"	Width"	Cap. Lbs.
Powered-Lift/Manual-Push Stackers					
B2299698	42	89 $\frac{1}{2}$	138	46-58	2,200
B2684029	44	67	118	35	1,100

BALLYMORE® PALLET JACKS AND TRUCKS

- Increases productivity and worker safety
- Easily moves heavy loads in seconds
- Available in multiple lift heights, fork lengths, and capacities

Model	Fork Length"	Lowered Height"	Raised Height"	Cap. Lbs.
B2354780	45	3 $\frac{3}{16}$	7 $\frac{15}{16}$	3,300
B2310508	45	3	4 $\frac{1}{2}$	4,500
B2299692	45	3 $\frac{3}{16}$	71 $\frac{1}{16}$	3,300
B2299691	48	3	7 $\frac{3}{4}$	4,000
B2542756	48	3	4 $\frac{1}{2}$	4,500

SELF-DUMPING STEEL FORKLIFT HOPPERS WITH BUMP RELEASE

Forklift compatible for easy mobility, these self-dumping, bump-release hoppers automatically dump heavy loads on contact with the roll-off container. Constructed from steel for long-lasting durability, these perfectly balanced hoppers are designed to roll forward when loaded, dump completely, and automatically return to an upright, locked position that's ready for reloading. Weight capacities range from 2000 to 6000 lbs.



Cu Yd.	Model	2000 lb. Capacity W" x D" x H"
1/3	B2369094	31 ³ / ₄ x 56 ¹ / ₂ x 32 ¹ / ₂
1/2	B2369100	37 ³ / ₄ x 56 ¹ / ₂ x 32 ¹ / ₂
3/4	B2369096	39 ³ / ₄ x 62 ³ / ₄ x 36 ¹ / ₂
1	B2381442	39 ³ / ₄ x 67 ¹ / ₂ x 39 ³ / ₄
1 ¹ / ₂	B2381438	57 ³ / ₄ x 67 ¹ / ₂ x 39 ³ / ₄
2	B2381436	57 ³ / ₄ x 68 x 46

Model	4000 lb. Capacity W" x D" x H"
B2369093	31 ³ / ₄ x 56 ¹ / ₂ x 32 ¹ / ₂
B2369099	37 ³ / ₄ x 56 ¹ / ₂ x 32 ¹ / ₂
B2369095	39 ³ / ₄ x 62 ³ / ₄ x 36 ¹ / ₂
B2381440	39 ³ / ₄ x 67 ¹ / ₂ x 39 ³ / ₄
B2381437	57 ³ / ₄ x 67 ¹ / ₂ x 39 ³ / ₄
B2381435	57 ³ / ₄ x 68 x 46

Hinged Lid Model
238520GY
238521GY
238523GY
238525GY
238527GY
238529GY

Cu Yd.	Model	6000 lb. Capacity W" x D" x H"
1/3	B2369092	31 ³ / ₄ x 56 ¹ / ₂ x 32 ¹ / ₂
1/2	B2369098	37 ³ / ₄ x 56 ¹ / ₂ x 32 ¹ / ₂
3/4	B2369097	39 ³ / ₄ x 62 ³ / ₄ x 36 ¹ / ₂
1	B2381441	39 ³ / ₄ x 67 ¹ / ₂ x 39 ³ / ₄
1 ¹ / ₂	B2381439	57 ³ / ₄ x 67 ¹ / ₂ x 39 ³ / ₄
2	B2381434	57 ³ / ₄ x 68 x 46

Hinged Lid Model
238520GY
238521GY
238523GY
238525GY
238527GY
238529GY



SELF-DUMPING STEEL FORKLIFT HOPPERS

Made from steel for strength and durability, these self-dumping hoppers are designed to tilt forward when full to empty their contents, then automatically return upright in a locked position for reloading. Weight capacities range from 4000 to 7000 lbs.



Type	Accessories	Model #
Lifting Legs		238510GY
Overhead Crane Lifting Lugs		238512GY
Chain Pull Latch		238514GY
Three-Way Entry		238516GY
Casters - 8" x 2" Wheel - 2 Swivel & 2 Rigid		
Semi-Steel		238500
Rubber		238502
Plastic		238504
Polyurethane		238506

Model #	Cu. Yd.	Weight lbs.	W" x L" x H"
Medium-Duty with 3/16" Base Thickness			
989012	1	4000	40 x 64 x 40
989013	1 ¹ / ₂	4000	58 x 64 x 40
989014	2	4000	58 x 64 x 46
Heavy-Duty with 3/16" Base Thickness			
238321GY	1/4	6000	33 ³ / ₄ x 44 ³ / ₄ x 22 ¹ / ₄
238322GY	1/3	6000	31 ³ / ₄ x 52 ¹ / ₂ x 32 ¹ / ₂
238323GY	1/2	6000	37 ³ / ₄ x 52 ¹ / ₂ x 32 ¹ / ₂
238324YL	3/4	6000	39 ³ / ₄ x 58 ³ / ₄ x 36 ¹ / ₂
238325GY	1	6000	39 ³ / ₄ x 63 ¹ / ₂ x 39 ³ / ₄
238326YL	1 ¹ / ₂	6000	57 ³ / ₄ x 63 ¹ / ₂ x 39 ³ / ₄
238327YL	2	6000	57 ³ / ₄ x 64 x 46
Heavy-Duty with 1/4" Base Thickness			
238400YL	1/3	7000	31 ³ / ₄ x 52 ¹ / ₂ x 32 ¹ / ₂
238401GY	1/2	7000	37 ³ / ₄ x 52 ¹ / ₂ x 32 ¹ / ₂
238403GY	3/4	7000	39 ³ / ₄ x 58-3/4 x 36 ¹ / ₂
238405GY	1	7000	39 ³ / ₄ x 63 ¹ / ₂ x 39 ³ / ₄
238407GY	1 ¹ / ₂	7000	57 ³ / ₄ x 63 ¹ / ₂ x 39 ³ / ₄
238409GY	2	7000	57 ³ / ₄ x 64 x 46
238411GY	3	7000	57 ³ / ₄ x 70 ¹ / ₂ x 55
238413GY	4	7000	79 ³ / ₄ x 70 ¹ / ₂ x 55
238415YL	5	7000	99 ³ / ₄ x 70 ¹ / ₂ x 55
Stainless Steel 3/16" Base Thickness			
241857	1/2	6000	37 ³ / ₄ x 52 ¹ / ₂ x 32 ¹ / ₂
241858	1	6000	39 ³ / ₄ x 63 ¹ / ₂ x 39 ³ / ₄
241859	1-1/2	6000	57 ³ / ₄ x 63 ¹ / ₂ x 39 ³ / ₄

Model # Hinged Lid
989012
989013
989014
Hinged Lid
238519GY
238520GY
238521GY
238523YL
238525GY
238527YL
238529YL
Hinged Lid
238520YL
238521GY
238523GY
238525GY
238527GY
238529GY
238531GY
238533GY
B3144628
Hinged Lid
241860
241861
241862

CHAIN HOIST

- Drop-forged steel swivel hook with safety latch
- Hardened steel load chain for long-lasting life
- Lubrication-free load brake offers positive load control
- Tempered molybdenum steel gears
- Lightweight and ideal for low-ceiling applications

Model	Lift H'	Cap Lbs.	Headroom"
241638	10	2,000	12
241639	10	4,000	15
241640	10	6,000	18½
241641	10	10,000	23½
241642	20	2,000	12
241643	20	4,000	15
241644	20	6,000	18½
241645	20	10,000	23½



ELECTRIC CABLE HOISTS

Designed for use in workshops, garages, and other job sites, these electric cable hoists are available in various sizes for light- or heavy-duty lifting. Most models are lightweight and portable and can be configured into single- or double-line lifting applications. Weight capacity, headroom, lift, and other features vary per electric cable hoist.

Model	Lift H'	Cap Lbs.	Headroom
298640	39¾	440	13½
298641	39¾	880	14¾
298642	39¾	1,500	15¾
298643	39¾	2,000	18¾



AIR HOISTS

Air Hoists are a reliable and versatile solution for lifting, positioning, and lowering heavy loads in industrial and material handling settings. They use pneumatic motors or compressed air to maneuver loads and feature variable speed controls and precise loading positioning for flexibility and accuracy.

Model	Lift H'	Cap Lbs.	Headroom
298625	10	300	15¼
298626	10	500	15¼
298627	10	1,000	15¼



MAGNETIC LOAD-LIFTING MAGNET

- Utilizes magnetic force to elevate steel, iron, & other ferrous metals for easy handling & transport
- Easy-to-use lever rotation activates and deactivates the magnetic force for convenient & efficient operation control
- Designed to secure workloads without requiring slings, clamps, or other support devices



Model	Cap Lbs.	Magnet Size"	L" x W" x H"
316088	200	27½ x 37½	5½ x 2½ x 8
316089	600	31½ x 63½	8 x 3½ x 7
298660	800	10¾ x 45½	10½ x 4¾ x 8¾
316090	1,200	45½ x 97½	11 x 4¾ x 10¾
298661	1,500	11½ x 53½	11½ x 5½ x 10½



"I" BEAM TROLLEY

- Extra-strong, hardened wheels and axles allow the trolley to roll smoothly on beams
- Suspension plate has an opening that allows for easy hook attachments
- Includes spacer washers for adjusting the trolley to fit the width of the beam
- Steel equalizer pin is enclosed for long-lasting strength and durability

Model	Cap Lbs.	Beam Width"
241646	1,000	2½ - 5½
241647	2,000	2½ - 5½
241648	4,000	3 - 6½
241649	6,000	3 - 8
241650	10,000	3½ - 8

POLYESTER LIFTING SLINGS

Lifting slings are integral to material handling and are used with equipment, such as hoists and cranes, to facilitate the safe and efficient lifting of heavy loads across various industrial applications. They are used for construction, manufacturing, and warehouse settings, offering a reliable load-bearing capacity.




Model	Sling Type	Length Ft.	Dia. Or Width"	Vertical Lbs.	Choker Lbs.	Basket Lbs.
298514	Endless Round	3	1½	2,600	2,100	5,200
298492	Endless Round	4	1¼	5,300	4,200	10,600
298494	Endless Round	8	1¼	5,300	4,200	10,600
298495	Endless Round	10	1¼	5,300	4,200	10,600
298504	Endless Web	3	1	3,200	2,500	6,400
298505	Endless Web	4	1	3,200	2,500	6,400
298506	Endless Web	6	1	3,200	2,500	6,400
298509	Eye & Eye Web	4	1	1,200	950	2,400
298500	Eye & Eye Web	6	1	1,600	1,280	3,200
298502	Eye & Eye Web	8	2	3,200	2,500	6,400
298508	Eye & Eye Web	10	2	6,400	5,000	12,800

ALUMINUM GANTRY CRANES

Aluminum gantry cranes are an efficient solution for lifting and transporting heavy loads. Their lightweight design makes them easy to handle, while the adjustable height feature allows for precise positioning of the load. With heights varying per model, these cranes provide ample space for moving items around in various industrial, workshop, or garage settings.



Model	Cap. Lbs.	I-Beam H"	Height Min - Max	Width
ADJUSTABLE HEIGHT				
B2181334	1,000	5	8'11" - 11'5"	8'
B2181332	1,000	6	9' - 11'6"	10'
B2181320	1,000	8	7'2" - 9'8"	15'
241363	1,500	6	8'2" - 10'8"	10'
241364	1,500	6	10' - 12'6"	10'
298480	2,000	6	7'8" - 10'2"	7' 8"
298481	2,000	6	7'8" - 10'2"	10'
298605	2,000	8	7'8" - 10'2"	12'
320872	2,000	8	9'6" - 10'	12'
B2262133	2,000	8	9'6" - 12'	9' 8"
B2262132	4,000	8	9'6" - 12'	12'
B3147261	4,000	8	5'8" - 8'10"	8'
B3147319	4,000	8	5'8" - 8'10"	10'
B3147318	4,000	10	9'6" - 12'10"	15'
B2181256	4,000	8	8'6" - 11'	8'
B3147254	6,000	12	10' - 13'	12'
B3147194	6,000	12	10' - 13'	15'
B2181420	6,000	12	8'8" - 11'2"	10'
B2181403	6,000	12	10'9" - 13'3"	12'



FREESTANDING JIB CRANES

Used to lift, move, and lower heavy loads, freestanding jib cranes simplify material handling while improving worker safety and productivity. Featuring a freestanding design that doesn't require complex mounting or additional support structures, these cranes are ideal for use in various environments, including manufacturing facilities, assembly operations, loading docks, and more.


Model	Cap. Lbs.	Under Beam H"	I-Beam H"	Span Ft.
B595613	500	120	6	12
B595682	500	96	6	10
B595528	1,000	120	6	10
B595663	1,000	168	6	8
B594881	2,000	96	10	12
B594820	2,000	144	10	12

STEEL GANTRY CRANES

Built with durable steel and a chip-resistant enamel finish, these steel gantry cranes are designed for heavy-duty mobile content handling. They roll smoothly on 4-position swivel lock casters and feature an I-beam mounting plate design for quick set-up and easy adjustability.



Model	Cap. Lbs.	I-Beam H"	Height Min - Max	Width
FIXED HEIGHT				
298603	2,000	4 ³ / ₄	10' (Fixed)	9'10"
241323	4,000	8	10' (Fixed)	15'
B3147283	6,000	10 ¹ / ₈	10' (Fixed)	15'
B594656	10,000	16	15' (Fixed)	15'
ADJUSTABLE HEIGHT				
298604	2,000	4 ³ / ₄	7'6" - 12'	9' 10"
241325	2,000	6	8'6" - 14'	10'
241327	2,000	6	8'6" - 14'	15'
241329	4,000	8	8'6" - 14'	10'
241331	4,000	8	8'6" - 14'	15'
B594644	4,000	12	17' - 20'	20'
320874	6,000	7 ⁷ / ₈	7'6" - 12'	9' 10"
B594674	6,000	12	12' - 15'	15'
B594536	6,000	16	17' - 20'	20'
241338	8,000	10	7'7" - 12'1"	15'
241337	8,000	8	8'7" - 14'1"	10'
241339	8,000	10	8'7" - 14'1"	15'
B594439	10,000	24	15' - 18'	15'
B594710	10,000	27	12' - 15'	25'




WALL-MOUNTED JIB CRANES

Wall-mounted jib cranes are material handling tools that lift and move heavy loads efficiently. They come in different models, such as cantilever jib cranes and bracket jib cranes that both mount on walls, providing a space-saving solution for various lifting tasks. Jib cranes have a pivoting jib arm that allows for effortless rotation and accurate positioning of weights. Wall-mounted jib cranes can be used in industrial settings, workshops, and manufacturing facilities.

Model	Cap. Lbs.	Connection Type	Span Ft.
B594247	150	Wall Bracket	6
B594180	500	Cantilever	16
B594333	1,000	Wall Bracket	8
B594270	2,000	Wall Bracket	10
B594253	3,000	Cantilever	16
B594236	4,000	Wall Bracket	20

MATERIAL HANDLING



ENERGY SAVING STRIP DOOR KITS

Strip door kits are flexible barriers made of PVC or vinyl that control room temperature, airflow, and visibility while still allowing easy access. They conserve energy, reduce noise transmission, and protect sealed areas against dust, insects, and contaminants. Strip doors and curtains are customizable, easy to install, and suitable for various settings like warehouses, loading docks, food service, manufacturing facilities, and retail spaces.

Door Opening	Standard Door Model	Scratch-Resistant Door Model
6' x 7'	786001	786103
7' x 7'	786156	786104
8' x 7'	786002	786105
9' x 7'	786157	786106
10' x 7'	786003	786107
12' x 7'	786004	786108
14' x 7'	786005	786109
6' x 8'	786006	786110
7' x 8'	786158	786111
8' x 8'	786007	786112
9' x 8'	786159	786113
10' x 8'	786008	786114
12' x 8'	786009	786115
14' x 8'	786010	786116
6' x 9'	786160	786117
7' x 9'	786161	786118
8' x 9'	786162	786119
9' x 9'	786163	786120
10' x 9'	786164	786121
12' x 9'	786165	786122
14' x 9'	786166	786123

Door Opening	Standard Door Model	Scratch-Resistant Door Model
6' x 10'	786011	786124
7' x 10'	786167	786125
8' x 10'	786012	786126
9' x 10'	786168	786127
10' x 10'	786013	786128
12' x 10'	786014	786129
14' x 10'	786015	786130
6' x 12'	786016	786131
7' x 12'	786169	786132
8' x 12'	786017	786133
9' x 12'	786170	786134
10' x 12'	786018	786135
12' x 12'	786019	786136
14' x 12'	786020	786137
6' x 13'	786021	786138
7' x 13'	786171	786139
8' x 13'	786022	786140
9' x 13'	786172	786141
10' x 13'	786023	786142
12' x 13'	786024	786143
14' x 13'	786025	786144

PVC BULK ROLLS

Fire-resistant and self-extinguishing, these UV-stabilized PVC bulk rolls are designed for quick installation & ease of use. Simply cut to the desired length, punch holes, and mount. Hardware sold separately.



Model	W" x L"	Thick"
Standard-Grade Smooth		
B3145188	6 x 300	.063
585327	8 x 300	.080
585328	12 x 105	.120
585329	12 x 200	.120
B3145193	16 x 100	.160
Scratch-Resistant Ribbed		
585338	8 x 150	.080
585339	12 x 150	.120
Low Temp USDA		
B3145189	6 x 300	.080
B3145191	8 x 300	.080



PEDESTRIAN STRIP DOOR KITS

Ideal for passageways or outdoor entrances where temperature, noise, or dust control is required, these kits feature 8"W x .080" thick strips that overlap by 50%.

W" x H"	Model
3 x 7	786146
4 x 7	786147
5 x 7	786148
6 x 7	786149
3 x 8	786150
4 x 8	786151
5 x 8	786152
6 x 8	786153
7 x 8	786154
8 x 8	786155

PISTON PUMPS

Made from durable materials such as polypropylene, carbon steel, and Type 316 stainless steel, these piston drum pumps safely dispense fluids, light oils, mild acids, and more. Units are available in a wide range of sizes to fit various drums and pails.



Model	Dispensing Rate Ounces/Stroke
Standard-Grade Smooth	
833121	2,4,6,8
833122	4,8,12,16
Scratch-Resistant Ribbed	
472104	4
472100	8
472101	22
Low Temp USDA	
472102	8
472103	22

SIPHON PUMPS

Equipped with air vents that control siphoning, these pumps easily fill or empty kerosene, light oils, & various water-based solvents that are compatible with polyethylene and PVC. Extra heavy-duty models, made completely out of PVC, are designed to handle a wider range of chemicals and withstand rugged abuse.



Model	Type	Dispenses GPM
833120	Std	5
833123	HN	7
833124	Extra HN	7



ROTARY PUMPS

- Cast Iron - for light oil and petroleum products; 3 piece steel suction pipe and 3/4" discharge spout. Optional drip tray with hinged cover and 2" bung adapter returns spills into drum
- Ryton - for aggressive chemicals such as chlorinated solvents and hydrocarbons; 3 piece 1" x 44" suction tube with strainer and 1" discharge spout.
- All pumps have dispense rate of 8 oz. per revolution

Model	Type
833100	Cast Iron
534101	Ryton
232005	Drip Tray for HN833100

INDUSTRIAL STEEL ROLLING LADDERS

Built to withstand heavy everyday use, these industrial steel ladders have impressive weight capacities and are equipped with rubber grip feet for stability, slip-resistant steps, and casters for easy mobility. Units are available with or without handrails and in multiple-step configurations.

Steps	Ht." to Top Step	Step W"	Perforated Model	Grip Strut Model	Perforated Model	Grip Strut Model
Ladder w/o Handrails			10" Deep Top Step		20" Deep Top Step	
1	12	16	607320	607340	607360	607380
2	19	16	607321	607341	607361	607381
3	28	16	607322	607342	607362	607382
Ladder w/30" Handrails			14" Deep Top Step		21" Deep Top Step	
4	40	16	607323	607343	607363	607383
6	60	16	607326	607346	B1834597	607386
8	80	24	607332	607352	607372	607392
10	100	24	607334	607354	607374	607394
12	120	24	607336	607356	607376	607396
14	140	24	607338	607358	607378	607398



STEEL MOBILE WORK PLATFORMS

Made from steel for long-lasting durability, these mobile work platforms have high weight capacities and roll effortlessly throughout your facility on casters, allowing users to work anywhere. Available with or without handrails, most units are equipped with rubber-tipped pads and steps with anti-slip treads for added safety.

Steps	Hand Rails	Platform Ht."	24" W x 36"L Platform Model	24" W x 48"L Platform Model	36" W x 36"L Platform Model	36" W x 48"L Platform Model
3	No	30	607505	607510	607515	607520
3	Yes	30	607506	607511	607516	607521
4	No	40	607507	607512	607517	607522
4	Yes	40	607508	607513	607518	607523
5	Yes	50	607509	607514	607519	607524



HEAVY-DUTY STEEL ROLLING LADDERS

An ideal solution for warehouses, stockrooms, and maintenance areas, these rolling ladders are constructed from heavy-duty steel for long-lasting durability. These units have impressive weight capacities and feature steps with slip-resistant treads, handrails, rear corner bumpers, and locking, non-marking casters. Meets OSHA and ANSI Standards.

Steps	Ht." to Top Step	Step W"	Perforated Model	Serrated Model	Perforated Model	Serrated Model
			10" Deep Top Step		21" Deep Top Step	
6	60	24	B1483407	B1483414	B190011	B190010
7	70	24	B1483408	B1483415	B190014	B190013
8	80	24	B1483409	B1483401	B190043	B190029
9	90	24	B1483410	B1483402	B190039	B190038
10	100	24	B1483413	B1483403	B190056	B190055
11	110	24	B1483411	B1483404	B190059	B190058
12	120	24	B1483412	B1483405	B190106	B190105



STEEL LOCK & STOCK FOLDING LADDERS

A versatile solution for accessing hard-to-reach areas, these steel ladders are equipped with casters for easy maneuverability and can be folded for convenient storage.

Model	Steps	Base Step H"	Overall W" x D"
253806	2	20	24 x 17
253807	3	30	24 x 23
253808	4	40	24 x 30



LIGHTWEIGHT ALUMINUM ROLLING LADDERS

Non-magnetic, non-sparking, and corrosion-resistant, these lightweight ladders are perfect for use in food processing facilities, chemical plants, warehouses, outdoors, and more.

Steps	Ht." to Top Step	Step W"	Perforated Model	Serrated Model
2	20	24	B3086951	B2173854
4	40	24	B3086964	B2173840
6	60	24	B3086969	B2281930
10	100	24	B3086975	B2173850
12	120	24	B2247816	B2245736



LITTLE GIANT. BIG SOLUTIONS. WE CAN SUPPLY THAT.

**Little
Giant**
Ladder Systems



SUMOSTANCE

Working at a significant height can be nerve-wracking, but the Little Giant® SumoStance® ladder eliminates those concerns and makes using an extension ladder easy. Designed to be stable & lightweight, the SumoStance will become your new go-to ladder.

Model	Step Qty.	Weight Cap. Lbs.	Height to Top Step	Material
B2239397	16	375	9'5"	Fiberglass
B2239401	20	375	13'3"	Fiberglass
B2239398	24	375	17'1"	Fiberglass
B2239391	28	375	20'10"	Fiberglass
B3145079	32	375	25'	Fiberglass



SAFETY CAGE PLATFORM LADDER

With this ladder, you can access workspaces that would typically require tying-off, scaffolding or lifts, all with less time and labor than other climbing solutions. The Safety Cage has a comfortable standing surface with a fully enclosed toe kick and wraparound enclosure, making it faster, safer and less expensive than many scaffolding or lift options. Plus, because you can work hands-free, the Safety Cage is perfect for jobs like maintaining large HVAC equipment or installing stage lighting.

Model	Step Qty.	Weight Cap. Lbs.	H' to Top Step	Material
B3144976	2	375	2	Fiberglass
B3145000	4	375	4	Fiberglass
B3145001	6	375	6	Fiberglass
B3145002	8	375	8	Fiberglass
B3145003	10	300	10	Fiberglass



FORTRESS

With a large standing platform, wraparound enclosure, and auto-closing gate, the Fortress™ takes the benefits of a platform ladder and combines them with the lightweight, quick-and-easy setup of a stepladder.

Model	Step Qty.	Weight Cap. Lbs.	H' to Top Step	Material
B3145165	4	375	4	Fiberglass
B3145174	5	375	5	Fiberglass
B3144975	6	375	6	Fiberglass



KING KOMBO

The King Kombo is a tough-as-nails workhorse that is ideal for any trade. Recognized for its safety & innovation, it is three ladders in one package: An Extension ladder, Stepladder, and a Leaning ladder.

Model	Step Qty.	Weight Cap. Lbs.	H' to Top Step	Material
B3144972	4	375	4	Fiberglass
B3145012	5	375	5	Fiberglass
B3145049	6	375	6	Fiberglass
B3145053	8	375	8	Fiberglass



MIGHTYLITE

If you are looking for a lightweight, comfortable-to-use stepladder that helps you safely reach high places, the MightyLite™ is the right ladder for the job. The MightyLite™ is a lightweight fiberglass stepladder that weighs 15% less than traditional fiberglass. The lightweight ladder reduces injuries associated from carrying heavy equipment.

Model	Step Qty.	Weight Cap. Lbs.	H' to Top Step	Material
B3145164	4	375	4	Fiberglass
B3145183	5	375	5	Fiberglass
B3145184	6	375	6	Fiberglass
B3145169	8	375	8	Fiberglass

FIBERGLASS PLATFORM & PODIUM LADDERS

Fiberglass podium and platform ladders offer a versatile solution for a range of applications. These lightweight ladders come with wide, stable platforms, ensuring a secure and comfortable work area. With slip-resistant steps and feet, they provide exceptional stability. Compared to aluminum, fiberglass is known for its superior weather resistance, making it a durable and long-lasting choice.

Standard Platform Ladder			
Model	Steps	Weight Cap. Lbs.	Ht. to Platform
640732	2	300	24"
640973	4	300	48"
640974	6	300	72"
640975	8	300	96"
640976	10	300	120"

Safety Cage Platform Ladder			
Model	Steps	Weight Cap. Lbs.	Ht. to Platform
640866	3	375	36"
640867	4	375	48"
640868	6	375	72"
942838	7	375	96"
640869	8	375	96"



FIBERGLASS STEP LADDERS

These professional-grade fiberglass step ladders are designed to be used in areas with electricity. Due to its superior strength and weather-resistant nature, fiberglass is more durable and longer-lasting than aluminum. ANSI- and OSHA-compliant.



Model	Steps	Brand	Weight Cap. Lbs.	Ht. to Platform
B3145164	2	Little Giant®	375	48"
B3145179	3	Little Giant®	375	48"
942808	4	Werner®	300	48"
B3145065	5	Little Giant®	375	72"
942810	6	Werner®	300	72"
B3145055	7	Little Giant®	375	84"
942812	8	Werner®	300	96"

HEAVY-DUTY STEP STANDS

An ideal solution for warehouses, factories, and other industrial workspaces, these nestable step stools are available in multiple configurations and can support up to 500 lbs. Units are equipped with non-slip step surfaces and rubber feet for added stability. Color options include yellow, gray, blue, red, or black.



Model	Steps	Weight Cap. Lbs.	Length"	Width"
641270	1	500	13½	19½
641271	2	500	24½	21
641272	3	500	28½	20

DUAL ACCESS FIBERGLASS STEP LADDERS

Dual-access fiberglass step ladders provide a safe, secure way to access hard-to-reach areas. With double-sided access, these ladders are great for two-person jobs or tight industrial workspaces. Built for long-lasting durability, these ladders feature frames that are non-conductive and corrosion-resistant.



Model	Steps	Brand	Weight Cap. Lbs.	Ht. to Platform
207676	4	Werner®	300	60"
B3145095	5	Little Giant®	375	72"
954946	6	Werner®	375	48"
B3145096	7	Little Giant®	375	96"
954948	8	Werner®	300	96"
207679	9	Werner®	300	120"
954950	10	Werner®	375	96"

STRAIGHT & EXTENSION LADDERS

Straight and extension ladders facilitate safe access to elevated areas such as rooftops, ceilings, shelves, and more. They are essential tools for construction projects, renovations, and building maintenance, allowing workers to reach different levels of a structure.



Model	Brand	Weight Cap. Lbs.	Height Ft.	Base Width"
B820576	Werner®	375	8	18¼
B3112929	Werner®	375	16	19½
B3144992	Little Giant®	375	16	18
B3145107	Little Giant®	300	24	18
B3145109	Little Giant®	300	32	18
B3112939	Werner®	375	32	19½



STANDARD DUTY

- 5500 lbs weight capacity
- 1-2 Shift Duty Cycle (8-16 hours of operation daily)

989032

334475

585354

INDUSTRIAL DUTY

- 5500 lbs weight capacity
- 3 Shift Duty Cycle (24 hours of operation daily)

PREMIUM DUTY

- 6500 lbs weight capacity
- 3 Shift Duty Cycle (24 hours of operation daily)

MANUAL PALLET TRUCKS

Pallet jacks and trucks are designed to simplify and streamline material handling operations. With rugged construction, ergonomic design, and easy maneuverability, pallet trucks or pallet jacks are built to withstand the transport of heavy, palletized goods and material. Whether moving heavy pallets or bulky loads in warehouses, distribution centers, or factory settings, pallet jacks get the job done safely and efficiently. Choose the model that fits your needs with payload capacities of 5000 lbs. or 6600 lbs. and fork widths of 21" or 27".

Model	Capacity (Lbs.)	Distance Across Forks"	Fork Length"	Lowered Height"	Raised Height"
STANDARD					
989032	5,500	21	48	3	7¾
989031	5,500	27	48	3	7¾
INDUSTRIAL					
334475	5,500	27	48	3	7¾
251785	5,500	21	36	3	7¾
251783	5,500	27	42	3	7¾
PREMIUM					
251784	5,500	21	48	3	7¾
585354	6,600	27	48	3	7½
168032	6,600	27	42	3	7½
168033	6,600	27	36	3	7½
NARROW					
988945	5,500	18"	48	3	7¼½
168034	6,600	21"	48	3	7½
168035	6,600	21"	42	3	7½
168036	6,600	21"	36	3	7½
LONG					
988943	4,400	27	78	2¼½	7¼½
988942	4,400	27	70	2¼½	7¼½
LOW PROFILE					
168037	4,500	27	48	2½	6¼
168038	4,500	21	42	2½	6¼
168039	4,500	21	48	2½	6¼
168040	4,500	21	36	2½	6¼

PALLET JACK CHOCK

This pallet jack chock is engineered to hold any pallet truck in place in a moving truck or trailer. Its unique design helps remove reduce freight and trailer damage due to runaway pallet jacks, making it ideal for freight, logistics, and trucking companies.

988025

TOE GUARD PROTECTOR

- Prevents unnecessary lost time in the warehouses
- Easy tool-free installation
- Guard features self-adjusting mechanism
- Allows nonstop travel over most surfaces, including inclines and declines

800540



A.

989068

ELECTRIC PALLET TRUCKS

Self-Propelled Electric Pallet Jack Trucks can move loads in seconds to increase productivity and worker safety! Built with heavy-duty steel for long-lasting durability, these pallet jacks help you easily lift and lower heavy loads with just the push of a button. Various models are available.



B.

615165



C.

988993



D.

988294



E.

989069

Photo	Model	Type	Capacity (Lbs.)	Distance Across Forks"	Fork Length"	Lowered Height"	Raised Height"
A	989068	Semi-Electric	3,300	27	48	3	7½
B	615165	Lithium Ion	3,300	48	48	3	7¾
C	988993	Fully-Powered	3,300	27	45	3⅝	7½
D	988294	Fully-Powered	3,300	28½	47	3⅝	8
E	989069	Fully-Powered	4,400	27	45	3¼	7½



FULLY-POWERED STRADDLE STACKER LIFT

- 65" Lift
- 2,650 lb. weight capacity
- 27"W x 45"L Forks
- Battery operated with a run time of up to 4 hours
- 3"W adjustable straddle leg

988955



STOCK CHASER

Move heavy loads through compact spaces in your warehouse with this Stock chaser with 4-step ladder. This electric powered warehouse vehicle is perfect for moving quickly and efficiently around warehouse floors where loads are stored in narrow aisles.

800575



MANUAL-LIFT STACKERS

Perfect for lifting and positioning cumbersome office files, computer equipment, and mailroom supplies, this durable steel stacker is easy to maneuver in confined spaces. Features include a foot-operated hydraulic pump and adjustable forks for added flexibility.

Model	Cap. Lbs.	Lowered H"	Raised H"
988934	880	3½	47
988935	880	3½	59
Model	Description		
988936	Optional 26" x 22" Slip-On Platform		



800574

2-SEAT WAREHOUSE PERSONNEL CARRIER

Step into the 2-seat warehouse personnel carrier and easily transport workers and equipment throughout multiple points in your facility. This 24V electric warehouse vehicle is packed with features that make it suitable for quick and safe personnel and equipment transportation.



330036
STEEL DECK TRUCK
SHOWN WITH
OPTIONAL SHELF

330038
WOOD DECK
TRUCK

242045
ALUMINUM
DECK TRUCK

NARROW AISLE PLATFORM TRUCKS

Ideal for maneuvering heavy loads through confined spaces, aisles, or hallways, these narrow platform trucks are constructed from heavy-duty materials, such as steel and aluminum, for long-lasting durability. These trucks feature impressive weight capacities, non-skid decks, and smooth-rolling casters for easy mobility. For additional shelf space, optional shelves are available for purchase (350 lb. capacity per shelf).

L" x W" x H"	STEEL DECK Model	WOOD DECK Model	STEEL SHELF Model
60 x 16 x 63	330034	168002	241690
60 x 24 x 63	330036	330038	241691

L" x W" x H"	ALUMINUM DECK Model	ADDITIONAL ALUMINUM SHELF Model
63 x 16 x 61	242045	242046



"A" FRAME SHEET & PANEL TRUCKS

Ideal for moving plywood, drywall, or panels, these trucks are designed to be loaded from both sides and still have room between the uprights for additional materials. They are constructed from 12-gauge steel with 6" phenolic casters and have an impressive weight capacity of 2,000 lbs.

Model	L" x W"	Deck H"
B899723	36 x 24	6
B899733	48 x 24	6
B899761	60 x 30	9
B899762	72 x 36	9



60"L x 30"W Deck

**2400 lb.
Capacity**



OPTIONAL
CARPETED DECK

PANEL AND LUMBER TRUCKS

Easily transport plywood, drywall, pipes, and other long, bulky products with Panel & Lumber Trucks. Featuring removable steel pipe uprights and a scratch-resistant enamel finish, these trucks are equipped with strong, 14-gauge channel-reinforced steel decks with welded upright sockets for maximum durability. For carpeted decks, add suffix (C) to model.

6"Dia. x 2"W Mold-On Rubber Wheels 2,000 Cap. Lbs.	8"Dia. x 2"W Mold-On Rubber Wheels 2,400 Cap. Lbs.	8"Dia. x 2½"W Full Pneumatic Wheels 1,200 Cap. Lbs.
Model 241443	Model 241444	Model 241445



**2,000 lb.
Capacity**



ADJUSTABLE PANEL TRUCKS

Designed to transport cargo of multiple sizes, these adjustable panel trucks are constructed from heavy-duty materials such as iron and steel for long-lasting durability and dependability. These trucks offer impressive weight capacities, adjustable panel lengths, and are equipped with industrial casters for easy maneuverability.

PANEL TRUCKS

Model	Deck Type	Deck H"
B287947	Wood Open Deck	7¾
B287844	Carpet Open Deck	8

ADJUSTABLE PANEL TRUCKS

L" x W"	6"Dia. x 2"W Mold-On Rubber Wheels 2,000 Cap. Lbs.	8"Dia. x 2"W Mold-On Rubber Wheels 2,400 Cap. Lbs.	8"Dia. x 2½"W Full Pneumatic Wheels 1,200 Cap. Lbs.
48 x 24	Model 241543	Model 585228	Model 585229
60 x 30	241544	585231	585232

UPRIGHT FRAMES (Sold In Pairs)

H" x L"	Model	H" x L"	Model
12 x 48	585233	12 x 60	585236
26 x 48	585234	26 x 60	585237
38 x 48	585235	38 x 60	585238

STEEL-DECK TRUCKS

Steel deck platform trucks are durable and reliable transportation solutions for industrial settings. These trucks are designed to withstand heavy loads and frequent use, with a weight capacity ranging from 1000 to 5000 lbs. They also come equipped with 4 casters for easy maneuverability.



Model	L" x W"	Wheel Dia."	Platform Capacity Lbs.
Mold-on Rubber			
952110	36 x 24	5	1,400
952121	36 x 24	6	2,000
952130	36 x 24	8	2,400
952112	48 x 24	5	1,400
952123	48 x 24	6	2,000
952132	48 x 24	8	2,400
952113	48 x 30	5	1,400
952122	48 x 30	6	2,000
952139	48 x 30	8	2,400
952116	60 x 30	5	1,400
952127	60 x 30	6	2,000

Model	L" x W"	Wheel Dia."	Platform Capacity Lbs.
6" Rubber, 2 Swivel, 2 Rigid			
241870	60 x 30	6	2,000
952136	60 x 30	8	2,400
952118	72 x 36	5	1,400
952129	72 x 36	6	2,000
952138	72 x 36	8	2,400
Pneumatic			
952110P	36 x 24	8	1,200
952112P	48 x 24	8	1,200
952118P	48 x 30	8	1,200
952116P	60 x 30	8	1,200
952118P	72 x 36	8	1,200
Polyurethane			
952105	36 x 24	5	1,000
952106	48 x 24	5	1,000
952107	48 x 30	5	1,000
952108	60 x 30	5	1,000
952109	72 x 36	5	1,000

ALUMINUM DECK TRUCKS

Lightweight and strong aluminum decks make these the perfect choice for moving bulk products. Featuring an all-welded 10-gauge deck with a 7-gauge aluminum channel frame, these decks are slip-resistant to help keep items onboard.



FREE PROTECTIVE BUMPERS



NON-SLIP DIAMOND TREAD

ADDITIONAL REMOVABLE ALUMINUM HANDLE	
Deck W"	Model
24	241554
30	241555
42	241595



Deck	5"D Polyurethane Wheels 1,000 Cap. Lbs.	5"D Rubber Tired Wheels 1,400 Cap. Lbs.	6"D Rubber Tired Wheels 2,000 Cap. Lbs.	8"D Rubber Tired Wheels 2,400 Cap. Lbs.	8"D Full Pneumatic Wheels 1,200 Cap. Lbs.
L" x W"	Model	Model	Model	Model	Model
48 x 24	241549	241550	241551	241552	241553
48 x 30	232596	232600	232610	232620	232630
60 x 30	232597	232602	232612	232622	232631
56 x 42	241590	241591	241592	241593	241594



HARDWOOD PLATFORM TRUCKS

Featuring a kiln-dried, sealed wood deck reinforced with cross battens, these platform trucks are built for durability. They roll smoothly on (2) swivel & (2) rigid casters and are equipped with a removable cross-braced tubular steel handle.

Deck	5"D x 1¼"W Polyurethane Wheels 1,000 Cap. Lbs.	5"D x 1½"W Rubber Tired Wheels 1,400 Cap. Lbs.	6"D x 2"W Rubber Tired Wheels 2,000 Cap. Lbs.	8"D x 2"W Rubber Tired Wheels 2,400 Cap. Lbs.	8"D x 2½"W Full Pneumatic Wheels 1,200 Cap. Lbs.
L" x W"	Model	Model	Model	Model	Model
48 x 24	952509	952500	952516	952501	952500P
54 x 27	952511	952503	952517	952502	952502P
60 x 30	952513	952505	952518	952504	952504P
72 x 36	241697	952507	952519	952506	952506P

FOLDING ALUMINUM PLATFORM TRUCKS

Ideal for warehouses, factories, and more, this aluminum platform truck has a handle that folds down for compact storage. It rolls smoothly throughout your facility on (4) casters and is equipped with a corrosion-resistant deck with a ribbed surface that prevents cargo from slipping.



Model	Weight Cap. Lbs.	L" x W"
241578	600	36 x 24
241579	600	48 x 24
241419	400	29 x 19
109100	300	20-28 x 16

PLASTIC DECK PLATFORM TRUCKS

Featuring durable plastic decks that are resistant to rust, dents, and scratches, these platform trucks are suitable for use in harsh environments. Units are equipped with 2 swivel & 2 rigid casters help ease the transport of materials. Some models feature additional sockets to attach a second handle.



Model	Weight Cap. Lbs.	Wheel Dia."	L" x W"
252814	2,000	6	52 x 25
252812	1,000	5	36 x 24
241438	2,500	6	60 x 30
241437	2,000	6	60 x 30

CARTS & TRUCKS



FOLDING NOSE EXTENSION

30"L x 12"W extension helps carry bulky loads. 300 lb. capacity. Fits all styles.

Model 168254



STAIRCLIMBERS

Cast aluminum with wear strips. Fits all styles.

Model 168256



ALUMINUM HAND TRUCKS

High-strength aluminum construction offers a lightweight alternative to heavier steel hand trucks. Exclusive design offers 33% greater frame reinforcement. Large beveled noseplate accepts bulky loads and has integral wheel guards to protect cargo. 500 lb. capacity.

Style	Model	Wheel Dia."	Type	Overall H" x W"	Noseplate W" x D"	Wt. Lbs.	Style	Model	Wheel Dia."	Type	Overall H" x W"	Noseplate W" x D"	Wt. Lbs.
A	168257	8 x 1.75	Mold-On	51 x 18	18 x 7.5	26	C	168261	10 x 2.5	Semi-Pneu.	49 x 19	18 x 7.5	38
A	168258	10 x 2.5	Semi-Pneu.	51 x 19	18 x 7.5	38	C	168262	10 x 3.5	Pneumatic	49 x 21	18 x 7.5	28
A	168259	10 x 3.5	Pneumatic	51 x 21	18 x 7.5	28	C	168260	8 x 1.75	Mold-On	51 x 18	18 x 7.5	26
B	800541	8 x 1.75	Mold-On	51 x 18	18 x 7.5	27	D	168264	10 x 2.5	Semi-Pneu.	51 x 19	18 x 7.5	38
B	168267	10 x 2.5	Semi-Pneu.	51 x 19	18 x 7.5	39	D	168265	10 x 3.5	Pneumatic	51 x 21	18 x 7.5	28
B	168268	10 x 3.5	Pneumatic	51 x 21	18 x 7.5	29	D	168263	10 x 3.5	Pneumatic	51 x 21	18 x 7.5	29

ALUMINUM CONVERTIBLE HAND TRUCKS

Convertible folding hand trucks are designed to transport heavy loads around the workplace. They feature a convertible design that allows them to transform from a traditional upright hand truck into a horizontal platform truck or a combination of both. This flexibility allows for adaptability for different load sizes and shapes, maximizing efficiency and reducing the need for multiple specialized carts. Convertible hand trucks are ideal for warehouses, garden centers, manufacturing facilities, and more.

Weight Capacity			Noseplate		
Model	Hand Truck	Platform Truck	Width"	Depth"	Type
241666	500	800	18	7.5	2 in 1
241664	500	800	18	7.5	2 in 1
241632	500	750	18	7.5	3 in 1
241415	300	400	14	6.5	5 in 1
241582	Only compatible with Senior Model 241666				
241439	Only compatible with Junior Model 241664				

FOLDING HAND TRUCKS

Folding hand trucks offer a reliable and convenient solution for transporting heavy loads with ease. With their folding design, they offer compact storage and easy portability when not in use. The sturdy platform and durable wheels ensure stability and smooth maneuverability on various surfaces. These folding hand trucks are ideal for multiple work settings and areas.

Model	Capacity	Noseplate Width"	Noseplate Depth"	Folded W" x D" x H"
251847	150	15	11	16 x 2 ¹ / ₂ x 28
251848	200	19	11	20 x 2 ¹ / ₂ x 29
241301	275	19	13.5	19 x 2.5 x 31
241627	440	23	15	23 x 3 ¹ / ₂ x 40
615164	660	14	10	17 ¹ / ₂ x 9 ¹ / ₂ X 28 ⁵ / ₁₆
241415	300	14	6.5	5 in 1



DRUM TRUCK & CRADLES

Drum trucks and cradles are designed to transport drums around industrial facilities. They feature multiple wheels for improved stability, maneuverability, and ergonomic handles with grips that make moving drums and barrels easier. Drum trucks and cradles are ideal for drum handling in warehouses, factories, laboratories, and more.

Model	Weight Cap. Lbs.	D" x W" x H"	Wheel Type	Wheel Dia."
482130	1000	43 x 19 ³ / ₄ x 25	Steel	5 & 3
233581	600	31 ³ / ₄ x 19 ³ / ₄ x 20	Polyolefin	5 & 3
233572	600	31 ³ / ₄ x 19 ³ / ₄ x 20	Polyolefin	5 & 3
482132	1000	43 x 19 ³ / ₄ x 25	Polyolefin	5 & 3

APPLIANCE HAND TRUCKS

Appliance hand trucks are specialized hand trucks designed to transport heavy appliances with ease and safety. They feature a sturdy steel frame with reinforced joints and braces to support the heavy weight as well as pneumatic wheels that provide easier maneuverability. Their low-profile platform allows for easy loading and unloading and ergonomic handle allows for seamless maneuvering. Ideal in transporting refrigerators, vending machines, stoves, freezers, dryers, and other large commercial or residential appliances.



Model	Weight Cap.	Height"	Width"	Wheel Type
168031	1200	77	16	Mold-on Rubber
168067	750	59	17	Mold-on Rubber

CYLINDER HAND TRUCKS

Cylinder hand trucks are designed to safely and efficiently transport cylinder tanks in commercial and industrial settings. With frames made from heavy-duty materials like steel and rubber, these hand trucks securely hold tanks and containers with cylindrical shapes. Cylinder hand trucks are ideal in settings where moving heavy capacity drums, tanks, and barrels are key.

Model	Weight Capacity	Height"	Width"	# Of Cylinders	Wheel Type
988992	800	47	20	1	Solid Rubber
988991	500	47	20	1	Semi Pneumatic
989001	500	42 1/4	29	2	Mold-on Rubber

INDUSTRIAL-STRENGTH STEEL HAND TRUCKS

High-quality steel-tube trucks are perfect for day-to-day use. Double welding at critical stress points withstands rugged use. Choose from loop handle or curved handle for easier load control. Wear-guard strips help prevent load damage. 600 lb. capacity.

Style	Model	Overall H" x W"	Wt. Lbs.
E	585283	52 x 22	30
F	241582	52 x 22	30
G	241439	49 x 22	32



FOLDING NOSE EXTENSION

STAIR CLIMBERS

CONVERTIBLE STEEL HAND TRUCKS

These steel convertible hand trucks effortlessly convert from a two-wheel configuration for navigating tight spaces, to a four-wheel platform truck to move larger items. While their robust steel construction is heavier than aluminum, they are built to last with strength and stability, supporting a substantial weight capacity.

Model	Weight Capacity		Noseplate	
	Hand Truck	Platform Truck	Width"	Depth"
185545	600	600	14	8
983130	600	600	14	8





THE BEST OF WESCO WE CAN SUPPLY THAT.



GATOR GRIP® DRUM HANDLER

Designed to handle most 30-, 50-, & 85-gallon drums, this drum handler with a spring-loaded clamp easily lifts and transports steel, poly, or fiber drums up to 1,100 lbs.

Model
987234



VALUE LIFT POWERED STACKER

Perfect for lifting and positioning cumbersome office files, computer equipment, and mailroom supplies, these lift trucks are easily maneuvered in confined spaces.

Model
985090
985091



GATOR GRIP® LIFT DRUM HANDLER

Drum handler easily lifts and transports steel, poly or fiber drums up to 1,100 lbs. Handles most 30, 55 and 85 gallon drums. Spring loaded clamp holds any 3/16".

Model
241067



BATTERY-POWERED STACKER

Featuring a high-strength steel channel mast with roller bearings, this electric stacker lifts and lowers loads with precision using a remote control.

Model
988044



DRUM TRUCK

The safety drum truck features a unique four-wheel design that supports the entire weight of 30- & 55-gallon drums, allowing for less strain on the operator. Constructed from heavy-duty steel, this truck is equipped with an adjustable hook that securely engages the rim of the drum and a kickstand that allows upright storage.

Model
233530



COUNTER BALANCE STACKER

This lightweight lift truck is easy to operate and maneuver through doorways and narrow aisles. It features upper handle rollers that allow it to be loaded horizontally for easy loading and unloading into vans or trucks.

987127



DOCK DOOR SEALS

Improves safety & productivity while reducing costs and saving energy by providing protection from inclement weather, dirt, & insects.

Model	W' x H'
B2375494	8W x 8H
B2375490	8W x 10H
B2375492	8W x 9H

OPEN DECK DOLLIES

Made of seasoned & sealed hardwood, these dollies have a smooth varnished finish with flush-top bolted construction. Choose from solid, carpeted, or rubber-ended decks.




OPEN DECK



CARPETED ENDS



RUBBER BUMPERS



STEEL WHEELS

Model	Capacity Lbs.	Length"	Width"	Height"
WOOD DECK ENDS				
952150	1,000	24	16	5
952150B	1,200	24	16	6
952152	1,000	36	24	5
952152B	1,200	36	24	6
CARPETED DECK ENDS				
585342	1,000	30	18	5
585344B	1,200	36	24	6
585172	1,200	30	18	6
585343	1,000	36	24	5
RUBBER DECK ENDS				
952168B	1,200	30	18	7
STEEL WHEELS				
952167	1,600	36	24	5
952165	1,600	27	16	5
RUBBER WHEELS				
952164	1,200	27	16	5
952166	1,200	36	24	5



SOLID DECK DOLLIES

Open deck dollies transport heavy loads such as freestanding equipment, parts, bulky containers. Engineered to lessen workplace injuries, these dollies optimize material handling with their sturdy wheels for ergonomic mobility and transport control. The open gap in the middle of the deck prevents debris from accumulating and allows it to be carried or hung when not in use. Made from durable metal such as steel, plastic, or wood.

Model	Capacity Lbs.	Length"	Width"	Height"
952154B	1,200	24	16	6 ¹ / ₄
952156B	1,200	36	24	6 ¹ / ₂
952156	1,000	36	24	5
952154	1,000	24	16	5



STEEL DRUM DOLLIES

Our drum dollies are constructed of highly durable steel, ensuring strength and longevity in demanding industrial environments. These steel dollies feature sturdy casters that allow for smooth and effortless movement, and some models come equipped with ergonomic handles for ease of use.

Model	Weight Capacity Lbs.	Gallon Capacity
STEEL WHEELS		
233880	1,000	55
233884	1,000	30
RUBBER WHEELS		
233882	600	55
233886	600	30

NEXEL® SHELF TRUCKS

Provides high visibility and easy 4-way access. Ensures quick and efficient

inventory control. Ideal for all mobile storage requirements. Allows air to circulate throughout, eliminating dust and dirt build-up. Allows you to keep stacked products and other regularly used items on hand, throughout the workplace. Truck consists of 4 posts, 4 shelves, plastic shelf clips, donut bumpers and 5" polyurethane swivel stem casters for a 1200 lb. load capacity. Shop online for a full line of accessories including ledges, dividers, push handles, and cart covers.

*See page 21 for warranty information



NSF

W" x D" x H"	CHROME Model	BLACK EPOXY Model	POLY-GREEN® Model	STAINLESS STEEL Model	SOLID GALVANIZED Model	SOLID STAINLESS STEEL Model
36 x 18 x 69	168214	B2256722	B2256535	189400A	489042	585110
48 x 18 x 69	168215	B2256530	B2256753	189402A	489043	987457
60 x 18 x 69	168216	B2256594	B2256526	189448A	489044	---
72 x 18 x 69	168217	B3144452	B3157883	189450A	489045	---
36 x 24 x 69	168218	B2256730	B2256508	189404A	489045	585111
48 x 24 x 69	168219	B2256864	B2256506	189406A	489047	585112
60 x 24 x 69	168220	B2256946	B2256710	189476A	489048	---
72 x 24 x 69	168221	B3144392	B3157478	189478A	489049	---
36 x 18 x 80	168222	B3144428	B3157844	189408A	489052	585113
48 x 18 x 80	168223	B3144460	B3157850	189410A	489053	987458
60 x 18 x 80	168224	B3144492	B3157888	189488A	489054	---
72 x 18 x 80	168225	B3144438	B3157889	189490A	489055	---
36 x 24 x 80	168226	B3144465	B3157392	189412A	489056	585114
48 x 24 x 80	168227	B3144407	B3157471	189414A	489057	585115
60 x 24 x 80	168228	B3144427	B3157476	189516A	489058	---
72 x 24 x 80	168229	B3144450	B3157524	189518A	489059	---



1200 lb. capacity

OPTIONAL ADDITIONAL QUICK ADJUST SHELVES UNHOOK TO ADJUST IN SECONDS



NEXEL® CHROME SECURITY TRUCKS

The mobility of a standard truck and the security of a lockable storage unit are combined for maximum versatility. Heavy gauge, chrome plated 2 1/2" square wire mesh allows for visibility and air circulation, makes inventory control simple, and minimizes dust accumulation. Dual hinged doors with padlock hasp for security. Additional Quick Adjust Shelves are available for greater shelf space. Shelves can be added, removed or adjusted without disassembling truck. Assembles easily.

W" x D" x H"	SECURITY TRUCK Model	ADDITIONAL SHELVES Model
36 x 18 x 69	800390	580CP20
48 x 18 x 69	800394	580CP21
36 x 24 x 69	800393	580CP24
48 x 24 x 69	800397	580CP25
60 x 24 x 69	800399	580CP26



OPTIONAL LABEL HOLDER

Up To 1200 lb. capacity

NEXEL® CHROME 3-SIDED ENCLOSED TRUCKS

Quickly dispense and replenish supplies throughout your facility. 3-Sided Enclosed Truck helps prevent items from falling off back and sides of shelves during transport. 1200 lb. capacity truck has 5" polyurethane swivel casters with protective rubber donut bumpers. Genuine Chrome Wire Shelves are electro-plated, nickel-chrome offering excellent ventilation and maximum visibility for quick inventory changes. The 3 Intermediate Quick Adjust Wire Shelves have unique shelf suspension hooks that allow shelves to be added, removed or adjusted without disassembling entire truck.

W" x D" x H"	ENCLOSED TRUCK Model	ADDITIONAL SHELVES Model
36 x 18 x 69	800382	580CP20
48 x 18 x 69	800386	580CP21
36 x 24 x 69	800381	580CP24
48 x 24 x 69	800383	580CP25
60 x 24 x 69	800388	580CP26

FOLDABLE STEEL SHELF TRUCKS

This folding shelf truck is a great addition to any industrial space that requires efficient and reliable material handling. The sturdy steel shelves ensure durability and long-lasting use, while the heavy-duty casters ensure smooth and quiet operation. This truck can be easily folded for convenient storage when not in use.



252750

Model	Length"	Width"	Height "	# of Shelves	Weight Cap. Lbs.
252750	43	32	67	1	1,200
912134	48	26	68	3	2,000
912138	38	25	66	3	2,000

HEAVY-DUTY KD STEEL SHELF STORAGE TRUCKS

This steel shelf storage truck is the ultimate solution for efficient and organized storage in any warehouse, factory, or industrial setting. These heavy-duty storage trucks can withstand a range of weight capacities and provide reliable and long-lasting performance. With a variety of shelf layouts that can be adjusted to your desired height, you can store your products with ease.



988834

Model	Length"	Width"	Height"	# of Shelves	Weight Cap. Lbs.
988834	36	24	60	5	800
988832	36	24	60	4	800
988833	30	16	60	5	800
988831	30	16	60	4	800



LITTLE GIANT® FORKLIFTABLE ORDER PICKING TRUCK

Designed with convenience and engineered for longevity, these trucks are ideal for use in a variety of settings, from warehouses and factories to offices and schools. This shelf truck features two sturdy steel mesh panels, and two rigid and two swivel casters for easy mobility. This two-sided design offers maximum storage capacity, allowing you to transport and store more items in a single trip.

Model	Length"	Width"	Height"	# of Shelves	Weight Cap.
B287919	48	24	57	4	3,600
B287921	48	30	57	4	3,600
B287891	48	34	57	3	3,600
B288014	48	34	57	2	3,600
B287889	48	30	57	2	3,600
B288269	48	24	57	2	3,600
B288016	48	30	57	2	3,600
B287893	48	30	57	3	3,600



3 SIDED STEEL TUBULAR FRAME SHELF TRUCKS

The steel tubular frame construction ensures maximum stability and durability, allowing the truck to easily support heavy loads ranging from 1,200 to 3,600 lbs. Our tubular truck is reinforced and welded cross-braced frame and twin end frames have a durable enamel finish for the ultimate storage and transportation solution.

Model	Length"	Width"	Height"	# of Shelves	Weight Cap.
241499	48	24	62	1	2,000
241500	60	30	62	1	2,000
585285	48	24	61	1	1,200
585286	48	24	64	1	2,400
585287	48	24	64	1	1,200
585288	48	24	61	2	1,200
585289	48	24	64	2	2,000
585290	48	24	64	2	1,240
585291	60	30	61	1	1,200
585292	60	30	64	1	2,400
585293	60	30	64	1	1,200
585294	60	30	61	1	1,200
585295	60	30	64	2	2,000
585296	60	30	64	1	1,240



EASY ADJUST BOLTLESS WOOD SHELF TRUCKS

If you're looking to maximize space in your industrial or commercial area, these shelf trucks have got you covered. Crafted from high-quality wood and designed with durability in mind, these shelf trucks are built to last. With adjustable shelves, you can customize the height of each shelf to suit the needs of your business.

Model	Length"	Width"	Height"	# of Shelves	Weight Cap. Lbs.
585417	36	24	68	4	1,200
983115	60	24	65	5	1,200
585425	48	24	65	5	1,200
585426	48	24	68	5	1,200
585423	48	24	68	4	1,200
585427	48	24	68	5	1,200
983116	60	24	68	5	1,200
585414	36	18	68	5	1,200
983112	60	24	68	4	1,200
585419	36	24	65	5	1,200
585410	36	18	65	4	1,200
585415	36	18	68	5	1,200
585418	36	24	68	4	1,200
983111	60	24	65	4	1,200
585411	36	18	68	4	1,200
585413	36	18	65	5	1,200
983117	60	24	68	5	1,200
585422	48	24	65	4	1,200
585412	36	18	68	4	1,200
585416	36	24	65	4	1,200
585424	48	24	68	4	1,200
585420	36	24	68	5	1,200
585421	36	24	68	5	1,200
983113	60	24	68	4	1,200



EASY ADJUST BOLTLESS WHITE LAMINATED WOOD SHELF TRUCKS

These super-strong, white laminated shelf trucks feature a durable, baked enamel finish with heavy-duty swivel and rigid casters to ensure a smooth ride. With an easy boltless assembly and a quick-adjustable design, these shelf trucks are an ideal choice for any industrial setting.

Model	Length"	Width"	Height"	# of Shelves	Weight Cap. Lbs.
330433	60	24	68	5	1200
330416	36	24	65	4	1200
330410	36	18	65	4	1200
330415	36	18	68	5	1200
330411	36	18	68	4	1200
330423	48	24	68	4	1200
330418	36	24	68	4	1200
330427	48	24	68	5	1200
330425	48	24	65	5	1200
330422	48	24	65	4	1200
330421	36	24	68	5	1200
330412	36	18	68	4	1200
330429	60	24	68	4	1200
330413	36	18	65	5	1200
330426	48	24	68	5	1200
330424	48	24	68	4	1200
330428	60	24	65	4	1200
330430	60	24	68	4	1200
330432	60	24	68	5	1200
330414	36	18	68	5	1200
330419	36	24	65	5	1200
330420	36	24	68	5	1200
330417	36	24	68	4	1200
330431	60	24	65	5	1200

PLASTIC UTILITY CARTS

Plastic utility carts offer an ideal solution for transporting supplies, tools, equipment, and other items. Made from sturdy plastic, they ensure reliable performance even under heavy loads, maintaining stability throughout. Equipped with durable casters, these carts can be effortlessly maneuvered around the facility. With durability, versatility, and resilience customized for industrial or commercial settings, plastic utility carts stand as dependable storage and transport solutions.

Model	Cap. Lbs.	Length"	Width"	Height"	Top	Shelf Count	Caster Height"	Color
NARROW								
242080	500	40	17	33	Tray	2	5	Gray
242083	500	40	17	33	Tray	3	5	Gray
242082	500	40	17	35	Tray	2	8	Gray
242084	500	40	17	35	Tray	3	8	Gray
800299	500	38	17.5	32.5	Tray	2	5	Gray
800336	500	38	17.5	32.5	Tray	2	5	Black
800300	500	38	17.5	32.5	Flat	2	5	Gray
800337	500	38	17.5	32.5	Flat	2	5	Black
800371	500	38	17.5	32.5	Tray	2	5	Gray
UTILITY								
242081	500	46	25	33	Tray	2	5	Gray
242086	500	46	25	33	Tray	3	5	Gray
242085	500	46	25	35	Tray	2	6	Gray
242087	500	46	25	35	Tray	3	6	Gray
800297	500	44	25.5	32.5	Tray	2	5	Gray
800334	500	44	25.5	32.5	Tray	2	5	Black
800307	500	44	25.5	32.5	Tray	3	5	Gray
800341	500	44	25.5	32.5	Tray	3	5	Black
800328	500	44	25.5	35.5	Tray	2	8	Gray
800344	500	44	25.5	35.5	Tray	2	8	Black
800330	500	44	25.5	35.5	Tray	3	8	Gray
800346	500	44	25.5	35.5	Tray	3	8	Black
800298	500	44	25.5	32.5	Flat	2	5	Gray
800335	500	44	25.5	32.5	Flat	2	5	Black
800348	500	44	25.5	32.5	Flat	3	5	Gray
800349	500	44	25.5	32.5	Flat	3	5	Black
800329	500	44	25.5	35.5	Flat	2	8	Gray
800345	500	44	25.5	35.5	Flat	2	8	Black
800331	500	44	25.5	35.5	Flat	3	8	Gray
SHOP								
800347	500	44	25.5	35.5	Flat	3	8	Black
800305	500	44	25.5	32.5	Tray	2	5	Gray
800339	500	44	25.5	32.5	Tray	2	5	Black
800326	500	44	25.5	35.5	Tray	2	8	Gray
800342	500	44	25.5	35.5	Tray	2	8	Black



242081



800298



800305



800269



800272

SERVICE CARTS

Allows you to move everything from office supplies and bulk materials to food and drinks. This warehouse cart with an aluminum upright boasts double ball-bearing swivel casters that are non-marking and feature total lock brakes.

Model	Length"	Width"	Height"	# of Shelves	Weight Cap. Lbs.
800269	26	17	37	2	440
800270	26	17	39	3	550
800272	26	17	39	3	550
800271	26	17	37	2	440
800273	36	20	37	2	440



987625



B2955935

LUXOR™ UTILITY CARTS

In the early 1970s, Luxor revolutionized the rolling cart by successfully applying the emerging technology of structural foam injection molding as an alternative to steel in manufacturing. The legendary "Tuffy" utility cart with wheels was born, offering unprecedented durability while reducing price and shipping costs to customers. To this day, these utility carts remain the gold standard for tough jobs in the most demanding environments.

Model	Length"	Width"	Height"	Shelf Count	Weight Cap. Lbs.
251945BL	24	18	42 ¹ / ₂	3	250
251944BL	24	18	42 ¹ / ₂	3	250
B2955935	18	22 ³ / ₄	32	3	132
987625	32	24	30	2	400

METAL UTILITY CARTS

Metal utility carts transport inventory, parts, tools, equipment, and more efficiently and quickly around a facility. Featuring smooth rolling casters for optimal maneuverability, utility carts streamline the material handling of goods from one location to the next. Their durable metal construction and multi shelves enable the storage of heavy load capacities and sizes.



752245



988835



800457



800463

Model	Capacity (Lbs.)	Length"	Width"	Height"	Top	Shelf Count	Bolted or Welded
LOW DECK							
752245	1,200	36	24	27	Flat	2	Bolted
752257	1,200	36	24	31	Flat	2	Bolted
752258	1,200	48	24	31	Flat	2	Bolted
752246	1,200	48	24	27	Flat	2	Bolted
752247	1,200	48	30	30	Flat	2	Bolted
752260	1,200	60	30	31	Flat	2	Bolted
752259	1,200	48	30	31	Flat	2	Bolted
752248	1,200	60	30	27	Flat	2	Bolted
NARROW							
988835	500	30	16	32	Tray	2	Bolted
988838	800	30	16	32	Tray	3	Bolted
988837	800	30	16	32	Tray	2	Bolted
800453	1,200	30	18	35	Tray	2	Welded
988849	800	30	18	36	Tray	3	Bolted
800454	1,200	30	18	35	Tray	3	Welded
988847	800	30	18	36	Tray	2	Bolted
988851	800	30	18	34	Tray	4	Bolted
800455	1,200	30	18	35	Flat	2	Welded
800456	1,200	30	18	35	Flat	3	Welded
GENERAL PURPOSE							
800457	1,200	36	24	35	Tray	2	Welded
800458	1,200	36	24	35	Tray	3	Welded
988843	800	36	24	32	Tray	2	Bolted
800462	1,200	48	24	35	Tray	3	Welded
800461	1,200	48	24	35	Tray	2	Welded
988840	500	36	24	32	Tray	2	Bolted
988850	800	36	24	36	Tray	3	Bolted
988848	500	36	24	36	Tray	2	Bolted
988845	800	36	24	32	Tray	3	Bolted
988852	800	36	24	36	Tray	4	Bolted
800463	1,200	48	24	35	Flat	2	Welded
800459	1,200	36	24	35	Flat	2	Welded
800464	1,200	48	24	35	Flat	3	Welded
800460	1,200	36	24	35	Flat	3	Welded

STAINLESS STEEL CARTS

Ideal for restaurants, from the dining area to the kitchen. Equipped for Labs, clean rooms and other such corrosive environments.



Model	Capacity (Lbs.)	Length"	Width"	Height"
LOW DECK				
241586	400	24	16 ¹ / ₄	33
800274	300	27 ¹ / ₂	16 ¹ / ₄	32 ¹ / ₈
800277	500	39 ¹ / ₄	22 ³ / ₈	37 ¹ / ₄
800275	300	30 ³ / ₄	18 ³ / ₈	33
800276	500	27 ⁵ / ₈	16 ³ / ₄	32

STEEL RECEIVING CART

This portable cart has both interior 25" L x 10" W enclosed shelves and 27" L x 8" W exterior shelves and a 27 1/2" x 27 1/2" top worksurface, making it ideal for labelling packages, storing tools, and checking in merchandise. You will find your dock to stock cycle times are shorter and reduce improperly labeled products.



Model
800511

NEXEL® WIRE CARTS

All purpose cart has 1001 uses. Bright chrome plated finish, open wire construction allows air circulation, and reduces dust and dirt buildup. Adjustable shelves. 5" polyurethane wheel swivel casters with protective bumpers. Assembles quickly without tools. Shelves adjust at 1" increments. Numbered posts allow quick positioning at desired height. Convenient 4-way access. 5" polyurethane wheel swivel casters with donut bumpers. Open Wire Chrome plated shelves minimize dust accumulation, maximize visibility and air circulation.

W" x D" x H"	2 SHELF Model	3 SHELF Model
UTILITY CARTS		
36 x 18 x 39	188704	188724
36 x 24 x 39	188708	188728
48 x 24 x 39	188710	188730
60 x 24 x 39	560111	560147
SHELF CARTS		
36 x 18 x 40	188679	188687
48 x 18 x 40	188680	188688
60 x 18 x 40	188681	188689
72 x 18 x 40	188682	188690
36 x 24 x 40	188683	188691
48 x 24 x 40	188684	188692
60 x 24 x 40	188685	188693
72 x 24 x 40	188686	188694

1,200 lb Capacity



188704

* Shown with optional push handle

188692

HOPPER-FRONT BULK TRUCKS

These trucks are designed to be reliable workhorses for commercial laundries and distribution companies. The rugged polyethylene construction is suitable for indoor or outdoor use, while the cutaway opening offers easy access for loading/unloading goods. Choose color suffix: Blue (BL), Green (GN), Gray (GY), and Red (RD).

Model	Type	Capacity		Overall Dim.	
		Cu. Ft.	Lbs.	L" x W" x H"	
987556	Bulk Truck	43	500	46 $\frac{3}{4}$ x 27 $\frac{1}{2}$ x 64	
987557	Security Truck	43	500	46 $\frac{3}{4}$ x 27 $\frac{1}{2}$ x 64	

Blue
(BL)
Green
(GN)
Gray
(GY)
Red
(RD)



PLASTIC BULK BOX TRUCKS

Featuring a seamless, polyethylene construction, these heavy-duty trucks are leakproof and resistant to oils, grease, solvents, and other chemicals. They are equipped with non-marking TPR rubber casters and are designed to nest when empty. Choose color suffix: Blue (BL), Grey (GY), Red (RD), White (WH), and Yellow (YL).



Model	Capacity		Overall Dim. L" x W" x H"	Inside H"	Base Type	Wheel Dia."
	Bushel	Lbs.				
800310	6	800	33 $\frac{3}{8}$ x 23 x 24 $\frac{1}{2}$	21	Steel Chassis	3
800311	6	500	33 $\frac{3}{8}$ x 23 x 24 $\frac{1}{2}$	21	Direct Mount Caster	3
800312	8	800	33 $\frac{3}{8}$ x 24 $\frac{3}{8}$ x 27 $\frac{3}{8}$	23	Steel Chassis	3
800313	8	500	33 $\frac{3}{8}$ x 24 $\frac{3}{8}$ x 27 $\frac{3}{8}$	23	Direct Mount Caster	3
800314	12	1,000	38 $\frac{3}{8}$ x 28 $\frac{3}{8}$ x 33	28	Steel Chassis	4
800315	16	1,000	42 $\frac{3}{8}$ x 30 x 35 $\frac{3}{8}$	30 $\frac{1}{2}$	Steel Chassis	4
800316	20	1,200	50 $\frac{3}{8}$ x 34 $\frac{3}{8}$ x 35 $\frac{3}{8}$	30 $\frac{1}{2}$	Steel Chassis	4

ACCESSORIES

Model	Description	L" x W" x H"	Fits Truck
800372	Plastic Hinged Lid	48 x 34 x 8	16 BU
800373	Plastic Hinged Lid	59 x 35 x 8	20 BU
800374	Spring Lift	38 x 24 x 2	16 BU
800375	Spring Lift	48 x 24 x 2	20 BU

ROYAL®
BASKET TRUCKS



ROYAL® BASKET TRUCKS® ALL SWIVEL POLY TRUCK

Ideal for general material handling, trash/recycling, and more, this cart offers a seamless polyethylene body, a galvanized steel base, 4" polyurethane casters, and a bolt-through body attachment. Made in the USA, this item ships fully assembled and nests for easy storage. Upgrades, accessories, & additional colors are available.

Model	Fits Truck	Type
B2214232	14 BU	Metal Base



VINYL AND CANVAS BULK TRUCKS

Designed to transport large quantities in manufacturing, hospitality, and other commercial operations, these bulk trucks are constructed from various durable materials such as vinyl and canvas. They feature strong bases and roll smoothly throughout your facility on non-marking TPR rubber casters. Trucks are available in different sizes to fit the needs of your business. For vinyl trucks, choose color suffix: Blue (BL) or Yellow (YL).

Cap Bushel	Inside L" x W" x H"	O.A. H"	CANVAS Model	VINYL Model
8	34 x 22 $\frac{3}{4}$ x 23 $\frac{1}{2}$	30 $\frac{3}{4}$	241302	241982
12	36 $\frac{1}{4}$ x 24 $\frac{3}{4}$ x 25 $\frac{1}{2}$	32 $\frac{1}{4}$	241303	241983
16	40 x 28 $\frac{1}{4}$ x 30 $\frac{1}{2}$	37 $\frac{1}{4}$	241304	241984
20	48 x 32 x 30 $\frac{1}{2}$	37 $\frac{1}{4}$	241305	241985
24	53 $\frac{1}{4}$ x 36 $\frac{1}{4}$ x 30 $\frac{1}{2}$	37 $\frac{1}{4}$	241306	241986

CARTS & TRUCKS



984613



615271



800261



800260

800287RD

TILT TRUCKS

Collect, transport, & dump bulk materials effortlessly with these tilt trucks. Ideal for commercial settings, these trucks are designed to support high weight capacities while rolling smoothly throughout your facility on wheels & casters.

Model	Capacity	Capacity Lbs.	Length"	Width"	Height"	Color
STANDARD-DUTY						
984613	0.50 cu. yd.	850	46½	31	36	Gray
800352	0.50 cu. yd.	850	46½	31	36	Black
501600	1 yd cu. yd.	1,000	70	35	41½	Gray
501600BK	1 yd cu. yd.	1,000	70	35	41½	Black
501600RD	1 yd cu. yd.	1,000	70	35	41½	Red
615270	1.50 cu. yd.	1,200	84	46	51	Black
615269	1.50 cu. yd.	1,200	84	46	51	Grey
HEAVY-DUTY						
984613HD	0.50 cu. yd.	1,400	46½	31	36	Gray
800352HD	0.50 cu. yd.	1,400	46½	31	36	Black
242088	1 yd cu. yd.	1,250	70	35	41½	Gray
242088BK	1 yd cu. yd.	1,250	70	35	41½	Black
242088RD	1 yd cu. yd.	1,250	70	35	41½	Red
615271	1.50 cu. yd.	1,600	84	46	51	Grey
615272	1.50 cu. yd.	1,600	84	46	51	Black
615273	2.5 cu. yd.	2,300	89	60	49	Gray
615274	2.5 cu. yd.	2,300	89	60	49	Black
242096	1 yd cu. yd.	2,100	70	35	41½	Gray
EXTRA HEAVY-DUTY						
242096BK	1 yd cu. yd.	2,100	70	35	41½	Black
242096RD	1 yd cu. yd.	2,100	70	35	41½	Red
800259	1.50 cu. yd.	2,000	84	46	51	Gray
800259BK	1.50 cu. yd.	2,000	84	46	51	Black
800259RD	1.50 cu. yd.	2,000	84	46	51	Red
800261	2.5 cu. yd.	2,750	89	60	49	Gray
800261BK	2.5 cu. yd.	2,750	89	60	49	Black
800261RD	2.5 cu. yd.	2,750	89	60	49	Red

ACCESSORIES

LIDS



Model	Capacity
LIDS	
984612	For 0.50 Yd Tilt Truck
241969	For 1 Yd Tilt Truck

CADDY BAG



9-Pocket Vinyl Utility Bag easily attaches to tilt dump trucks using straps. Measures 19"W x 27"H overall. (Does not fit ½ cu. yd. Models.)

Model
251582

FORKLIFTABLE TILT TRUCKS

Constructed from one piece of rotationally molded polyethylene, these tilt trucks are equipped with welded steel fork entrance pockets for easy transport by forklift to reduce the risk of injury and improve efficiency.

Model	Capacity	Weight Cap. Lbs.	Length"	Width"	Height"
UTILITY					
800260	1.50 cu. yd.	2,000	84	46	51
800262	2.50 cu. yd.	2,750	89	60	49
800287RD	1 cu. yd.	2,000	71	36	49
800260RD	1.50 cu. yd.	2,000	84	46	51



800534BK

800536BK

TOWABLE TILT TRUCKS

Tow, transport, and dump bulky materials easily with these tilt trucks. Built for durability, these leak-proof trucks are equipped with a towable hitch and heavy-duty tow bar to haul industrial waste efficiently.

Model	Capacity	Weight Cap. Lbs.	Length"	Width"	Height"
UTILITY					
800536BK	2.5 cu. yd.	2,750	89	60	49
800533BK	1 cu. yd.	1,250	70	35	41½
800535BK	1.5 cu. yd.	2,000	84	46	51
800534BK	1 cu. yd.	2,100	70	35	41½

PLATE CASTERS

Plate casters are designed to be attached to the bottom of cabinets, workbenches, and other furniture for easy mobility. They are made from a variety of durable materials, including polyurethane, rubber, plastic, and steel, for long-lasting dependability. Available in a range of sizes and weight capacities, plate casters are an ideal solution for manufacturing, stock handling, hospitality, and educational settings.

Wheel Dia."	Cap. Lbs.	Overall Ht."	Wheel Material	Rigid Model	Swivel Model
Light-Duty					
3	150	3 ⁷ / ₈	Rubber	308508	308500
4	240	5	Rubber	308512	308504
5	325	6 ³ / ₁₆	Rubber	B2174061	B2173988
Medium-Duty					
5	250	6	Rubber	906212	585353
6	450	7 ¹ / ₂	Rubber	906238	906237B
8	500	9 ¹ / ₂	Rubber	B2218200	B2218303
8	675	9 ¹ / ₂	Rubber	B2174154	585543B



Wheel Dia."	Cap. Lbs.	Overall Ht."	Wheel Material	Rigid Model	Swivel Model
Heavy-Duty					
4	600	5 ⁵ / ₈	Polyurethane	748307	748207
4	420	5 ⁵ / ₈	Plastic	748305	748205
5	500	6 ¹ / ₂	Polyurethane	601210	601110
5	500	6 ¹ / ₂	Plastic	601208	601108
6	500	7 ¹ / ₂	Rubber	601222	601122
6	800	7 ¹ / ₂	Polyurethane	601220	601120
8	600	9 ¹ / ₂	Rubber	601228	601128
8	1,200	9 ¹ / ₂	Polyurethane	601226	601126

PNEUMATIC PLATE CASTERS

Our non-marking, shock-absorbing Pneumatic Plate Casters offer safe transport for delicate parts and materials across any surface.



Wheel Dia."	Cap. Lbs.	Overall Ht."	Rigid Model	Swivel Model
6	200	7 ¹ / ₄	241531	241532
8	300	9 ³ / ₄	748040	748042
10	330	12 ¹ / ₂	748044	748046

SERVICE & UTILITY CART CASTERS

Equip your carts with our Service & Utility Cart Casters for smooth and efficient transportation. Designed to withstand heavy use, our industrial cart casters can easily support large loads.



Wheel Dia."	Cap. Lbs.	Set Type	Wheel Material	Model
5"	1,200	2 Swivel & 2 Rigid	Polyurethane	RP1006
5"	500	2 Swivel & 2 Rigid	Rubber	RP1002
8"	500	2 Swivel & 2 Rigid	Pneumatic	498527

STEM CASTERS

Stem casters make furniture or heavy equipment mobile and easy to maneuver. Available in threaded-neck, grip-neck, or grip-ring, they are quick to install by inserting its stem into the fixture's pre-drilled holes. Casters can support heavy loads and some feature braking and locking mechanisms. Stem casters are ideal for mobilizing retail displays, industrial equipment, office furniture, and other commercial applications.

Wheel Dia."	Cap. Lbs.	Overall Ht."	With Brake	Swivel Model
Light-Duty				
2	75	1	No	B196074
2	75	1 ¹ / ₂	Yes	B196033
3	165	1	No	B196016
3	125	1	Yes	B2218618
4	275	1 ¹ / ₂	No	585497
4	300	1 ¹ / ₂	Yes	585498B
5	300	1 ¹ / ₂	Yes	585499B
Wheel Dia."	Cap. Lbs.	Overall Ht."	Wheel Material	Swivel Model
Medium-Duty				
4	300	2 ¹ / ₂	No	B2172934
5	250	1 ¹ / ₂	Yes	B2172966
5	300	1	No	B2218493
Heavy-Duty				
5	400	1	No	B1886541
8	500	4	Yes	B2218616
8	500	4	Yes	B2218374



WHEELS

Commonly used on carts, dollies, and other industrial equipment, wheels provide essential mobility for transporting goods and facilitating efficient processes in warehouses, manufacturing facilities, and distribution centers.



Wheel Dia."	Cap. Lbs.	Width"	Material	Model
5	1,250	2	Polyurethane	748725
6	1,250	2	Polyurethane	748729
8	600	2	Mold On Rubber	748613
12	2,900	3	Molded Plastic	748685

TIRES

Whether for wheelbarrows, hand trucks, golf carts, trailers, or dollies, selecting the correct type of tire is essential for construction, industrial, and material handling applications.



Wheel Dia."	Cap. Lbs.	Ply	Tire Type	Model
10.4	300	2	Stud Tire	B638396
15	480	4	Lawn Tire	B2780810
15	400	4	General	B639919
20.5	1,100	6	Trailer Tire	B638421



LARGE-DIAMETER PORTABLE COOLING FANS

- Direct drive EC motor with variable speed control
- 6' model fits through standard door openings
- 25' 120V power cord



Model	Fan Size'	CFM high	Coverage Area Sq. Ft.	Hp	Volts	Amps
604140	6	40,000	3,000	5/8	120	6
604141	8	65,000	4,500	3/4	120	7



WORKSTATION FANS

- Easily mount to walls, ceilings, workbenches, and machines
- Can be mounted to rotate 360° both horizontally or vertically
- Indoor/outdoor fan withstands the rigors of most agricultural and industrial settings

Model	Fan Dia."	HP	CFM High	Type
294492	12	1/15	1,855	Indoor
294493	18	1/3	4,600	Indoor
294494	24	1/3	8,000	Indoor
292791	12	1/15	1,855	Outdoor
292792	18	1/3	5,650	Outdoor



293092

HIGH-VELOCITY FANS

- Built for performance, superior air throw distance and long-lasting durability

Model	Fan Dia."	HP	CFM High	Voltage	Mount
293092	14	1/3	6,800	115/230	Yoke
293093	18	1/2	7,700	115/230	Yoke
293094	22	1/2	10,000	115/230	Yoke
293140	14	1/3	6,800	115/230	Pedestal/Stroller
293141	18	1/2	7,700	115/230	Pedestal/Stroller
293142	22	1/2	10,000	115/230	Pedestal/Stroller
293143	14	1/3	6,800	115/230	Dock Arm
293144	18	1/2	7,700	115/230	Dock Arm
293145	22	1/2	10,000	115/230	Dock Arm
293146	14	1/3	6,800	115/230	Wall/Column
293147	18	1/2	7,700	115/230	Wall/Column
293148	22	1/2	10,000	115/230	Wall/Column



293140

WASHDOWN- RATED FANS

- Provide optimum performance in wet and moist environments
- Ideal for foodservice environments, processing facilities, and more
- Non-oscillating



Model	Type	Fan Size"	CFM	HP	Volts
293018	Wall Mount	24	7,200	1/4	115/230
293019	Wall Mount	30	9,600	1/3	115/230
293020	Pedestal	24	7,200	1/4	115/230
293021	Pedestal	30	9,600	1/3	115/230



293175

292747

DOCK FANS

- Provides cooling air and ventilation for loading docks, trailers, and other industrial settings
- Double articulating arm wall mount included
- Item 293175 has a multi-position outlet tube to direct air circulation through a trailer

Model	Fan Size"	CFM High	HP	Volts
292746	18	4,600	1/3	120
292747	24	8,000	1/3	120
293175	Blower Wheel	10,000	1/2	120



CEILING FANS

- Ideal for warehouses, office spaces, and other commercial areas
- HVLS fans provide coverage in areas up to 6,000 ft²
- HP292677 is rated for outdoor use
- 72 - 108" diameter models feature DC motors

Model	Fan Dia."	CFM High	Type	Voltage
293103	56	8,350	Indoor	120
293104	60	9,150	Indoor	120
292677	60	8,000	Indoor/Outdoor	120
293047	72	11,290	Indoor	120
293048	96	17,018	Indoor	120
293049	108	19,448	Indoor	120
293042	144	165,600	Indoor - HVLS	208/240
293043	168	182,280	Indoor - HVLS	208/240
293044	192	199,680	Indoor - HVLS	208/240
293045	216	259,200	Indoor - HVLS	208/240
293046	240	304,000	Indoor - HVLS	208/240



293030



258320

INDUSTRIAL BLOWER & DRUM FANS

- Combines high-powered & economical cooling and air circulation with ease of portability
- Fan diameters range from 24" to 48"
- Most models are swivel-mounted for increased range of operation

Model	Fan Dia."	HP	CFM High	Drive Type
292594	24	1/4	7,700	Direct
607220	24	1/3	7,700	Direct
246607	30	1/3	10,440	Direct
246556	30	1/3	9,800	Direct
258320	36	2/3	13,300	Direct
246557	36	1/3	11,200	Direct
246558	36	1/3	10,500	Belt
600554	42	1	17,600	Belt
246559	42	1/2	13,400	Belt
600555	48	1 1/2	19,500	Belt
293030	24	1/4	5,800	Direct - Outdoor Rated
293031	30	1/3	6,890	Direct - Outdoor Rated
293032	36	1/2	12,241	Direct - Outdoor Rated
293033	42	1/2	15,000	Direct - Outdoor Rated

HAF AGRICULTURAL & GREENHOUSE CIRCULATION FAN

- Improves CO2 circulation for better plant growth
- Non-Oscillating
- Wall or Ceiling Mount



Model	Fan Size"	CFM	HP	VOLTS
604194	12	4,072	1/5	120
604195	20	7,836	1/3	120
604196	24	10,000	1/2	120



OSCILLATING CEILING AND I-BEAM FANS

- Available in Ceiling, I-Beam or Pole/Column Mount
- Comes with plug and cord pre-wired for out-of-the-box operation

Model	Fan Dia."	HP	CFM High	Mount	Type
795752	30	1/3	8775	I-Beam	Industrial
795972	30	1/2	10000	I-Beam	Deluxe
795754	30	1/3	8775	Ceiling	Industrial
795974	30	1/2	10000	Ceiling	Deluxe
293156	30	1/3	8775	Pole/Column	Industrial
293158	30	1/2	10000	Pole/Column	Deluxe



293072

652299



INDUSTRIAL PEDESTAL FANS

- Heavy-duty pedestal base and hand screw-knob for easy, tool-free height adjustments
- Comes with plug and cord pre-wired for out-of-the-box operation

Model	Fan Dia."	HP	CFM High	Type	Oscillating
293127	18	1/6	4500	Industrial	Y
293128	20	1/6	5250	Industrial	Y
585279	24	1/4	7,525	Industrial	Y
585280	30	1/3	8,775	Industrial	Y
292593	24	1/2	7,525	Deluxe	Y
604143	24	1/2	7,252	Deluxe - Safety Yellow	Y
652299	30	1/2	10,000	Deluxe	Y
652299Y	30	1/2	10,000	Deluxe - Safety Yellow	Y
292650	24	1/3	10,200	Premium	N
292651	24	1/2	9,400	Premium	Y
292652	30	1/2	9,400	Premium	N
292653	30	1/2	9,400	Premium	Y
292654	36	1/2	9,400	Premium	N
292448	24	3/10	7,700	Outdoor Rated	Y
292449	30	3/10	8,400	Outdoor Rated	Y
293071	24	1/7	7,435	Outdoor Rated - Misting	Y
293072	30	1/7	7,204	Outdoor Rated - Misting	Y



292450

607050



OSCILLATING INDUSTRIAL WALL FANS

- Mounts to the wall for safe, out-of-the-way operation
- Comes with plug and cord pre-wired for out-of-the-box operation

Model	Fan Dia."	HP	CFM High	Type
293129	18	1/6	4,550	Industrial
293130	20	1/6	5,250	Industrial
607050	24	1/4	7,525	Industrial
607051	30	1/3	8,775	Industrial
258321	24	1/2	8,650	Deluxe
258322	30	1/2	10,000	Deluxe
292648	24	1/2	9,400	Premium
292649	30	1/2	11,500	Premium
292450	24	3/10	7,700	Outdoor Rated
292451	30	3/10	8,400	Outdoor Rated
293073	24	1/7	7,435	Outdoor Rated - Misting
293074	30	1/7	7,204	Outdoor Rated - Misting




293131

PORTABLE EVAPORATIVE COOLERS

- Designed for use in high heat/low humidity environments
- Reduces air temperatures up to 26°F
- Quick connect/disconnect water fill fitting w/built-in water shut-off

Model	Fan Size"	CFM	Water Tank Cap. Gal.	Cooling Sq. Ft.	Volts
600580	20	4,600	16	530	115V
293131	30	10,594	26	1,615	115V
293132	36	16,480	74	3,767	115V
604152	48	20,615	92	5,382	115V



EVAPORATIVE COOLER REPLACEMENT MEDIA

- OEM replacement media for Global Industrial Evaporative Coolers

Model	For Use With
246565	20" Evaporative Cooler #600580
246566	30" Evaporative Cooler #293131
600591	36" Evaporative Cooler #293132
604159	48" Evaporative Cooler #600152



604134

604129

ATOMIZING EVAPORATIVE COOLING FAN

- Atomizing creates a super fine mist that won't leave patrons wet
- Reduces air temperatures up to 20°F
- Low electrical and water usage provides an economical cooling
- No media to replace solution

Model	Type	Fan Size"	CFM	Water Tank Cap. Gal.	Cooling Sq. Ft.	Volts
604129	Wall Mount	29	5,885	Direct Plumb	1,500	110V
604135	Mobile	23	1,625	18	800	110V
604134	Mobile	29	5,885	26	1,500	110V



246610

B824551

AIR CURTAINS

- Air curtains help to reduce energy costs and maintain indoor air quality
- Applications include customer entrances, drive-thru windows, concession stands, and more
- NSF-certified stainless steel air curtains are rated for use in the foodservice and restaurant industries where standards in food safety need to be maintained

Model	Style	Door Width"	Max. Door Height'	HP	CFM High	Volts
246608	—	36	10	1/3	815	120
246609	—	48	10	1/3	990	120
246610	—	60	10	1/3	1,280	120
B824551	NSF Certified	36	7	3/4	2,541	120
B824797	NSF Certified	96	7	3/4	5,081	120

COMMERCIAL PORTABLE AIR CONDITIONERS

- Air cooled
- Spot cooling and room cool settings
- On/off timer, compressor time-delay, auto-restart when power is interrupted
- Model #293164 features integral 14,300 BTU heater

Model	Ton	BTU Cooling	Cooling Sq Ft.	Voltage	Cooling	Brand
293117	0.5	6,475	250	115	Air-Cooled	Global Industrial™
292660	1.1	13,200	355	115	Air-Cooled	Global Industrial™
292661	1.5	16,800	430	115	Air-Cooled	Global Industrial™
292662	2	21,000	538	230	Air-Cooled	Global Industrial™
292663	2.5	29,000	743	230	Air-Cooled	Global Industrial™
292845	3	37,000	1,075	230	Air-Cooled	Global Industrial™
292846	5	60,000	1,825	230	Air-Cooled	Global Industrial™
604217	7.5	92,500	2637	460-3PH	Air-Cooled	Global Industrial™
293164	1.1	13,200	355	115	Air-Cooled	Global Industrial™
604218	1.5	16,000	410	115	Water-Cooled	Global Industrial™
292294	1.1	13,700	400	115	Air-Cooled	Kwikool
B2094889	1.5	16,800	600	115	Air-Cooled	Kwikool
B725489	2	23,500	800	230	Air-Cooled	Kwikool



Easy-to-Read Digital Control Panel



Easy Access to Condensate Tank



OUTDOOR-RATED PORTABLE AIR CONDITIONERS

- Provide cooling relief to large indoor or outdoor areas
- Specialized for spot cooling where central cooling is impractical
- Model #604151 comes with 32' of 6" ducting

Model	Ton	BTU Cooling	Cooling Sq. Ft.	Voltage	Brand
604151	1.2	13,700	315	115	Global Industrial™
293118	5	60,000	1,800	230	Global Industrial™
293119	12	144,400	3,767	460	Global Industrial™
B2330712	25	270,000	9,600	460	Kwikool

PORTABLE AIR CONDITIONERS

- Compact and sleek space-saving design
- Controllable via smartphone for convenient operation
- Single hose exhaust



Touchpad Interface and Digital LED Display



Removable, Easy-Access Panel for Filter Changes

Model	BTU Cooling	Cooling Sq Ft.	BTU Heating	Voltage
292851	12,000 (6,200 SACC)	550	-	115
293066	14,000 (8,400 SACC)	700	-	115
292852	14,000 (8,300 SACC)	700	11,230	115



PORTABLE AIR CONDITIONERS

- Window or Thru-the-wall models available
- Remote control included or WiFi-compatible with most smart phones

Model	Mounting	BTU Cooling	Cooling Sq Ft.	BTU Heating	Voltage
293070	Wall	10,000	450	-	115
292856	Wall	12,000	550	-	115
292858	Wall	8,000	350	4200	115
292859	Wall	10,000	450	10,600	230
292860	Wall	12,000	550	10,600	230
292861	Wall	14,000	700	10,600	230
293069	Window	5,000	450	-	115
292853	Window	8,000	350	-	115
292854	Window	12,000	550	-	115
293134	Window	18,000	1,000	-	230
604201	Window	25,000	1,500	16,000	230
604203	Slide/Casement Window	10,000	450	-	115



PORTACOOOL PROVIDES UNIQUE COOLING SOLUTIONS & PRODUCTS OF ALL SIZES

PORTACOOOL®

PORTACOOOL® APEX-SERIES PORTABLE EVAPORATIVE COOLERS

- WiFi-enabled to control your environment from anywhere via your phone
- Smart Water Management ensures worry-free operation with water level indicators and automatic shut-off
- Advanced media technology delivers superior cooling, conserves water, and reduces costs
- Sizes to fit small to large spaces



Model	Description	Fan Size	CFM	Water Tank Cap. Gal.	Cooling Sq. Ft.
B3160159	Apex 500 Evaporative Cooler	—	800	13	500
B3160156	Apex 700 Evaporative Cooler	—	1,400	22	700
B3160155	Apex 1200 Evaporative Cooler	19"	4,000	40	1,200
B3160154	Apex 2000 Evaporative Cooler	24"	6,700	45	2,000
B3160158	Apex 4000 Evaporative Cooler	36"	13,250	55	4,000
B3160157	Apex 6500 Evaporative Cooler	48"	22,000	66	6,500



PORTACOOOL® EVAPORATIVE COOLER ACCESSORIES AND REPLACEMENT MEDIA

- Explore accessories and replacement media sets designed to fit Jetstream and/or Apex evaporative coolers

Model	Description
B3160112	Kuul Media Set For Jetstream 220 Evaporative Cooler
B3160113	Kuul Media Set For Jetstream 230 Evaporative Cooler
B3160114	Kuul Media Set For Jetstream 240 Evaporative Cooler
B3160115	Kuul Media Set For Jetstream 250 Evaporative Cooler
B3160116	Kuul Media Set For Jetstream 260 Evaporative Cooler
B3160161	Kuul Media Set For Jetstream 270 Evaporative Cooler
B3160107	Media Set For Apex 500 Evaporative Cooler
B3160108	Media Set For Apex 700 Evaporative Cooler
B3160109	Media Set For Apex 2000 Evaporative Cooler
B3160110	Media Set For Apex 4000 Evaporative Cooler
B3160111	Media Set For Apex 6500 Evaporative Cooler
B3160119	Protective Cover For Apex 500 & Jetstream 220 Evaporative Coolers
B3160120	Protective Cover For Apex 700 & Jetstream 230 Evaporative Coolers
B3160121	Protective Cover For Apex 1200 & Jetstream 240 Evaporative Coolers
B3160122	Protective Cover For Apex 2000 & Jetstream 250 Evaporative Coolers
B3160123	Protective Cover For Apex 4000 & Jetstream 260 Evaporative Coolers
B3160124	Protective Cover For Apex 6500 & Jetstream 270 Evaporative Coolers



COMMERCIAL HEPA AIR PURIFIER AND NEGATIVE AIR MACHINES

- HEPA filtration system removes 99.97% of bacteria, allergens, dust, and fumes
- Converts to a negative air machine when properly ducted to the outside (ducting sold separately)
- Multi-stage filtration system for advanced air purification
- Durable construction

Model	CFM High	Coverage Area Sq. Ft.	Number of Speeds	Voltage	Brand
292938	500	1,500	Variable	115	Global Industrial™
293052	1,000	1,600	1	115	Global Industrial™
604153	3,300	10,000	Variable	115	Global Industrial™
B2093697	2,000	2,000	2	115	Novatek
B2093698	2,000	2,000	2	115	Novatek



604153



B2385625

COMMERCIAL HEPA AIR PURIFIER

- HEPA filtration system removes 99.97% of bacteria, allergens, dust, and fumes
- Ideal for use in large indoor spaces
- Constructed from durable materials for long-lasting use
- Easy-to-use controls

Model	CFM High	Coverage Area Sq. Ft.	Number of Speeds	Voltage	Brand
B3055202	2,200	1,500	Variable	115	Dri-Eaz
B3145205	440	800	Variable	115	Air-Care
B2385625	440	1,200	5	115	Fellows
B2385636	220	700	5	115	Fellows

COMMERCIAL DEHUMIDIFIERS

- Higher pints-per-day moisture removal than traditional units
- Humidistat
- Ideal for everyday use or flood remediation and disaster clean-up
- Refrigerant design removes moisture from the air
- Large rear wheels for easy maneuverability
- Stack units when not in use



246687

Model	Dehumidification Pints/Day	Refrigerant	Condensate Removal	Voltage
246687	110	Standard	Gravity	115
653660	145	Low Grain	Pump	115
246690	200	Low Grain	Pump	115
246704	250	Low Grain	Pump	115

PORTABLE SMALL ROOM DEHUMIDIFIERS

- Ideal for offices, bathrooms, and similar small spaces
- Refrigerant design removes moisture from the air
- Energy Star certified
- Includes (4) integrated rolling caster for quick and easy transportation



Model	Dehumidification Pints/Day	Condensate Removal	Features
246730	20	Gravity	Auto-Shutoff
246731	30	Gravity	Auto-Shutoff
246733	40	Pump	Auto-Shutoff & Wifi
246735	50	Pump	Auto-Shutoff & Wifi

DESICCANT DEHUMIDIFIERS

- Utilizes a desiccant wheel for absorption, no refrigerant
- Stack up to 3 units to achieve maximum drying
- Will operate in temperatures as low as -4°F
- Steel cabinet housing for strength and durability
- Remote Humidistat connection (Humidistat sold separately)

Model	Dehumidification Pints/Day	Coverage Ft.²	Voltage
604142	105	1,000	115V



PLEATED AIR FILTERS

- Available up to MERV 13
- Standard and Hi-Capacity models
- Superior dust handling and filtration vs disposable filters



B2308756



B2320731



Koch Filter Corporation
Filtration Systems - Global Air Flow

Model	MERV	Nominal Size	Capacity
B2290512	5	12" x 20" x 1"	Polyester
B2290579	5	16" x 25" x 1"	Fiberglass
B2290543	5	20" x 20" x 1"	Fiberglass
B2290518	5	20" x 20" x 1"	Polyester
B2290488	5	20" x 25" x 1"	Polyester
B2290541	5	20" x 25" x 1"	Fiberglass
B2290469	5	20" x 25" x 2"	Polyester

KOCH DISPOSABLE AIR FILTERS

- Economical, disposable air filters designed to provide basic air filtration
- Fiberglass or polyester media

1" Thickness				
Model	Merv	Nominal Size "	Capacity	Type
B2318395	8	12 x 12 x 1	Standard	Wire Back
B2318384	8	12 x 24 x 1	Standard	Wire Back
B2318287	8	14 x 20 x 1	Standard	Self Supported
B2308761	8	16 x 20 x 1	Standard	Self Supported
B2318200	8	16 x 20 x 1	Standard	Wire Back
B2318199	8	16 x 25 x 1	Standard	Wire Back
B2308762	8	16 x 25 x 1	Standard	Self Supported
B2308763	8	20 x 20 x 1	Standard	Self Supported
B2320731	8	20 x 20 x 1	Standard	Wire Back
B2318330	8	20 x 24 x 1	Standard	Self Supported
B2308760	8	20 x 25 x 1	Standard	Self Supported
B2318320	8	24 x 24 x 1	Standard	Self Supported
B2318696	10	20 x 20 x 1	Hi-Capacity	Wire Back
B2318838	13	20 x 20 x 1	Standard	Wire Back

2" Thickness				
Model	Merv	Nominal Size "	Capacity	Type
B2308752	8	12 x 24 x 2	Standard	Self Supported
B2318753	8	14 x 20 x 2	Standard	Self Supported
B2318882	8	16 x 16 x 2	Standard	Self Supported
B2318649	8	16 x 20 x 2	Standard	Wire Back
B2308757	8	16 x 20 x 2	Standard	Self Supported
B2318881	8	16 x 24 x 2	Standard	Self Supported
B2318619	8	16 x 25 x 2	Standard	Wire Back
B2308755	8	16 x 25 x 2	Standard	Self Supported
B2308751	8	18 x 24 x 2	Standard	Self Supported
B2308758	8	20 x 20 x 2	Standard	Self Supported
B2320732	8	20 x 20 x 2	Standard	Wire Back
B2308753	8	20 x 24 x 2	Standard	Self Supported
B2318699	8	20 x 25 x 2	Standard	Wire Back
B2318761	8	20 x 25 x 2	Hi-Capacity	Self Supported
B2308756	8	20 x 25 x 2	Standard	Self Supported
B2308754	8	24 x 24 x 2	Standard	Self Supported
B2318760	8	24 x 24 x 2	Hi-Capacity	Self Supported
B2320730	8	24 x 24 x 2	Standard	Wire Back
B2318863	13	20 x 20 x 2	Standard	Wire Back
B2318623	13	20 x 25 x 2	Standard	Wire Back

4" Thickness				
Model	Merv	Nominal Size "	Capacity	Type
B2318697	8	24 x 24 x 4	Standard	Wire Back
B2318718	10	16 x 25 x 4	Hi-Capacity	Wire Back
B2318654	10	20 x 25 x 4	Hi-Capacity	Wire Back
B2318762	11	16 x 20 x 4	Hi-Capacity	Wire Back

MEDIA ROLL AIR FILTER

- Ideal for use in HVAC systems, air purification systems, water treatment plants, and other industrial filtration applications
- Polyester media



Model	MERV	W" x L' x D"
B2319044	7	48 x 90 x 1
B2319082	7	30 x 90 x 1



B2319236

Model	MERV	Size"	Type
B2319236	13	24 x 24 x 12	Ridgid Cell
B2319338	15	24 x 24 x 12	Ridgid Cell
B2352435	16	24 x 24 x 11 1/2	HEPA 99.97%

SPECIALTY FILTERS

- Rigid Cell air filters are suitable for most commercial and industrial HVAC systems.
- HEPA filters provide high-efficiency filtration for those situations that demand removal of particles from the airstream.



FAN SHROUD AIR FILTERS

- Compatible with a variety of fans
- MERV 6
- 6" Deep

Model	MERV	Dia."
B2318543	6	20
B2319468	6	24
B2319480	6	30
B2319469	6	32
B2319479	6	36



CONFINED SPACE VENTILATOR & EXHAUST FANS

- Ventilate and cool manholes, tanks, crawl spaces, and more
- Steel housings and steel wire safety guards
- Available with or without flame-retardant ducting

Model	Dia."	CFM	Duct L'	Housing	HP
246340	8	570	-	Metal	1/8
293035	8	1,000	25	Poly	1/3
246431	12	1,640	16	Metal	3/8
293036	12	2,700	-	Poly	1
292646	16	2,850	16	Metal	1
293037	16	4,000	-	Poly	1

NEW DIRECT-DRIVE DOWNBLAST AXIAL EXHAUST FANS

- For general ventilation and exhaust, mechanical room exhaust, and warehouse exhaust
- Weather-resistant aluminum housing
- Permanently-lubricated ball bearing motor



Model	CFM	RPM	HP
604136	500	1,500	1/30
604137	830	1,500	1/10
604138	1,160	1,100	1/6
604139	2,400	1,100	1/3

TUBE AXIAL BELT-DRIVE DUCT FANS

- Used for duct applications in mills, mines, foundries, factories, & more
- Removes fumes, dust, smoke, and steam from poorly ventilated areas
- Safe for environments with explosive gases
- Fan blades are made of non-sparking cast aluminum
- Single- and 3-phase models



Model	Type	Dia."	HP	CFM High	Phase
B182027	Belt-Drive	12	1/4	1,444	3
B181934	Belt-Drive	24	3/4	6,903	3
B182031	Belt-Drive	42	2	20,700	3
B182052	Explosion-Proof	18	1/4	3,050	1
B181952	Explosion-Proof	27	1	9,400	1
B181977	Explosion-Proof	42	1 1/2	18,960	1

EXHAUST FANS WITH SHUTTER

- 120V AC, 1-phase totally enclosed, permanently-lubricated direct-drive motor
- Installs on inside walls with no need for external framing
- Aluminum blades with a sturdy steel wire guard
- Meets OSHA standards, cUL- and UL-listed



Fan Dia."	HP	Speeds	CFM High	Fan Only Model	Fan With Shutter Model
10	1/30	1	1,500	248448	246506
10	1/30	3	1,500	248448A	246507
12	1/25	1	2,150	294495	246508
12	1/25	3	2,150	294495A	246509
18	1/8	1	5,250	294496	246510
18	1/8	3	5,250	294496A	246617
24	1/6	1	7,000	294497	246618
24	1/5	2	7,000	294497A	246619
30	1/4	1	8,000	294498	246620
30	1/4	2	8,000	294498A	246621

ROOF VENTILATORS

- Designed for general ventilation needs in areas where efficient, quiet airflow is required
- Heavy-gauge steel propellers are standard
- Ruggedly constructed steel curb cap, including spun venturi section for efficient airflow



Model	Fan Dia."	CFM High	HP	Voltage
653229A	24	7,425	1	230/460
653221	30	10,235	3/4	115/230
653232	36	20,500	3	230/460
653226	48	28,150	3	230/460
653227	60	44,600	5	230/460

INLINE DUCT FANS

- Provides air ventilation and circulation for residential, commercial, and industrial applications
- Steel or rugged ABS plastic construction
- Backward-curved airfoil impeller for quiet operation, efficiency, and added pressure
- Most fans come pre-wired with a mounting bracket



Model	Duct Dia."	CFM High
292655	4	156
292656	6	235
292657	8	541
292658	10	630
292659	12	930



GAS FORCED AIR HEATERS

- Rugged construction
- Auto shut-off if power is interrupted or flame is extinguished
- Variable heat settings
- Proper ventilation required

Model	Fuel Type	BTU	Coverage Area
246119	Kerosene	80,000	1,900
246125	Propane	125,000	3,100
246120	Kerosene	135,000	3,200
246121	Kerosene	180,000	4,200
246122	Kerosene	220,000	5,200
246634	Kerosene	650,000	13,500

INFRARED GAS CERAMIC HEATERS

- Ideal for spot heating large areas
- Aluminum reflectors for maximum radiant output
- Energy-efficient direct-spark ignition system
- Gas shut-off safety control



Model	BTU	Fuel Type	Ignition	Min. Mount Height'	W" x D" x H"
245601N	30,000	Natural Gas	Direct Spark	12	26 ¹ / ₂ x 15 ³ / ₄ x 7 ³ / ₄
B2093431	40,000	Natural Gas	Direct Spark	12	26 ¹ / ₂ x 15 ³ / ₄ x 7 ³ / ₄
245602N	60,000	Natural Gas	Direct Spark	13	26 ¹ / ₂ x 21 ⁵ / ₈ x 7 ³ / ₄
245602L	65,000	Propane	Direct Spark	13	26 ¹ / ₂ x 21 ⁵ / ₈ x 7 ³ / ₄
B2093432	80,000	Natural Gas	Direct Spark	14	26 ¹ / ₂ x 21 ⁵ / ₈ x 7 ³ / ₄
245603N	100,000	Natural Gas	Direct Spark	15	26 ¹ / ₂ x 27 ¹ / ₂ x 7 ³ / ₄
245603L	100,000	Propane	Direct Spark	15	26 ¹ / ₂ x 27 ¹ / ₂ x 7 ³ / ₄
245607N	104,000	Natural Gas	Milivolt Standing Pilot	15	52 x 16 ³ / ₄ x 9 ³ / ₄
B2093433	120,000	Natural Gas	Direct Spark	16	26 ¹ / ₂ x 27 ¹ / ₂ x 7 ³ / ₄
245604L	130,000	Propane	Direct Spark	17	26 ¹ / ₂ x 33 ³ / ₈ x 7 ³ / ₄
245604N	140,000	Natural Gas	Direct Spark	17	26 ¹ / ₂ x 33 ³ / ₈ x 7 ³ / ₄
B843275	155,000	Natural Gas	Direct Spark	18	26 ¹ / ₂ x 33 ³ / ₈ x 7 ³ / ₄



GAS-FIRED UNIT HEATERS

- Provides reliable, localized heating solutions for commercial and industrial spaces
- Available in various sizes & mounting configurations



MODINE STEAM & HOT WATER UNIT HEATERS

- Ideal for spaces that require powerful & even heating
- Hydronic heaters utilize steam or hot water to effectively generate heat

Model	BTU Input	Fuel Type	Brand
B2680562	80,000	Natural Gas	Heatstar
246462	175,000	Natural Gas	Modine
246461	150,000	Natural Gas	Modine
B2060346	150,000	Liquid Propane	Modine
246463	200,000	Natural Gas	Modine
246465	300,000	Natural Gas	Modine
246470	400,000	Natural Gas	Modine
B3124013	400,000	Natural Gas	Heatstar

Model	BTU Input	Discharge	Explosion-Proof
B936351	95,000	Vertical	No
B936366	193,000	Vertical	No
B936345	279,000	Vertical	No
246449	108,000	Horizontal	No
B631216	108,000	Horizontal	Yes
246450	121,000	Horizontal	No
246451	165,000	Horizontal	No
246452	193,000	Horizontal	No
B631187	193,000	Horizontal	Yes
246453	258,000	Horizontal	No
246454	340,000	Horizontal	No

STRAIGHT-TUBE INFRARED HEATERS

- Aluminum reflectors rotate 45° to direct heat where needed
- Heavy-duty cast iron burner with direct-spark ignition system
- 100% gas safety shut-off control
- Inspection sight glass, diagnostic monitoring light
- Quiet ignition
- CSA-certified



POSITIVE PRESSURE SYSTEM					VACUUM SYSTEM				
Model	BTU	Fuel Type	Tube L'	Minimum Mount H'	Model	BTU	Fuel Type	Tube L'	Minimum Mount H'
B59969	40,000	LP	10	9	B59715	50,000	LP	15	10
B59864	100,000	LP	30	13	B59872	100,000	NG	30	13
B59746	150,000	NG	40	14	B200339	125,000	NG	40	13
B59958	200,000	NG	60	16	B200342	175,000	LP	50	15

PORTABLE ELECTRIC HEATERS

- Ideal for use in factories, garages, workshops, and more
- Salamander-series features tubular steel frames and ergonomic handles for easy tilt adjustments
- CSA- and cETLus-listed
- **Style B** can be ducted



Style B



Style A

Model	Style	KW	Volts	Phase	BTU	Type
653558	A	10	240	1	34,120	Portable
653672	A	15	480	3	51,180	Portable
653671	A	15	240	3	51,180	Portable
653673	A	15	208	3	51,180	Portable
653670	A	15	240	1	51,180	Portable
246551	B	10.2	240	1	33,700	Portable
246552	B	15	208	3	51,000	Portable
246553	B	30	480	3	101,350	Portable
653567	A	15	240	1	51,180	Wall Mount
653566	A	15	208	3	51,180	Wall Mount
653568	A	15	240	3	51,180	Wall Mount
653569	A	15	480	3	51,180	Wall Mount
246068	A	30	480	3	101,350	Wall Mount

PORTABLE HEATERS

- Compact design
- Perfect for spot-heating any cold area in your facility
- Lightweight and portable with carry handle
- Adjustable thermostat
- 6'L, 3-conductor power cord



Style A



Style B

ELECTRIC UNIT HEATERS

- For factories, stores, warehouses, and other exposed areas
- Easy to install and service
- Maximum airflow via large, dynamically-balanced fan blades
- Totally-enclosed motors with permanently-lubricated bearings

Model	Style	Mount	KW	BTU	Volts	Phase
653577	A	Horizontal	5	17,100	240/208	1
246726	A	Horizontal	7.5/4.7	25,600	240/208	1
246102	A	Horizontal	10	34,100	240	1 or 3
246725	B	Horizontal/Vertical	5	17,100	480	3
246104	B	Horizontal/Vertical	7.5	25,600	480	1 or 3
246103	B	Horizontal/Vertical	10	34,100	480	1 or 3
246132	B	Horizontal/Vertical	7.5	25,600	240/208	1 or 3
246133	B	Horizontal/Vertical	10	34,100	240/208	1 or 3
246134	B	Horizontal/Vertical	15	51,200	480	3
246727	B	Horizontal/Vertical	20	68,200	480	3

Model	BTU	Watts	Volts	W" x D" x H"
246097	580	170	120	22 x 15 x 1
653579	5,100	1,500	120	13 x 11½ x 13
246099	5,120	1,500	120	5½ x 7½ x 47½
653557	5,120	1,500	120	12 x 11 x 15
246098	5,120	1,500	120	9½ x 6 x 16



PATIO HEATERS

- For outdoor dining and sitting areas
- Built-in overheat detection mechanism for added safety
- Most models are remote control-enabled for convenient operation from a short distance

Model	Watts	Volts	Mount	Heat Coverage Sq. Ft.	L" x W" x H"
246721	1,500	120	Wall/Ceiling	250	18 ³ / ₈ x 7 ¹ / ₂ x 3
246718	1,500	120	Wall/Ceiling	250	35 ³ / ₈ x 5 ¹ / ₈ x 3 ¹ / ₂
246722	1,500	120	Stand	250	33 ⁵ / ₈ x 5 ¹ / ₈ x 42-82
246720	1,500	120	Wall/Ceiling	200	30 ³ / ₄ x 5 x 5 ³ / ₈
246723	1,500	120	Stand	200	30 ³ / ₄ x 5 x 42-82
246719	2,600	240	Wall/Ceiling	172	59 x 6 ⁵ / ₁₆ x 1 ³ / ₄
246717	1,500	120	Stand	170	19 ⁵ / ₈ x 19 ⁵ / ₈ x 11 ⁷ / ₈

NEW POWERBLANKET® GROUND THAWING BLANKETS

- High watt density thaws frozen ground
- Easily installed and removed
- Melts snow and ice from roofs, walkways, & construction areas
- 120V Cord and Plug



Model	Overall Size'	Heated Area'	Control	Temp High °F	Plug Type
246694	2 x 2	1 ³ / ₄ x 1 ³ / ₄	Fixed	150	15 Amp
B1222468	4 x 5	3 x 4	Fixed	150	15 Amp
B1222470	4 x 11	3 x 10	Fixed	150	15 Amp
B1222450	4 x 26	3 x 25	Fixed	150	30 Amp
B1222421	6 x 10	5 x 9	Fixed	150	20 Amp

DRUM/TOTE HEATER BLANKETS

- Built-in thermostatic shutdown prevents overheating
- Insulated full-wrap design with adjustable straps for a secure fit
- Barrel heaters work with plastic and metal drums, as well as drum cradles
- UL- and CSA-certified
- 120V, 6' power cord



Model	Control	Temp High F°	Watts High	L" x W"
GALLON CAPACITY DRUM				
246471	Fixed	100	800	47 x 16
246299	Adjustable	145	800	82 x 36
Model	Capacity Gallons	Temp Adjust to F°	Watts High	L" x H"
TOTE				
246554	275	145	1,200	174 x 49
246555	330	145	1,200	174 x 56

SILICONE RUBBER BAND DRUM HEATERS

- Moisture- and chemical-resistant, IP54 rated
- 6' power cord and plug on 120V models
- Adjustable thermostat — Temperatures up to 425°F (218°C)



Model	Gallon Capacity	Pail Type	Temp Range °F	Watts	Volts
985881	5	Plastic	50-160	150	120
985885	55	Plastic	50-160	300	120
B2043170	5	Steel	50-425	300	120
985879	5	Steel	50-425	550	120
B2043167	15	Steel	50-425	500	120
B2237691	15	Steel	50-425	700	120
B2237689	30	Steel	50-425	1,000	120
B2050195	55	Steel	50-425	1,100	120
985883	55	Steel	50-425	1,200	120

POWERBLANKET® DRUM & TOTE HEATER BLANKETS

- Deliver uniform heat to temperature sensitive products
- Insulated full-wrap design for a secure fit
- Preset thermostat set for maximum product temperatures
- ETL-Certified to UL & CSA standards
- 120V, 6' power cord



Model	Capacity	Control	Temp High °F
B2196855	1 Gal. Pail	Fixed	70
B2196862	5 Gal. Pail	Fixed	145
B2196856	15 Gal. Drum	Fixed	145
B381593	55 Gal. Drum	Fixed	100
B381674	55 Gal. Drum	Adjustable	145
B226143	270 Gal. IBC Tote	Adjustable	145
B226144	330 Gal. IBC Tote	Adjustable	145
B2196878	350 Gal. IBC Tote	Adjustable	145

JANITORIAL & FACILITY MAINTENANCE



TRASK AND RECYCLING CONTAINERS

- Heavy-duty plastic resists dents and corrosion
- Designed to fit in tight spaces or along workstations
- Smooth surface makes for easy cleaning
- Built-in finger grips on top rim and handles for easy lifting and emptying

Model	Description	W" x D" x H"	Color Suffix
261902	23-Gal. Container	20 x 11 x 30	BL, BK, GY, RBL, RGN
261903	Paper Slot Lid	20 x 11 x 4	BL, GN
261904	Solid Lid with Handle	20 x 11 x 4	GY, GN
261905	Bottles & Cans Lid	20 x 11 x 4	BL, GN
260590	15-Gal. Container	12 x 18 x 24	GY, GN

HEAVY-DUTY WASTE CONTAINERS

- Leak-proof seamless plastic allows for easy cleaning and handling
- Cans nest when empty
- Will not corrode, chip, crack, or peel
- Rugged, reinforced rolled-form top rim
- Optional lids and dolly available
- Available in a range of colors and capacities



Model	Description	Color Suffix
240456	10 Gal. Container	BN, GY, WH
240457	10 Gal. Flat Lid	
240458	20 Gal. Container	GY, WH, BN, YL, BL
240459	20 Gal. Flat Lid	
240460	32 Gal. Container	GY, WH, BN, YL, BL, RD, OR, BK
240461	32 Gal. Flat Lid	
240462	44 Gal. Container	GY, WH, BN, YL, BL, RD, OR, BK
240463	44 Gal. Flat Lid	
240464	55 Gal. Container	GY, WH, BN, YL, BL, RD, OR, BK
240465	55 Gal. Flat Lid	
240466BK	Dolly-Fits 20, 32, 44, 55	

HEAVY-DUTY MOBILE WASTE CONTAINERS

- Watertight construction with lid to eliminate leaking & reduce odors
- Integral handles and reinforced rim & wear ridges
- Compatible with automatic arm lifters and semi-automatic bar lifters

Model	Gal. Cap.	Lb. Cap.	W" x D" x H"	Color Suffix
237279	65	230	25 ³ / ₄ x 26 ³ / ₄ x 42 ³ / ₄	BK, BL, GY
237281	95	335	26 ³ / ₄ x 33 ³ / ₄ x 46 ³ / ₄	BK, BL, GY



TRASH CAN LINERS

- Linear Low Density Polyethylene (LLDPE) bags are strong and resistant to puncturing
- Star-seal design is virtually leakproof
- Available for a wide range of receptacle sizes
- Color options: black and clear



Black Model	Gal. Cap.	Type	W" x H"	Mil. Thick	Pkg Qty.	Clear Model	Gal. Cap.	Type	W" x H"	Mil. Thick	Pkg Qty.
732317	7-10	Medium-Duty	20 x 21	.35	1000	732320	7-10	Medium-Duty	22 x 25	.35	1000
732325	12-16	Heavy-Duty	24 x 32	.9	500	732322	12-16	Medium-Duty	24 x 32	.69	250
732329	20-30	Heavy-Duty	30 x 36	1.2	100	732328	20-30	Medium-Duty	30 x 36	.65	250
732333	30-33	Super-Duty	33 x 39	1.5	100	732327	30-33	Medium-Duty	30 x 36	.75	200
732346	40-45	Super-Duty	40 x 46	1.5	100	732345	40-45	Heavy-Duty	40 x 46	1.3	100
732350	45-55	Super-Duty	41 x 54	1.5	100	732351	45-55	Heavy-Duty	36 x 58	.95	100
732338	55-60	Super-Duty	38 x 58	1.5	100	732337	55-60	Heavy-Duty	38 x 58	1.3	100



SQUARE PLASTIC WASTE RECEPTACLES

- Will not rust, dent, or chip
- Large 42-gallon capacity helps keep facilities clean
- Includes cinches to keep liners in place and hidden
- Choose from two colors and three lid styles

Model	Lid Style	Color
641413BK	Flat	Black
641413BL	Flat	Blue
641414BK	Dome	Black
641414BL	Dome	Blue
641540BK	Ashtray	Black

Includes handles for easy lifting and emptying

Dome lid protects container and contents from the elements



TWO-STREAM RECYCLING & TRASH STATION

- Holds up to (2) 36-gallon capacity liners
- Wide 12" x 12" beveled square openings
- Ideal for stadiums, shopping centers, cafeterias, & other large areas

Model	Material	W" x D" x H"	Gal. Cap.
615161	Black/Silver	25¼ x 45½ x 34¾	72



PERFORATED-STEEL RECEPTACLES

- Constructed from heavy-duty steel for indoor/outdoor use
- Attractive perforated design with solid steel middle ring
- Flat-top lid features a large-diameter opening
- Includes removable plastic liner and security cable
- Choose from 4 colors

Model	Color	Dia. " x H"	Gal. Cap.
641313	BK, BL, GY, SS	15½ x 34¼	20
641314	BK, BL, GY, SS	23½ x 41	55



STONE PANEL TRASH WEATHER URN

- Stone Panel sides in grey or brown withstand extreme weather conditions
- 2½- to 24-gallon capacity
- Flat or ashtray tops available

Model	W" x H"	Gal. Cap.	Lid Style
238240	10¼ x 28¼	24	Ashtray
238241	17½ x 36	2½	Ashtray
238242	10¼ x 24	24	Flat
238243	17½ x 32	12	Flat
239576	13½ x 35	2½	Flat
239577	13½ x 32	12	Ashtray



PLASTIC OUTDOOR TRASH CAN

- Large, weather-resistant trash receptacle
- Hollow base can be filled for stability & security
- Convenient hinged lid & liner retention straps

Model	Color	W" x D" x H"	Gal. Cap.
732315	Gray	26 x 26 x 47½	60



OUTDOOR STEEL OR PLASTIC ASHTRAYS

- 1½-, 4½- & 5-gallon capacities
- Restricted openings prevent rain and trash from entering
- Multiple color options

Model	Color	Dia. " x H"	Gal. Cap.
261391*	BG, BK, GN, GY, RG	11 x 30	1½
245133*	BG, BK, GN, GY, RG	15 x 39	5
641447**	BK, GY	15½ x 37¾	4½

* Made of Polyethylene

** Made of Steel

EXTRA HEAVY-DUTY SLATTED STEEL RECEPTACLES

- 3-5/8" thick slatted steel body with pre-attached lid to withstand outdoor conditions
- Sleeker modern style with two layers of powder coating for superior durability
- Fully assembled and ships in one crate



Model	Gal. Cap.	Dia." x H"	Lid
RECEPTACLES			
641629BK	36	28 x 39	Flat
641631BK	36	28 x 34	Flat
RECEPTACLES WITH ACCESS DOOR			
641630BK	36	28 x 42	Flat

OUTDOOR STEEL MESH RECEPTACLES

- Rugged steel body reinforced with bands, vertical ribs, and curled edging
- Endures extreme climate conditions
- ADA-compliant



Model	Gal. Cap.	Dia." x H"	Color
237633	48	23 x 33	Galvanized
237634BK	48	23 x 33	Black
237634BL	48	23 x 33	Blue
237634GN	48	23 x 33	Green
237634RD	48	23 x 33	Red



261924BL



261926BK

261949BK

OUTDOOR STEEL RECEPTACLES

- Thermoplastic coating resists fading, mold, and vandalism
- Rugged 11-gauge steel frame
- Lid and base have a black powder coat finish for rust prevention
- Available in two patterns and three lid styles
- Comes in Red (RD), Black (BK), Blue (BL), Green (GN), & Gray (GY)
- Use color suffix when ordering

Model	Style	Gal. Cap.	Dia." x H"	Lid
261924	Diamond	32	23½ x 30	Flat
261925	Perforated	32	23½ x 30	Flat
261926	Diamond	32	23½ x 40½	Rain Cap
261927	Perforated	32	23½ x 40½	Rain Cap
261948	Diamond	32	23½ x 40	Dome
261949	Perforated	32	23½ x 40	Dome



261940BK

261944GN

641432BK

OUTDOOR SLATTED STEEL RECEPTACLES

- Flat-bar steel body discourages graffiti
- Durable powder coat finish provides premium corrosion protection
- Metal top band for extra strength
- Cans with access doors offer easy servicing
- Available in multiple colors, capacities, and lid types

Model	Gal. Cap.	Dia." x H"	Lid
RECEPTACLES			
237725	24	23 x 36	Flat
237726	36	28 x 36	Flat
260803	24	23 x 41¾	Rain Cap
260804	36	28 x 41¾	Rain Cap
261944	36	28 x 42	Dome
641431	72	54½ x 36	Flat
641432	72	54½ x 41¾	Rain Cap
RECEPTACLES WITH ACCESS DOOR			
261940	36	28 x 42	Flat
261941	36	28 x 47¾	Rain Cap
261945	36	28 x 48	Dome

OUTDOOR STEEL RECYCLING CAN

- Thermoplastic coating resists fading, mold, and vandalism
- Rugged 11-gauge steel frame
- Base have a black powder coat finish for rust prevention & resilience against the elements
- Available in two patterns and three lid styles



Model	Style	Dia." x H"	Lid
RECEPTACLES			
261958BL	Diamond	23½ x 30	Flat
261960BL	Diamond	23½ x 40½	Rain Cap
261962BL	Diamond	23½ x 40	Dome
641367RBL	Diamond	23½ x 30	Multi-Stream
261959BL	Perforated	23½ x 30	Flat
261961BL	Perforated	23½ x 40½	Rain Cap
261963BL	Perforated	23½ x 40	Dome
641368RBL	Perforated	23½ x 30	Multi-Stream



RUBBERMAID® CARTS & BINS THAT ARE MAID FOR EVERY JOB



TILT TRUCKS

Collect, transport, and dump bulk materials effortlessly. Designed for single user operation, these durable trucks handle industrial waste efficiently.

Model	Capacity	Weight Capacity Lbs.	Length"	Width"	Height"
LIGHT-DUTY					
239065	0.75 cu. yd.	600	64 ¹ / ₂	30 ¹ / ₄	38
498402	1 cu. yd.	850	72 ¹ / ₄	33 ¹ / ₂	43 ³ / ₄
STANDARD-DUTY					
498411	0.50 cu. yd.	850	60	28	38 ⁵ / ₈
241394	0.50 cu. yd.	450	57 ³ / ₈	26 ⁷ / ₈	33 ⁷ / ₈
B3124282	1.5 cu. yd.	1200	80 ¹ / ₂	43	49 ¹ / ₂
241398	1 cu. yd.	2100	70 ³ / ₄	33 ¹ / ₂	42 ¹ / ₄
239066	0.75 cu. yd.	1000	64 ¹ / ₂	30 ¹ / ₄	38
241397	1 cu. yd.	1250	70 ³ / ₄	33 ¹ / ₂	42 ¹ / ₄
241395	0.50 cu. yd.	850	57 ³ / ₈	26 ⁷ / ₈	33 ⁷ / ₈
498413	1 cu. yd.	1250	72 ¹ / ₄	33 ¹ / ₂	43 ³ / ₄
HEAVY-DUTY					
498400	0.50 cu. yd.	450	60	28	38 ⁵ / ₈
498421	0.50 cu. yd.	1400	60	28	38 ⁵ / ₈
498428	2.50 cu. yd.	2300	81 ¹ / ₂	55 ¹ / ₂	50
B54601	1.50 cu. yd.	2100	92	44	51
POWERED					
800565	.5 cu. yd.	850	57 ⁵ / ₁₆	29 ¹ / ₄	38
800566	1 cu. yd.	1000	70 ⁵ / ₁₆	33 ⁵ / ₁₆	42 ¹ / ₄



SUSTAIN WASTE CANS

Make sorting your recycling program easier than ever for patrons and staff with these Rubbermaid® Sustain Waste Cans. Constructed from durable materials, this modular system features a variety of color-coded recycling lids with designated openings to clearly indicate streams to users. For convenience during liner changes, lids nest neatly with other lids of the same size.

Model	Capacity Gal.	Container Markings	Color
B3082557	15	Mixed Recycling	Blue
B3082554	15	Landfill	Black
B3082559	15	Compost	Green
B3082555	23	Mixed Recycling	Blue
B3082556	23	Landfill	Black
B3082560	23	Compost	Green



BRUTE® WASTE CANS

Built to withstand weather and steam cleaning, these waste receptacles are constructed from hard-wearing polyethylene resin, ensuring strength, stability, and long-term use. They feature reinforced grip handles for easy lifting and recessed sides for nesting when empty to eliminate wasted space.

Model	Capacity Gal.	Height"	Shape	Color
239050*	10	12 ¹ / ₈	Round	GY, WH
239000*	20	22 ⁷ / ₈	Round	BL, GY, WH, YL
239004*	32	27 ⁴ / ₅	Round	BL, BK, GY, RD, WH, YL
239007*	44	31 ¹ / ₂	Round	BK, BL, GY, RD, WH, Green Only
B2264162	44	31 ¹ / ₂	Round	Green Only
239010*	55	33	Round	BK, GY

* Add Suffix to Model Number: Blue (BL), Black (BK), Gray (GY), Red (RD), White (WH), Yellow (YL)



BRUTE® UTILITY CARTS

Constructed from heavy-duty structural foam, these carts are ideal for handling a wide variety of order picking and material handling needs in factories, hospitals, and labs. Virtually maintenance-free, these carts won't rust, chip, or dent, are easy to clean, and never require painting. Units feature smooth-rolling casters, storage bins, and side tool hooks for storage and accessories.



Model	Length"	Width"	Height"	# of Shelves	Weight Capacity Lbs.	Color
B56123	39	18	33	2	500 lbs.	White
241557	39	18	33	2	500 lbs.	Black
241561	44	25	36	2	500 lbs.	Black
241562	54	25	33	2	750 lbs.	Black
B3086039	54 ¹ / ₉	24 ¹ / ₄	62 ² / ₅	4	700 lbs.	Black



STEEL WASTE RECEPTACLES

- 305 stainless steel is ideal for heavy-duty use
- Dual-entry swing lid keeps trash out of sight
- Door is attached to the receptacle for easy maintenance
- Folding retainer bands secure trash liners in place

Model	W" x D" x H"	Gal. Cap.
641268	14 x 14 x 35½	24
641269	19 x 19 x 38	40



STAINLESS STEEL OPEN-TOP RECEPTACLES

- Suitable for high-volume traffic areas
- Includes bag-cinches to keep trash liners in place
- Durable construction with a brushed finish for a sleek appearance
- Slip-resistant base

Model	Style	Gal. Cap.
641423SS	Round	16
641424SS	Round	21
641425SS	Semi-Round	16
641442SS	Rectangular	8
641423SS	Rectangular	12

STEP TRASH CANS

- Stainless steel construction for long-lasting durability
- Space-saving, compact design
- Ideal for commercial spaces, personal kitchens, health clubs, and more



Model	Dia." x H"	Gal. Cap.	Lid
641446SS	17x13½ x 25½	12	Flat
641445SS	11x19½ x 25½	12	Butterfly
641593SS	10½ x 18½ x 20½	12	Butterfly
641600SS	10½ x 18½ x 28½	21	Motion Sensor
641598SS	10½ x 18½ x 25½	12	Motion Sensor

ALUMINUM OPEN-TOP TRASH CONTAINERS

- Sleek, attractive satin finish resists blemishes
- Corrosion- and fire-resistant
- Made from heavy-gauge aluminum for long-lasting durability
- Large-diameter opening for waste disposal access
- ADA-compliant



Model	Dia." x H"	Gal. Cap.
240716	15 x 30	20
240718	18 x 32	35
240716R	15 x 30	20
240718R	18 x 32	35



RECYCLING AND PLASTIC WASTEBASKETS

- Rounded corners provide extra strength
- Durable plastic body will not chip, rust, or dent
- Recycling wastebaskets include a large recycling logo
- Available in black or recycling blue

Model	Qt. Cap.	Color	W" x D" x H"
261747BK	13%	Black	11¼ x 8¼ x 12¼
261877BL	13%	Recycling Blue	11¼ x 8¼ x 12¼
261748BK	28½	Black	14½ x 10½ x 15
261878BL	28½	Recycling Blue	14½ x 10½ x 15
261749BK	41¼	Black	15¼ x 11 x 19¾
261879BL	41¼	Recycling Blue	15¼ x 11 x 19¾



PLASTIC RECYCLING TOTES

- Durable, impact-resistant plastic uses 35% recycled content
- Includes easy-grip handles and recycling decals on 2 sides
- Containers nest when empty and allow cross-stacking

Model	Gal. Cap.	W" x D" x H"
240771	14	19¾ x 15¾ x 13½
240772	18	23 x 16 x 14½

DIAMOND PLATE ANTI-FATIGUE MATS

Raised diamond plate vinyl surface for secure, anti-slip traction. Dense molecular structure of foam base adds long lasting ergonomic support. Includes wide beveled borders for Safety .Mats can be used for multi-shift operations and areas that require comfort and heavy duty durability.



Model	Thick	W'x L'	Color
STANDARD SIZE			
800318	15/16"	2x3	Black/Yellow
800319	15/16"	3x5	Black/Yellow
800323	15/16"	4x6	Black/Yellow
800320	15/16"	2x3	Black
800321	15/16"	3x5	Black
800324	15/16"	4x6	Black
RUNNERS			
800322	15/16"	3x12	Black/Yellow
800516	15/16"	3x12	Black
800526	15/16"	2 X Up to 75	Black
800527	15/16"	2 X Up to 75	Black/Yellow
800528	15/16"	3 X Up to 75	Black
800529	15/16"	3 X Up to 75	Black/Yellow
800530	15/16"	4 X Up to 75	Black
800531	15/16"	4 X Up to 75	Black/Yellow

Model	Thick	W'x L'	Color
STANDARD SIZE			
B3168759	11/16"	2'W x 3'L	Black/Yellow
B3168751	11/16"	2'W x 3'L	Black
B3168753	11/16"	3'W x 5'L	Black
B3168761	11/16"	3'W x 5'L	Black/Yellow
B3168760	11/16"	3'W x 10'L	Black/Yellow
B3168752	11/16"	3'W x 10'L	Black
RUNNERS			
B3168776	11/16"	2'W x 75'L	Black
B3168743	11/16"	2'W x 75'L	Black/Yellow
B3168883	11/16"	3'W x 75'L	Black
B3168745	11/16"	3'W x 75'L	Black/Yellow
B3168882	11/16"	4'W x 75'L	Black
B3168744	11/16"	4'W x 75'L	Black/Yellow
800531	15/16"	4 X Up to 75	Black/Yellow

Model	Thick	W'x L'	Color
STANDARD SIZE			
800350YL	9/16"	2x4	Black/Yellow
800325	9/16"	3x5	Black/Yellow
800351YL	9/16"	2x6	Black/Yellow
800514	9/16"	4x6	Black/Yellow
800350BK	9/16"	2x4	Black
800351BK	9/16"	2x6	Black
800515	9/16"	4x6	Black
RUNNERS			
800512	9/16"	3x12	Black/Yellow
800513	9/16"	3x12	Black
800517	9/16"	2 X Up to 75	Black
800518	9/16"	2 X Up to 75	Black/ Chevron
800519	9/16"	2 X Up to 75	Black/Yellow
800520	9/16"	3 X Up to 75	Black
800521	9/16"	3 X Up to 75	Black/Chevron
800522	9/16"	2 X Up to 75	Black/Yellow
800523	9/16"	4 X Up to 75	Black
800524	9/16"	4 X Up to 75	Black/Chevron
800525	9/16"	4 X Up to 75	Black/Yellow

SUPREME ANTI-FATIGUE

These premium anti-fatigue mats makes standing more comfortable in every application. By suspending the body weight, mat effectively takes the impact off the spine, hips, legs, and feet. The 20-degree gradual beveled edge is guaranteed to never curl, and the non-slip top and bottom surfaces are easy to clean. This 3/4" thick ergonomic solution provides consistent and comfortable support without compromising durability.



Model	Thick	W'x L'	Color
B2395846	3/4"	2x3	Gray
B2395847	3/4"	2x3	Black
B2395848	3/4"	2.5x1.5	Mosaic Steel
B2395849	3/4"	2x1.5	Gray
B2395850	3/4"	2x1.5	Black
B2395858	3/4"	2x6	Gray
B2395859	3/4"	2x6	Black
B2395860	3/4"	3x5	Gray
B2395861	3/4"	3x5	Black
B3173071	5/8"	2 x 30	Black

RIBBED ANTI-FATIGUE MATS

These antifatigue mats are ribbed textured and are made from closed cell PVC foam. They are beveled on all 4 sides so a worker will not trip on a curled up corner. Great for use at dry workstations, assembly lines and service counters.

Model	Thick	W' x L'	Color
705529YB	5/8"	2 x Up to 30	Black/Yellow
705526YB	5/8"	2 x x30	Black/Yellow
705527YB	5/8"	3 x 30	Black/Yellow
B3173079	5/8"	2 x 3	Black
B3173081	5/8"	2 x 3	Black/Yellow
B3173099	5/8"	3 x 5	Black
B3173098	5/8"	3 x 5	Black/Yellow
B3173070	5/8"	3 x 30	Black
705531YB	5/8"	4 x Up to 30	Black/Yellow
B3173071	5/8"	2 x 30	Black
705530YB	5/8"	3 x Up to 30	Black/Yellow
B3173072	5/8"	4 x 30	Black
B3173080	5/8"	4x 30	Black/Yellow



ANTI-MICROBIAL ANTI-FATIGUE MATS

Superior ergonomic support while protecting against odors and degradation. Made of 100% Nitrile/PVC closed cell cushioning. 5/8" thick mats feature an anti-microbial finish for lifetime protection against bacteria and odor causing germs. All 4 borders are tapered for a safe transition from floor to mat. NFSI certified.

STANDARD SIZES		CUT LENGTH FROM 3FT. UP TO 45 FT.*	
NO HOLES	W' x L'	Width'	NO HOLES
442772	2 x 3	2	442776
442773	3 x 5	3	442777
442774	3 x 12	4	442778
442775	4 x 6		



CHAIR MATS



Interior® By will help prolong the life of valuable flooring by protecting against chair caster wear and tear. Any chair user will be able to maneuver their chair easily and effortlessly, as these mats withstand heavy traffic and features an anti-skid top. Carpet mats have underside anchor points to keep mat firmly positioned on carpeted surfaces.

Model	Floor Type	W" x L"
607901	Carpet	46 x 60
607899	Carpet	36 x 48
607900	Carpet	45 x 53
250797	Hard Floor	36 x 48
250798	Hard Floor	45 x 53
250799	Hard Floor	46 x 60
607901R	Carpet	46 x 60
250799R	Hard Floor	46 x 60
695519	Carpet	36 x 48
695520	Hard Floor	36 x 48
607899PK	Carpet	36 x 48
607900PK	Carpet	45 x 53
250797PK	Hard Floor	36 x 48
250798PK	Hard Floor	45 x 53
607901RPK	Carpet	46 x 60
250799RPK	Hard Floor	46 x 60
695519PK	Carpet	36 x 48
695520PK	Hard Floor	36 x 48
607899BK	Carpet	36 x 48
607900BK	Carpet	45 x 53
250797BK	Hard Floor	36 x 48
250798BK	Hard Floor	45 x 53
607901RBK	Carpet	46 x 60
250799RBK	Hard Floor	46 x 60
695519BK	Carpet	36 x 48
695520BK	Hard Floor	36 x 48
GLASS MAT		
695837	Glass Mat	46 x 36

ENTRANCE MATS

PET carpet made with 100% post-consumer recycled plastic, making them exceptionally fade resistant, stain resistant and eco friendly. $\frac{3}{8}$ " thick 23 oz./sq. yd. 100% PET polyester fiber is bonded to a heavy duty SBR rubber base. Wipe dirt and grit off shoes and keep moisture from entering your facility.

Model	Thick"	W' x L'	Color
800377BK	$\frac{3}{8}$	3 x 10	Black
800376BK	$\frac{3}{8}$	3 x 5	Black
800478BK	$\frac{3}{8}$	4 x 6	Black
800377GY	$\frac{3}{8}$	3 x 10	Gray
800376GY	$\frac{3}{8}$	3 x 5	Gray
800478GY	$\frac{3}{8}$	4 x 6	Gray



DRAINAGE MATS

Drainage Mats protect floor foundations and maintain a safe, high traction workspace. They are lightweight, flexible, and made of a mixed blends of thick rubber compounds. They have ramp like beveled edges that will easily adhere to the surface. These are suitable for both indoor and outdoor spaces.

Model	Thick"	W' x L'	Color
670818	$\frac{1}{2}$	3 x 5	Black
670819	$\frac{1}{2}$	3 x 10	Black
670820	$\frac{1}{2}$	3 x 20	Black
670821	$\frac{7}{8}$	3 x 5	Black
670822	$\frac{5}{8}$	3 x 3	Black
670823	$\frac{7}{8}$	2 x 3	Black/Yellow
670824	$\frac{7}{8}$	3 x 3	Black/Yellow
670825	$\frac{7}{8}$	3 x 5	Black/Yellow
670826	$\frac{7}{8}$	3 x 10	Black/Yellow



HEATED MATS

Ideal for outdoor entryways, loading docks, and ramps, these non-slip, UV-protected rubber mats feature an electrically operated heating element that plugs into a standard outlet to maintain 40° above the ambient temperature.


Model	W' x L'
443040	2 x 5
443048	3 x 5
443054	4 x 6
443050	3 x 10
443042	2 x 10
443051	3 x 10
443044	2 x 15
443052	3 x 15
443046	2 x 20
443053	3 x 20



SWITCHBOARD MATS

Designed to protect employees in areas with high-voltage equipment, these corrugated, non-conductive switchboard mats are ideal for use in various industries. Conforms to ANSI/ASTM D-178-01 Type II.

Model	Thick"	W' x L'	Color
B2240163	$\frac{1}{4}$	2 x 3	Black
B2305708	$\frac{5}{8}$	3 x 5	Black/Yellow
B2240158	$\frac{1}{4}$	3 x 75	Black/Yellow
B2305694	$\frac{5}{8}$	3 x 75	Black
B2240159	$\frac{1}{4}$	3 x 75	Black
B2305709	$\frac{5}{8}$	3 x 5	Black
B2240161	$\frac{1}{4}$	3 x 5	Black
B2240160	$\frac{1}{4}$	3 x 5	Black/Yellow
B2305635	$\frac{5}{8}$	3 x 75	Black/Yellow
B2098914	$\frac{1}{4}$	2 x 75	Black



STACKABLE PLATFORM & MAT

Platforms are capable of building out horizontally and up vertically for a modular, ergonomic work height. All Platforms accept $\frac{7}{8}$ " Thick Anti Fatigue Mats.

2 $\frac{5}{8}$ " THICK STACKABLE PLATFORM		
W' x L'	Starter Model	Add-On Model
24 x 36	535301	535311
24 x 66	535304	535314
24 x 96	535307	535317
36 x 66	442838	442844
36 x 96	535310	535320
7 $\frac{7}{8}$ " THICK ANTI-FATIGUE MAT		
W' x L'	Black, no Border Model	
24 x 36	535341	
24 x 66	535344	
24 x 96	535347	
36 x 66	442853	
36 x 96	535350	



PAPER TOWEL DISPENSERS

- Variety of styles and sizes for public restrooms of any size or traffic level
- Manual paper towel dispensers accept various size towels
- Automatic dispenser is motion-activated with auto shutoff



TOILET SEAT COVERS & DISPENSERS

- Helps provide hygiene in public restrooms
- Available in stainless steel or plastic
- Paper seat covers come in pack of 5,000

Model	Description	Construction	Cap.
641155	Cover Dispenser	Plastic	500
B201858	Cover Dispenser	Stainless Steel	250
B3086063	Cover Dispenser	Black Stainless Steel	250
641157	Toilet Seat Covers		5000

Model	Description	Capacity	Construction	Color
640931	C-Fold/Multifold	350 C-fold/525 Multifold Towels	Plastic	Gray
640902	C-Fold/Multifold	400 C-fold/525 Multifold Towels	Stainless Steel	Stainless Steel
640932	Automatic Roll Towel	8" Non-perforated Towel Rolls	Plastic	Gray/Beige
641519	Automatic Roll Towel	8" Non-perforated Towel Rolls	Plastic	Gray
640930	Center Pull Towel	9" Center Pull Towel Rolls	Plastic	Gray
641289	Push Bar	8" Non-perforated Towel Rolls	Plastic	Gray/Beige
RESTOCK				
B3085225	Cfold Paper Towels	150 sheets/pack		White
B2685919	8" Roll Towels	6 Rolls/case		White



TOILET TISSUE DISPENSERS

- All dispensers mount easily in any public restroom stall
- Available in 1-roll, 2-roll, or 4-roll capacities
- Choose from plastic or stainless steel

Model	Brand	Dispenser	Cap./Rolls	Construction
640934	Global Industrial™	Standard	Two 5¼"	Plastic
261192	Palmer Fixture	Standard	Four 5¼"	Plastic
B201852	ASI®	Standard	Two 5¼"	Stainless Steel
640904	Palmer Fixture	Jumbo	One 9"	Plastic
640933	Global Industrial™	Jumbo	Two 9"	Plastic
640903	Global Industrial™	Jumbo	One 9"	Stainless Steel
B201853	ASI®	Jumbo	Two 9"	Stainless Steel
670310	Bathroom Tissue Paper	Standard	96 rolls/case	
B3085234	Bathroom Tissue Paper	Jumbo	12 rolls/case	



732358



641087

FEMININE HYGIENE

- An accessible & hygienic solution for the storage and disposal of sanitary products in public restrooms
- Durable stainless steel construction

Model	Description	Type	Finish
732358	Hygiene Dispenser	Free Vending	Stainless Steel
641087	Sanitary Receptacle	Single Sided	Stainless Steel
RESTOCK			
B2376343	Tampax Tampons	Original	---
B2685326	Hospesco Maxithins	Ultra Thin	---



BATHROOM STAINLESS STEEL URINAL SCREEN

Create privacy for urinals in public bathrooms with Global Industrial™ stainless steel urinal screens. Restroom privacy partitions are 1" thick and made using Type 304 stainless steel. Urinal screens are formed and cemented under pressure to a double faced honeycomb paper core. Units include bracket kit and hardware for easy wall mounting.

Model	W" x H"	
261997	18 x 42	
261998	24 x 42	
Model	Description	Type
RESTOCK		
640989	Urinal Screen	Citrus



HIGH-VELOCITY HAND DRYERS

- Touch-free operation maintains sanitary hands during drying
- Dries hands in 15 seconds or less
- Hands-under and hands-in styles available

Model	Description	Style	Color Finish
641591	Automatic Hand Dryer	Hands Under	Brushed Stainless
641164	Automatic Hand Dryer	Hands Under	Stainless
641565	Automatic Thin Hand Dryer	Hands Under	Brushed Stainless
640955	Vertical Hand Dryer	Hands In	Silver Plastic
640955W	Vertical Hand Dryer	Hands In	White



641456BK

641450

HEAVY-DUTY HAND CLEANER DISPENSER

Constructed from durable plastic, this Heavy-Duty Hand Cleaner Dispenser is easy to maintain and refill. For use with 2L Heavy-Duty Hand Cleaner Refills (sold separately).

Model	Description	Style
641456BK	Dispenser	Wall Mount
641455	2L Refill	Walnut Scrub
641450	1 Gal. Pump	Orange Scrub
641451	1 Gal. Pump	Cherry Scrub

BOBRICK® CLASSICSERIES™ RECESSED CONVERTIBLE FOLDED PAPER TOWEL DISPENSER/RECEPTACLE

This ClassicSeries™ Recessed Convertible Folded Towel Dispenser and Receptacle is ideal for use in heavy traffic restrooms and changing areas.

Model	Paper Size/type	Receptacle Gal.	Color
B489320	600 C-fold/800 Multifold	12	Stainless Steel
B489406	8" Roll	12	Stainless Steel
B489408	350 C-fold/ 475 Multifold	2	Stainless Steel
B489285	600 C-fold/800 Multifold	3	Stainless Steel
B489352	600 C-fold/800 Multifold	6	Stainless Steel
B489074	350 C-fold/ 475 Multifold	2	Stainless Steel
B489388	600 C-fold/800 Multifold	12	Stainless Steel



LIQUID & FOAM SOAP DISPENSERS

- Manual or automatic dispensers come in plastic or stainless steel
- Auto dispensers are motion-activated with locked battery compartment
- Countertop dispensers hold liquid soap or sanitizing gel

Model	Description	Material	Cap. ml.	Mount
640905	Manual Liquid Soap	Stainless Steel	1185	Wall
695750	Automatic Liquid Soap	Plastic	1200	Wall
641520	Automatic Liquid Soap/ Sanitizer	Stainless Steel	700	Wall
641529	Automatic Liquid/Gel Soap/Sanitizer	Plastic	350	Counter Top

HAND SOAP & SANITIZERS

- Soap has a light fragrance and contains vitamin E
- Hand sanitizer comes in alcohol and alcohol-free formulas
- Both kill 99.9% of common germs within 15 seconds
- Manual and automatic dispensers have large view windows
- Top-dispensing technology reduces the risk of leaks



641460

695750

Model	Description	Size Gal.	Color	Pkg. Qty
SOAPS REFILLS				
641369	Liquid Hand Soap	1	Clear	4
641370	Liquid Hand Soap	1	Pink	4
640412	Liquid Hand Soap	1	White Pearl	4
640411	Foam Hand Soap	1	Orange	4
Model	Description	Dispenser Type	Fragrance	Pkg. Qty
FOAM SANITIZERS & SOAPS				
641460	Foam Hand Sanitizer - 62% Alcohol	32 oz. Pump	Linen	8
641459	Foam Hand Sanitizer - Alcohol free	32 oz. Pump	Linen	8
641458	Spring Meadow Foam Hand Soap	32 oz. Pump	Floral	8
641457	Ultra Green Foam Hand Soap	32 oz. Pump	Fragrance Free	8





PURELL® ES8 SOAP TOUCH-FREE DISPENSER & REFILLS

This touch-free hand soap dispenser is calibrated to provide the optimal dose of antimicrobial foam for effective hand hygiene. It has a coin cell battery integrated into the refill and Lock-Or-Not technology for converting to a locking system.

Model	Description	Capacity	Color	Qty. Pkg.
DISPENSERS				
B3092503	Touch-Free	1200 ml	Graphite	1 ea.
B3092547	Touch-Free	1200 ml	White	1 ea.
B3139814	Touch-Free	1200 ml	White	1 ea.
SOAP REFILLS				
B3092340	Antimicrobial Foam Soap	1200 ml	Fragrance-free	2/ctn.
B2376460	Antimicrobial Foam Soap	1200 ml	Plum	2/ctn.
B3092330	Foam Sanitizer	1200 ml	Fragrance-free	2/ctn.
B3092326	Foam Sanitizer	1200 ml	Cranberry	2/ctn.
B3092251	Gel Sanitizer	1200 ml	Clean	2/ctn.
B2376344	Gentle Foam Soap	1200 ml	Fragrance-free	2/ctn.
B3092476	VF Plus Gel Sanitizer	1200 ml	Fragrance-free	2/ctn.



PURELL® ADVANCED PUMP BOTTLE INSTANT HAND SANITIZER

This refreshing gel kills more than 99.99% of most common germs that may cause illness. Clinically proven to maintain skin health, this hand sanitizer outperforms other brands ounce for ounce.

Model	Type	Size	Dispense Type	Qty. Pkg.
B2311644	Gel	12 oz.	Pump Bottle	12
B567115	Gel	2 oz	Pump Bottle	24
B3092399	Gel	1 oz	Flip Cap	36
B3092473	Foam	535 ml	Pump Bottle	4
B3139792	Pad	5" x 7"	Individually Wrapped	100
B3139791	Pad	5" x 7"	Individually Wrapped	1,000
B259728	Towlette	5" x 7"	Individually Wrapped	1,000
B2304054	Towel	5" x 7"	Pouch	2
B3139811	Gel	1.2ml	Individual packet	125



TORK® HAND TOWELS AND DISPENSERS

- Dispensers are available as wall-mount or countertop
- Manual or automatic dispensing
- Multifold and roll towels available

Model	Type	Style	Color
PAPER TOWEL DISPENSERS			
B2837426	Wall-Mount	Pull	Black
B2837409	Countertop	Pull	Black
B3092298	Wall-Mount	Hands-free	Stainless Steel
SUPPLIES			
B3092227	2-Ply Multifold Hand Towels	9½" x 9½"	16 packs
B3167544	Hardwound Paper Towels	7¾" x 700'	6 Rolls
B2376404	Universal Multifold Hand Towels	9½" x 9½"	16 packs
B2273829	Universal 1-Ply Multifold Hand Towels	9½" x 9½"	16 packs
B2376410	2-Ply Paper Towels	11"x9"	30 Rolls
B2686196	PeakServe Continuous Hand Towels	7.9" x 8.8"	12 Packs
B2376406	Advanced Xpress Multifold Hand Towels	9½" x 9½"	16 packs
B2685874	Advanced Multifold Hand Towels	9" x 9½"	16 packs



KIMBERLY CLARK TOILET PAPER DISPENSERS AND SUPPLIES

- Various sizes and dispenser types to fit your needs.
- Brands you know, trusted since 1913.

Model	Type	Style	Color
DISPENSERS			
B2685117	Tissue Dispenser	Jumbo	Stainless Steel
B259987	Tissue Dispenser	Double	Smoke
B259989	Tissue Dispenser	Twin	Smoke
SUPPLIES			
B240965	Coreless Bath Tissue	1000 Sheets	36
B2081487	2-ply Coreless JRT JR. Roll	1150 ft.	12
B240972	JRT JR. Jumbo Tissue Roll	1000 ft.	12
B240966	Premium Bath Tissue	550 Sheets	80

WIPERS

Designed for maximum durability, Wipers are ideal for cleaning and wiping applications in offices, manufacturing plants, food service facilities, hospitals, and more. These non-woven wipers are perforated for size consistency and easily absorb in water, oil, grease, & cleaning chemicals. Featuring a longer service interval than pop-up boxes, these jumbo rolls allow the wiper source to remain stationary in common area.

Model	Application	Color	Number of Sheets
670202	Light-Duty	White	950
670203	General-Purpose	White	750
670204	Heavy-Duty	Blue	475
670205	Heavy-Duty	Red	475



TORK WIPERS

Tork® Wipers are your solution to heavy-duty cleaning in industrial settings. Built for versatility, these multipurpose wipers are highly absorbent and ideal for removing oil, water, and more. Available in jumbo rolls or portable, self-dispensing pop-up boxes, these wipers are gentle on your hands and leave a streak- and lint-free finish on glass.

Model	Application	Color	Number of Sheets
B2332322	General-Purpose	White	125
B2837457	General-Purpose	Blue	375
B2686146	Heavy-Duty	Blue	800
B2837423	Delicate Tasks	Green	100



KIMBERLY-CLARK WIPERS

These multipurpose cleaning cloths are an excellent and economical choice for your business. Highly absorbent and tear-resistant, these wipers come in a portable, self-dispensing pop-up box, allowing you to easily transport them to and from worksites. Units are an ideal solution for general automotive maintenance, housekeeping, manufacturing facilities, and other industrial settings.

Model	Application	Color	Number of Sheets
B1143690	General-Purpose	Blue	1,600
B2081494	Light-Duty	White	2,250
B2081484	Heavy-Duty	White	1,760
B1143569	Extra Heavy-Duty	White	1,000



SELLERS WIPERS

From painting and staining to industrial and general cleaning applications, TOOLBOX® rags and wipers are highly absorbent and durable enough for tackling your toughest jobs. These wipers are packaged in a portable dispenser box that allows for convenient carrying to and from job sites. Available options include light-duty, food-safe light-duty, general-purpose, and heavy-duty. Made in the USA.

Model	Application	Color	Number of Sheets
B1541998	General-Purpose	White	1,200
B1541934	Light-Duty	Blue	800
B1541920	Light-Duty	Brown	1,080
B1541951	Heavy-Duty	Blue	800





“WET FLOOR” CAUTION SIGNS

- Protect employees from injuries on dangerous slippery surfaces
- Feature ANSI-compliant graphics
- Available in plastic and stainless steel
- Folds for storage

Model	Description
261725	Plastic
261726	Multi-Lingual Plastic
641436	Multi-Lingual Stainless Steel



MOP BUCKETS WITH WRINGER COMBO

- Maneuver around hard floor surfaces with ease
- Corrosion-resistant polypropylene
- Comfort grip handle for easy and efficient wringing
- With side-press or down-press wringer

Model	Pressure
260594	Side
260595	Down



MOP HEADS AND HANDLES

- Mop heads constructed from blue blend for less unraveling, linting, and increased floor coverage
- Mop handle features plastic quick-change head that firmly grips mops
- Available in various styles and sizes

Model	Description	Material
261829	Medium Mop Head	Cotton/Rayon/Synthetic Blend
261830	Large Mop Head	Cotton/Rayon/Synthetic Blend
261836	60" L Handle	Fiberglass



DIVERSEY™ PROMINENCE™ HEAVY DUTY FLOOR CLEANER, CITRUS SCENT, 5 L BOTTLE

Diversey's Ready To Dilute (RTD) System has multiple dilution ratios designed to handle all types of soil loads, allowing you to pick the right concentration for your floor. Floors dry film-free, with no rinsing required. Formula is pH neutral when diluted, so it won't harm floors.

B3167620



ULTRA HIGH-SPEED FLOOR FINISH

- Ideal for frequent buffing or burnishing programs including propane machines
- Provides a long-lasting, mark-resistant finish with a brilliant deep gloss
- Four 1-gallon bottles per case

640403



CLEANING CHEMICALS


- Floor cleaners offer solutions for buffing, stripping, and cleaning hard floors
- General purpose cleaners and degreasers cut through just about everything
- Glass cleaner offers streak-free, non-ammoniated cleaning

Model	Description	Size	Case Qty.
FLOOR CLEANERS			
640403	Ultra High Speed Floor Finish	Gallon	4/1 Gal.
640404	Floor Cleaner & Deodorizer	Gallon	4/1 Gal.
640405	Super Concentrated Floor Stripper	Quart	6/1 Qt.
GLASS & MIRROR CLEANER			
640414	Glass & Mirror Cleaner	Gallon	4/1 Gal.

Model	Description	Size	Case Qty.
GENERAL PURPOSE CLEANERS & DEGREASERS			
640406	Heavy-Duty Cleaner & Degreaser	Gallon	4/1 Gal.
640407	Multi-Purpose Cleaner & Degreaser	Gallon	4/1 Gal.

BATHROOM ODOR CONTROL

- Urinal screens contain organic deodorizing compounds that are stronger than traditional vinyl
- Deodorizing urinal and toilet mats neutralize odors and protect floors by catching and absorbing splashes and drips



Model	Description
640988	Urinal Screen
640989	Urinal Screen
640992	Deodorizing Urinal Mat
640993	Deodorizing Toilet Bowl Mat

MICROFIBER CLOTHS

- Made from quick-drying polyester and polyamide fiber
- Can be laundered and reused up to 500 times
- Microfiber texture increases effective surface area, allowing cloths to grab fine particulates
- Can be used wet or dry—no chemicals required



Model	Color	Application	Pkg. Qty.
670233	Green	Cleaning	12
670234	Red	Cleaning	12
670235	Blue	Cleaning	12
670236	White	Polishing	12

MAGNETIC FLOOR SWEEPERS

These manual-push magnetic floor sweepers allow easy metallic debris pick-up on virtually any floor surface. Perfect for sweeping factory aisles, shop aisles, construction sites, walkways, loading docks, & parking lots, these sweepers help get rid of damaging steel, nails, wire, screws, and more.



Model	Cleaning Width"	Lifting Power Lbs.	Magnetic Surface Area"	Pick Up Measurement (8-Penny Nail)
641775	18	50	54	500 Nails/5 Lbs.
641776	24	55	72	600 Nails/6 Lbs.
641777	30	60	90	700 Nails/7 Lbs.
641778	36	65	108	800 Nails/8 Lbs.

AUTOMATIC AIR FRESHENER REFILLS

Designed to neutralize odors, these automatic refills contain approximately 3,400 metered sprays and provide coverage up to 6,000 cubic feet to keep rooms smelling clean & fresh.



Model	Cleaning Width
641082	Mountain Air 7 oz. Can - 12 Refills/Case
641081	Fresh Linen 7 oz. Can - 12 Refills/Case
641326	Fresh Linen 15 oz. Can, 12 Refills/Case
641324	Citrus 15 oz. Can, 12 Refills/Case

LOBBY BROOM & DUST PAN

- Lobby broom is cut and shaped for easy sweeping under tables, fixtures, and hard-to-reach areas
- Upright dustpan features a quiet hinge pin design and wheels on the back



Model	Description	Dimension"	Pkg. Qty.
261728	Lobby Broom	8 x 1 x 36	6
261727	Upright Dust Pan	13 x 11 x 37	6
261790	Broom/Dust Pan Combo Kit		

24" PUSH BROOMS WITH PLASTIC BLOCK & STEEL HANDLE

- Collect and move dust & heavy debris
- 3" polypropylene bristles
- Choose from rough, fine, or multi-purpose



Model	Style
641531	Fine Sweep
641533	Rough Sweep
641535	Multi-Sweep

5S JANITORIAL SHADOW BOARDS

Janitorial shadow boards reduce cost and downtime by keeping cleaning supplies neat and accessible in one central location. These boards have outlines for brooms, dustpans, & other tools, minimizing the time it takes to find something. Ideal for manufacturing facilities or any other janitorial storage needs.



Model
B2335131
B2335134

B2335131

B2335139

AUTOMATIC AIR FRESHENER DISPENSERS

Provide effective & consistent room deodorizing with automatic air freshener dispensers. Ideal for most settings, these air fresheners are preprogrammed to spray every 15 minutes and have a built-in indicator light that alerts when the fragrance canister needs replacing.



Model	Cleaning Width
641080	Automatic Air Freshener Dispenser - White
641085	Air Freshener Refills w/ Free Dispenser - Lemon
641086	Air Freshener Refills w/ Free Dispenser - Mountain Air
641084	Air Freshener Refills w/ Free Dispenser - Fresh Linen



WET DRY SQUEEGEE VACUUM

- Offers a 24.8"W front-mount squeegee assembly
- 8" diameter stair climbing wheels for ease of mobility up and down stairs
- On-board tool storage includes the following tools; crevice tool, dusting brush, 2-piece stainless steel wand and wet & dry pick-up tools
- Includes 9.5'L vacuum hose

Model	Capacity	Water Lift"	Filter
641415	18½ Gal.	52	Cloth
641418	Cloth Replacement Filter		



AIR MOVERS & FLOOR DRYERS

- Efficient drying power for floors, walls, and ceilings
- Industrial design
- Durable polypropylene construction

Model	CFM	HP	Number of Speeds	Voltage
641764	4,000	1	3	115
641765	4,000	½	2	115
641763	2,200	½	2	115
641770	2,800	¾	3	115
641767	1,200	¼	Variable Speed	115
641769	2,800	¼	1	115



641536

FLOOR SQUEEGEE

- Rigid construction reduces flexing while pushing alongside hard level surfaces such as tile, brick, and concrete
- Smooth, 60" bamboo handle is comfortable to grip and hold while applying force
- Frame steel housing with zinc coating provides long lasting endurance and performance durability under impact, strain, or friction
- Slim, compact design is easy to store when not in use

Model	Description	Width"	Blade
641536	Floor Squeegee with Wood Handle	24	Straight
641537	Floor Squeegee with Wood Handle	24	Curved
641538	Floor Squeegee with Wood Handle	36	Straight
641539	Floor Squeegee with Wood Handle	36	Curved
Model	Description	Size	Case qty
640407	Multi-purpose Cleaner Degreaser	Gallon	4/1 Gal.



ENPAC® WATER-FILLED SPILL & FLOOD BARRIER

Create a diversion in minutes by filling the tube with water using a standard garden hose and build a berm barrier where it's required. Common applications include vehicle and equipment washdowns, doorway barriers, flood control, storm water management, and spill prevention near and around drains.

Model	L' x W"	Height"	Color
B3162186	5 x ½	6	Yellow
B3162237	10 x ½	6	Yellow
B3162187	25 x ½	6	Yellow



AQUASAFE® LIQUID ABSORBING SANDLESS SANDBAG

Can be used both as a sandless sandbag and a water absorbent pad. Flood bags are the perfect solution to keep on hand to clean up water messes such as overflowing toilets, leaking sinks and spilled liquids. Alternatively, they are self-absorbing and can be used as a self-activating sandbag alternative which soaks in and holds, without leak, up to 50-times its dry weight. Can be used both commercially and for private residences. Made in USA.

Model	L' x W"	Weight Lbs.	Pkg. Qty.
B3129464	22 x 16	1	5
B3129463	22 x 16	1	10
B3129462	22 x 16	1	20
B3129465	10 x ½	1	40

STAINLESS STEEL HEPA WET/DRY VACUUMS

- Industrial-grade wet/dry vacuums feature a high-quality cartridge
- Additional drywall bag for fine dust
- Super quiet motors
- On-board tool kit
- No messy filters



CANISTER VACUUM

- Lightweight and powerful
- HEPA filter removes 99.97% of air particles down to 0.3 microns
- Low operating noise, appropriate for public areas
- Washable sack filter & motor filter
- Meets OSHA filtration requirements



AUTO WALK-BEHIND SWEEPER

- 36" Cleaning Path
- Up to 6 hours of cleaning time on one charge
- Cleaning capacity of up to 51,667 sq. ft./hr.
- Hopper tank capacity: 9.25 gal.
- Suitable for use on flat cement, asphalt, tile, marble, and other hard surfaces

COMMERCIAL UPRIGHT VACUUM W/TOOLS

- Easy transitions between carpet and hard surfaces
- Deodorizing carbon HEPA filter
- LED headlight and full bag indicator
- Telescopic & extension wands, crevice & upholstery tools, dust brush, small-area turbo brush
- Certification: ETL/cETL



641835



FLOOR MACHINES

- Low-speed operation for use on wet hard and tile floors
- Heavy-duty 1.5 peak horsepower motor
- Triple-planetary, all-steel gear box transmission for long life
- Safety lock-out switch on handle with easy access thumb control



Model	Cleaning Path/Deck"	Speed RPM
641253	20	180-320
641252	20	175
641251	17	175

WIDE AREA CARPET VACUUM CLEANER

- Extra-wide 30" cleaning path
- Covers large, carpeted areas with 22,605 ft²/hr. cleaning capacity
- Includes crevice tool, round brush, floor nozzle, and upholstery nozzle
- 80-Foot replaceable power cord



641830



Blue LED Safety
Warning Spotlight



AUTO RIDE-ON FLOOR SCRUBBERS

- Provides superior performance for heavy-duty cleaning and scrubbing applications
- Rotationally-molded polyethylene housing is corrosion- and impact-resistant
- Available in 40", 34", and 22" cleaning widths
- Over 4.5 hours of continuous runtime per charge

Model	Cleaning Path"	Solution Tank Gal.	Pad Pressure Lbs.
641407	22	28.8	100
641245	34	40	111
641750	40	40	111



Large Steering Wheel with
Knob for Easy Maneuverability



49" Wide Cleaning Path

AUTO RIDE-ON SWEEPER

- A large-capacity hopper and water tank minimize refill time
- Cleaning width up to 49" with both side brushes
- Shake vibration technology shakes dust off the filters to improve suction
- Battery runtime up to 5 hrs.



SHOP OUR SCRUBBER COLLECTION



AUTOMATIC SCRUBBERS

Automatic scrubbers feature rotationally-molded polyethylene tanks that are corrosion- and impact-resistant. Pad Assist models help the machine move forward by the friction of the scrub deck against the floor, but the machine needs to be tilted forward to engage spinning pad. Traction Drive/ Self Propel models use an electric motor and require less effort to operate, reducing operator fatigue. Battery operated models have a 4.5-hour runtime and feature a battery management system with digital controller for longer runtimes. Includes heavy-duty cast aluminum squeegee assembly. Large capacity solution and recovery tanks. 3-Year Limited Warranty; Lifetime Warranty On Housing.

FLOOR SCRUBBERS								
Model	Cleaning Path/Deck"	Type	Power	Tank Cap. Gal. Sol./Rec.	Pad Pressure Lbs.	Water Lift"	Motor Brush HP	Vacuum HP
641751	13	Pad Assist	Battery, Two 12V 36Ah	2/4	66	18	0.34	0.34
641752	13	Pad Assist	Corded, 75'	2/4	66	25	0.16	0.54
641410	17	Pad Assist	Corded, 82'	9/10	77	102	0.5	0.67
641411	17	Pad Assist	Battery, Two 12V 80Ah	9/10	77	102	0.67	0.7
641250	18	Pad Assist	Corded, 82'	12/15	83	113	1	1.6
641263	18	Pad Assist	Battery, Two 12V 115Ah	12/15	83	113	0.75	0.5
261990	20	Pad Assist	Corded, 82'	12/15	83	113	1	1.6
641264	20	Pad Assist	Battery, Two 12V 115Ah	15/17	77	113	0.75	0.5
641244	20	Self-Propel	Battery, Two 12V 115Ah	15/17	77	113	0.75	0.5
641265	26	Self-Propel	Battery, Two 12V 115Ah	18/21	88	113	0.75	0.5
641840	34	Self-Propel	Battery	20/30.5	88	48	0.85	1

FLOOR PAD AND CHEMICAL BUNDLES						
Model	Floor Pad & Chemical Bundles	Mounting Pad Size	Package Quantity	Pad Shape	Color	
17LVTF	Luxury Vinyl Tile (LVT) Cleaning Pad & Chemical Package - 17"	17	14 Pads/4 Tubs	Round	Turfscrub Green, White	
17LAMFL	Laminated Flooring Cleaning Pad & Chemical Package - 17"	17	20 Pads/4 Tubs	Round	White, Red	
17HWDFL	Hardwood Floor Stripping, Polishing, and Cleaning Pad & Chemical Package - 17"	17	25 Pads/4 Tubs/4 Bottles	Round	White, Maroon, White, Red	
17VCTFL	Vinyl Composite Tile (VCT) Stripping, Polishing and Scrubbing Pad & Chemical Package - 17"	17	40 Pads/4 Tubs/4 Bottles	Round	Black, Green, Blue, Red	
20LVTF	Luxury Vinyl Tile (LVT) Cleaning Pad & Chemical Package - 20"	20	14 Pads/4 Tubs	Round	Turfscrub Green, White	
20LAMFL	Laminated Flooring Cleaning Pad & Chemical Package - 20"	20	20 Pads/4 Tubs	Round	White, Red	
20HWDFL	Hardwood Floor Stripping, Polishing, and Cleaning Pad & Chemical Package - 20"	20	25 Pads/4 Tubs/4 Bottles	Round	White, Maroon, White, Red	
20VCTFL	Vinyl Composite Tile (VCT) Stripping, Polishing and Scrubbing Pad & Chemical Package - 20"	20	40 Pads/4 Tubs/4 Bottles	Round	Black, Green, Blue, Red	



SCRUBBER SQUEEGEES		
Model	Description	Mounting location
641788	Replacement Squeegee Blade For 13" Scrubber	Front
641789	Replacement Squeegee Blade For 13" Scrubber	Rear
262000	Replacement Squeegee Blade for 17", 18", 20", 22" & 26" Scrubber	Front
262001	Replacement Squeegee Blade for 17", 18", 20", 22" & 26" Scrubber	Rear
261180	Replacement Polyurethane Squeegee Blade for 18" Scrubber	Front
261183	Replacement Polyurethane Squeegee Blade for 18" and 20" Scrubber	Rear
261182	Replacement Polyurethane Squeegee Blade for 20" Scrubber	Front
261184	Replacement Polyurethane Squeegee Blade for 26" Scrubber	Front
261185	Replacement Polyurethane Squeegee Blade for 26" Scrubber	Rear
641248	Squeegee Blade for 34" and 40" Auto Ride-On Floor Scrubber	Front
641249	Squeegee Blade for 34" and 40" Auto Ride-On Floor Scrubber	Rear



641821



641820



Available without Cabin & A/C

CAT® C70RX AUTO RIDE-ON SWEEPER WITH A/C CABIN

Thanks to its large-capacity tanks and array of side and center roller brushes, this sweeper boasts a wide 70" cleaning path that cleans 204,514 sq. ft./hr. It is outfitted with technology that shakes dust off the filters and a front mister that provides both dust suppression and consistent suction. For safety, it has a rearview backup camera, turn signals, seatbelt, LED headlight, blue safety light, and a non-slip platform.

CAT® FLOOR MACHINES, VACUUMS, AND SWEEPERS. AVAILABLE FOR YOUR NEEDS.

641747



CAT® C40R AUTO RIDE-ON FLOOR SCRUBBER

With a 40" cleaning path, excellent brush pressure, a 220 RPM motor, and 73,518 sq. ft./hr. of coverage, this scrubber has safety features that include a seatbelt, front warning light, front bumpers, and a non-slip platform.

641748



CAT® C49R AUTO RIDE-ON SWEEPER

Equipped with two independent side brushes that provide a wide 49" cleaning path, the CAT® C49R is ideal for use on concrete, ceramic tile, marble, and other hard surfaces; and it can handle ramps & inclines up to 18%. Self-cleaning filters and a front water mister provide dust suppression and consistent suction, while the seatbelt, bright LED headlight, and a non-slip diamond tread platform help keep the rider safe.

CAT® C26R AUTO RIDE-ON FLOOR SCRUBBER

- 26" cleaning path with a cleaning capacity of 37,600 sq. ft./hr.
- Impact-resistant body, LED headlight, and blue warning light
- 23-gallon solution and 26-gallon recovery tanks
- Rechargeable battery & charger, USB charging port, phone & cup holders
- For indoor use in dry conditions
- Detachable squeegee assembly with storage
- Comes assembled



641811



7" LCD
Touch Screen



641746

CAT® C20T AUTO FLOOR SCRUBBER WITH TRACTION DRIVE

- 7" LCD touchscreen interface
- 20" cleaning path and multiple drive settings
- Polyethylene tanks are corrosion- and impact-resistant
- 100 lb. pad pressure with heavy-duty motor



641745

CAT® C20E ELECTRIC WALK-BEHIND CORDED AUTO FLOOR SCRUBBER

- Corrosion- and impact-resistant polyethylene tanks
- Wide 20" cleaning path for easy maneuverability
- Pad-assist feature helps pull the machine forward
- 110 lb. brush pressure with heavy-duty motor
- Large 12-gallon solution and 15-gallon recovery tanks
- Heavy-duty cast aluminum squeegee



641757

CAT® C21V STAINLESS STEEL HEPA WET/DRY VACUUM

- HEPA filter and reusable filter bag captures fine dust
- Large 21-gallon tank capacity
- On-board tool storage and 33' GFCI power cord
- Two large rear wheels and two front casters
- Removable canister allows for easy maintenance



641759

CAT® C16V STAINLESS STEEL WET/DRY VACUUM

- Large 16-gallon capacity tank and dolly design increase productivity
- On-board tool storage and 15' GFCI power cord



641758

CAT® C06V STAINLESS STEEL WET/DRY VACUUM

- On-board tool storage and 15' GFCI power cord
- Four swivel casters provide easy mobility
- 6.6-gallon tank capacity



©2025. Caterpillar CAT, CATERPILLAR, their respective logos, "Caterpillar Yellow," "Caterpillar Corporate Yellow," as well as corporate and product identity used herein, are trademarks of Caterpillar and may not be used without permission.



LINE STRIPER, 20 OZ. AEROSOL SPRAY CAN CAPACITY

Quickly paint straight lines with the Line Striper. These heavy-duty striping machines are ideal for painting lines on asphalt, grass, and concrete. The unit's all-steel construction is durable, while its 7" wheels roll smoothly across all surfaces. Unit features built-in paint storage, ensuring you'll have enough on hand to complete the job.

Model
670691



B284335

NEWSTRIPE ROLLMASTER™ 5000 PARKING LOT STRIPING MACHINE

NewStripe's RollMaster™ 5000 Battery-Powered Line Painting Machine is perfect for those big parking lot, factory, or warehouse striping jobs. Use it to quickly stripe 2,000 feet with a 5-gallon pail. Mechanically-driven pump does not touch paint for quick, no-hassle cleanup. Comes with 4" rollers. Made in USA.

Replacement Roller Kits			
Model	Roller Size"	Quantity	Includes
B284335	Fits 2, 3, 4"	3	Striping Machine
B1868512	4	3	Rollers, Discs, Hose
B1868513	3	3	Rollers, Discs, Hose
B1868514	2	3	Rollers, Discs, Hose
B954900	4	12	Rollers & Discs Only



LINE STRIPER STRIPING PAINT

VOC-compliant & lead-free, this specially formulated traffic paint adheres to most surfaces and dries in 20 minutes. Great for parking lots, warehouse and factory aisles, parks and outdoor facilities. Use high-solids paint for turf surfaces. Sold in cases of 12.

Model	Color	Linear Feet (4"W)	Solids Content
962396	Yellow	800	45%
962397	White	800	45%
962394	Yellow	700	22%
962393	White	700	22%
962395	Blue	700	22%



LATEX-ITE® 5 GAL. LINE STRIPING PAINT

Latex-ite® line striping paint is a lead-free, fast-drying, acrylic, waterborne traffic paint for blacktop or concrete. This paint dries in just 10 minutes and conforms to most state and federal specifications, including TT-P-1952E Type I & II.

Model	Color
B1591804	Yellow
B1591805	White
B1591806	Blue



ARMORPOXY ARMORULTRA JOB ON PALLET EPOXY SYSTEM

ArmorPoxy ArmorUltra Job on a Pallet Kit is a Super-Duty Military Grade epoxy floor coating system, ideal for high-traffic areas like warehouses, factories, manufacturing plants, aircraft maintenance facilities, restaurants, kennels, automotive shops, and more. The system is applied by using 18" roller pads and is a perfect solution for restoring concrete floors in any type of industrial setting. The epoxy system is meant to be used for indoor applications only.

- Two-layer system consists of an epoxy primer and a 2-part military-grade polyurethane colored topcoat, resulting in a coating 8-10 mils thick
- Three-layer performance system consists of primer, epoxy, and a polyurethane topcoat, resulting in a coating 25-30 mils thick (5-6 times thicker than standard floor paint)

2-Layer System			
Color	1000 Sq. Ft. Model	2500 Sq. Ft. Model	5000 Sq. Ft. Model
White	B3175817	B3175828	B3175829
Light Gray	B3175858	B3175856	B3175859
Medium Gray	B3175884	B3175897	B3175885
Dark Gray	B3175841	B3175842	B3175843
Charcoal Gray	B3175907	B3175908	B3175954
Desert Tan	B3175855	B3175857	B3175867
Tile Red	B3175827	B3175834	B3175835
Blue	B3175965	B3175818	B3175819

3-Layer System			
Color	1000 Sq. Ft. Model	2500 Sq. Ft. Model	5000 Sq. Ft. Model
White	B3175814	B3175815	B3175816
Light Gray	B3175849	B3175851	B3175853
Medium Gray	B3175875	B3175876	B3175883
Dark Gray	B3175838	B3175839	B3175840
Charcoal Gray	B3175898	B3175905	B3175906
Desert Tan	B3175850	B3175852	B3175854
Tile Red	B3175830	B3175824	B3175826
Blue	B3175962	B3175963	B3175964



RUST-OLEUM TURBOKRETE CONCRETE PATCH KIT

Restore damaged curbs and severely spalled floors with these high-performance concrete patch kits. 3-4 times stronger than concrete, this 100% solids epoxy patch kit repairs damaged concrete, fills deep holes, and protects against abrasions, impacts, and most chemicals. For indoor and outdoor use, this trowel-applied, fast-cure formula is easy to mix and dries quickly.

Model	Pail Size Gal.
B686338	2
B686372	3 1/2



SPRAYERS

The Sprayers are designed to evenly distribute chemicals for outdoor environments, including maintenance, landscaping, agriculture, and more.

Model	Description	Cap. Liters
534553	Manual Backpack Pump Sprayer W/ Brass Wand & Nozzle	2
534735	Landscaping, Sanitizing & All-Purpose Handheld Sprayer	1.5
534736	All-Purpose Handheld Sprayer	2
534737	All-Purpose Pump Sprayer	4
534738	All-Purpose Pump Sprayer	5
534739	All-Purpose Pump Sprayer	8
534740	All-Purpose Pump Sprayer	12



SPREADERS AND WHEELBARROWS

Spreaders effectively handle ice, snow, and seeds in various outdoor settings. These versatile devices play a crucial role in maintaining safety during winter conditions and preparing the ground for spring. Spreaders come in various sizes and configurations, accommodating both residential and commercial needs.

Model	Description
640788	Universal Spreader, 100 Lb. Cap.
640392	Buyers Commercial Salt & Sand Tailgate Spreader
B2320751	Buyers Walk-Behind Broadcast Spreader, 100 lb. Cap.
B3082224	Agri-Fab® Push Spreader, 130 Lbs.
B2375082	Agri-Fab® 185 LB. Broadcast Tow Behind Spreader
B2375085	Agri-Fab® 85 LB. Deluxe Broadcast Push Spreader
B2241866	Jescraft™ All-Welded Steel Wheelbarrow 6 Cu. Ft. Cap.
B393544	Ames 8 Cu. Ft. Poly Wheelbarrow With Dual Wheels
B2241868	Jescraft™, All-Welded Steel Wheelbarrow 6 Cu. Ft. Cap.
B393546	Jackson® 5.75 Cu. Ft. Poly Contractor Wheelbarrow

SHOVELS & SCRAPERS

Whether for construction, landscaping, gardening, or snow removal, shovels are indispensable tools for handling diverse materials such as soil, gravel, snow, and more. Some shovels come with weather-resistant coatings, providing protection against rust and corrosion, making them suitable for outdoor use in various conditions.



Model	Description
B363084	Union Tools® 14" Poly Blade Scoop W/ Wood D-Grip Handle
B363077	TrueTemper 18" Ergonomic Poly Blade Combo Snow Shovel W/ Steel D-Grip Handle
B326441	TrueTemper #12 Poly Scoop W/ D-Grip Handle
B1598961	TrueTemper 16" Poly Blade Combo Snow Shovel W/ Steel D-Grip Handle
B363074	Union Tools® 30" Poly Blade Snow Pusher W/ Wood D-Grip Handle
B325755	TrueTemper #12 Poly Scoop W/ Cushion Grip Handle
B363080	Union Tools® 24" Poly Blade Snow Pusher W/ Wood D-Grip Handle
B363079	Union Tools® 18" Poly Combo Snow Shovel W/ Wood D-Grip Handle
B326259	Razor-Back® General Purpose Steel Scoop W/ Straight Wood Handle
B325724	Union Tools® 8 5/8" Square Point Digging Shovel W/ D-Grip Handle



OUTDOOR POWER EQUIPMENT

Heavy-duty facilities maintenance equipment is designed to keep lawns and outdoor spaces pristine. Push and zero-turn lawn mowers efficiently cut grass; leaf blowers and rakes collect leaves; lawn rollers and aerators smooth or open the soil; and seed spreaders efficiently distribute seeds, fertilizers, and more. These powerful machines can be used commercially or by DIY homeowners.

Model	Description
534842	EGO POWER+ 56V Battery Powered 52" Zero Turn Lawn Mower Kit
534850	EGO POWER+ 56V 765CFM Blower Kit W/ 2 5.0Ah Batteries
501236	Milwaukee® 18V 160MPH 100CFM Compact Cordless Handheld Blower (Bare Tool)
535956	Makita® 18V X2 (36V); Cordless Brushless Blower Kit W/ Two 5.0Ah Batteries
534745	EGO POWER+ 56V 21" Select Cut Poly Deck Self Propelled Mower Kit W/ 7.5Ah Battery & Charger
B3054877	Skil PWR CORE 20; Brushless 400 CFM Leaf Blower With 4.0Ah Battery & Charger
535518	EGO POWER+ 56V 100MPH 530CFM Cordless Handheld Blower Kit W/ 2.5Ah Battery & Charger
B2280550	Milwaukee®; 16" Cordless Chainsaw Kit W/ 12.0Ah Battery
534852	EGO POWER+ Select Cut XP Lawn Mower Kit W/ 2 10.0 Ah Batteries
B1770728	Makita®; 203MPH 145CFM 6.8 Amp Corded Hand Handheld Blower Vacuum



277436

INTERION® MID-BACK MESH OFFICE CHAIRS

These ergonomic task chairs have a nylon mesh back for cool, ventilated, and supportive comfort. Built-in lumbar support provides added back comfort. Additional features include a ratchet-back height adjustment, seat & arm height adjustment, and your choice of fabric or vinyl seats in four colors. 275 lb. capacity.

Model	Seat Material
WITH ARMS	
277436*	Fabric
277436V	Vinyl
ARMLESS	
695644*	Black
695644V	Vinyl

* Add Suffix to Model: Black (BK), Blue (BL), Gray (GY), Red (RD)

HIGH-BACK MESH OFFICE CHAIRS

Heavy-duty construction supports users up to 450 lbs. Breathable mesh back and thickly-padded black mesh fabric seat provide superior comfort. Sturdy aluminum base with gunmetal finish and five dual-wheel casters for easy mobility. Pneumatic seat height-adjustment.



Model	Type	Seat Range"
277514	Fabric	18½ - 21¼
248623	Fabric	17¼ - 21
248623H*	Fabric	17¼ - 21
248622	Mesh	17¼ - 21
249051	Leather	17¼ - 21
B251196	Fabric	18 - 21½

* Includes Headrest



695549

INTERION® HEAVY DUTY CHAIR

Mesh task chair that is built to last. The contemporary and practical design is ideal for a wide range of settings from office cubicles, conference rooms, or even remote home offices. The seat has a double layer of mesh to offer maximum support and the chair includes an upgraded cylinder mechanism to support up to 275 lbs. Height adjustable armrests are padded. Backrest locks into 3 tilt positions. Adjustable lumbar support and a synchro tilt with seat slider to accommodate all users.



INTERION® ERGONOMIC CHAIRS

Designed for comfort, this breathable mesh chair has a height-adjustable back and lumbar support. Both seat and back recline separately, and seat depth adjusts for users of any height. Armrests and headrest are adjustable, and headrest can be removed.

Model	Seat Material	Seat Color
695545	Mesh	Black
695544	Mesh	Gray



277374

506573

INTERION® EXECUTIVE CHAIRS

These chairs feature soft black bonded-leather upholstery with an antimicrobial surface that resists bacteria, mold, and mildew. Pneumatic mechanism adjusts seat height and the tilt-tension knob adjusts back tilt tension and locks it in place. BIFMA- and GREENGUARD-certified.

Model	Seat Material
277374	Synthetic Leather
B629805	Synthetic Leather
506573	Bonded Leather
238524	Bonded Leather



INTERION® 24-HR SEATING

When workstations need durable seating, consider the resilience of the Interion® 24-Hour Mesh-Back Chair. This chair is built to withstand long usage and features enough adjustability options to allow one person to comfortably work for long periods of time.

Model	Type
695487	Mesh
695643	Mesh
695643L	Mesh

INTERION® ESD SEATING

Our ESD chairs feature proper grounding, conductive, and dissipative static control materials and have been tested to meet ANSI ESD-STM-121-2006. They are manufactured to promote the grounding of electricity so no static discharge can occur. The intention is to move any potential static electricity from the item that is being worked on in instances where manufacturing of sensitive equipment and instrumentation occurs.



Model	Type	Material
695537*	Stool	Vinyl
695535*	Stool	Vinyl
B2304238	Tractor Stool	Polyurethane
695534*	Chair	Fabric
695536	Chair	Vinyl

* Add Suffix to Model: Blue (BL)

INTERION® CLEAN ROOM SEATING

Clean room chairs are used for sterile environments where it is critical that no particles or dust are in the air. Our clean room chairs have been tested to Fed Std.209E and ISO 14644-1 requirements (Class 10/ISO Class 4), ensuring the clean quality of the chair. Ergonomic benefits include an adjustable back rest with lumbar support for increased comfort during extended sitting durations, contoured waterfall design, treated vinyl and molded polyurethane cushioning.



Model	Style
695538BL	Chair - Blue
695538	Chair - Black
695539BL	Stool - Blue
695539	Stool - Black



INTERION® VINYL TASK STOOLS

Vinyl Task Stools are a durable, functional seating choice that are easy to clean. These stools are built to withstand daily wear and tear, and are ideal for use in offices, shop areas, service desks, and more.

Model	Arm Style	Seat Color
571119	Armless	Black
516124	Armless	Black
695263	Adjustable	Black
695645V	Armless	Black



INTERION® POLYURETHANE STOOLS

Interion Ergonomic stools are designed to increase employee productivity. Easy-to-clean, puncture-resistant polyurethane with a high-density foam core.

Model	Arms
571005	Armless
516125	Armless
571121	Armless



INTERION® 5-WAY ADJUSTABLE ERGONOMIC STOOLS

Seat and back tilt-adjustments, pneumatic seat-height adjustment, and an adjustable foot rail add up to optimal comfort for hours of sitting. Easy-to-clean, puncture-resistant polyurethane with a high-density foam core.

Model	Arms
250626	Armless
250626A	Adjustable
250627	Fixed

INTERION® FABRIC TASK STOOLS

Drafting Stool is perfect for work spaces in offices, warehouses, or facilities. Ergonomic design with nylon mesh back conforms to body for cool, ventilated and supportive comfort. Equipped with built-in lumbar support to reduce back and neck tension and a foot stool to provide stability and support.



Model	Style
695262*	Adjustable
695645*	Armless
695546	Adjustable-Black
695547	Adjustable-Blue
695964	Adjustable-Gray
695548	Adjustable-Red

* Add Suffix to Model: Black (BK), Blue (BL), Gray (GY), Red (RD)



B2256223

HIGH-DENSITY STACKING CHAIR WITH SLED BASE

- Multipurpose guest side chair for commercial and residential use
- 500 lb. weight capacity
- Can stack up to 10 chairs high
- Floor protector plastic glides
- Ideal for reception, lounge, hospitality, and guest areas

Model	Color
B2256223	Black
B2256224	Black
B3178994	Gray



B1105791

PLASTIC EVENT FOLDING CHAIR

- Commercial-grade plastic
- Indoor or outdoor
- 650 lb. weight capacity
- Easily stacks 50 high from the floor for nesting storage
- 18-gauge steel frame
- Powder-coated finish

Model	Color
B1105791	Black
B1105792	White
B2290902	Gray



B2256278

24-HOUR BIG AND TALL LEATHER EXECUTIVE CHAIR

- Multi-shift task chair is designed for extended use
- Accommodates larger and taller body types
- 500 lb. capacity
- The high back extends to the upper back for greater lumbar support
- The tilt lock mechanism offers a comfortable rocking/reclining motion
- Double padded, contoured seat dissipates pressure points for greater comfort
- Swivels 360-degrees
- The pneumatic adjustment lever easily adjusts the seat to your desired height
- Heavy-duty metal base



B2560913

ADVANTAGE SERIES CHURCH CHAIR

- 16 Gauge, $\frac{13}{16}$ " square tube powder coated-steel frame
- 3" Padded, 100% virgin polyurethane foam seat
- Plywood base with cut away back for added lumbar support
- Foam and fabric meets CAL 117 flame retardant specification
- Fabric durability- 200,000 double rubs
- Weight limit- 800 lbs. (static weight)

Model	Color
B2560913	Black
536166	Navy
536167	Maroon
536168	Charcoal

BLACK LADDER BACK METAL RESTAURANT CHAIR

- Durable metal chair for high-traffic businesses
- 500 lb. weight capacity
- Ladder back design with curved high back for comfort
- Welded joint assembly with curved Support bar
- 18-gauge steel frame with powder-coated finish
- Floor protector plastic glides
- Designed for commercial use and suitable for home use
- For use in kitchens, restaurants, cafés, & bistros



Model	Finish	Color
B2290897	Vinyl	Black
B3179067	Cherry	Black
B3179077	Natural Wood	Black
B3179078	Mahogany	Black

MID-BACK SWIVEL ERGONOMIC TASK OFFICE CHAIR WITH FLIP-UP ARMS

- Contemporary task office chair with flip-up arms
- Mid-back design with breathable mesh
- Back Width: 17-20"
- Built-in lumbar support
- Tilt lock mechanism rocks/tilts the chair and locks it in an upright position
- Tilt tension adjustment knob adjusts the chair's backward tilt resistance
- Waterfall seat reduces pressure on your legs
- Pneumatic seat height adjustment
- 5-star nylon base with dual-wheel casters



Model	Description	Color
B2691958	Mid-Back Swivel	Gray
B2691961	Mid-Back Swivel	White
B2691962	Task Chair	Gray
B2691966	Task Chair	White

EXECUTIVE SWIVEL CHAIR

- Modern executive office chair with arms
- Black leather is soft & durable
- High back design with lumbar support
- Swivel seat with CAL 117 fire retardant foam
- Waterfall seat reduces pressure on your legs
- Tilt lock mechanism rocks/tilts the chair and locks in an upright position
- Tilt tension adjustment knob adjusts the chair backward tilt resistance
- Pneumatic seat height adjustment

Model	Description	Color
B2256313	Swivel Chair- High Back	Black
B2308150	Swivel Chair- High Back	Black
B2256314	Swivel Chair- High Back	White
536176	Swivel Chair- High Back	Gray



HEAVY-DUTY STACKING CHAIR HERCULES SERIES

- Multipurpose stacking guest chair for businesses or home offices
- 550 lb. weight capacity
- Stack quantity: 12
- Comfortable contoured cushions
- Stretcher bars provide additional support
- Floor protector plastic glides
- Versatile seating: reception chair, conference chair and office side chair



Model	Material	Color
B2263440	Vinyl	Black
B3179004	Fabric	Black
B3178992	Fabric	Gray
B3178993	Fabric	Burgundy

ERGONOMIC DRAFTING STOOL

- Contemporary drafting chair for use in home offices or professional workspaces
- 250 lb. weight capacity
- Mid-back design
- Flexible mesh back with built-in lumbar support
- Padded black fabric upholstered swivel seat
- Waterfall seat reduces pressure on your legs
- Pneumatic seat height adjustment
- Available with or without adjustable padded arms
- Height-adjustable black metal foot ring
- Heavy-Duty nylon base & dual wheel casters



Model	Description	Features
B2332628	Drafting Stool	Adjustable Arms
B2332667	Drafting Stool	Mesh Back



317101

INTERION® ANTIMICROBIAL SYNTHETIC LEATHER RECEPTION CHAIR

Make a good first impression and create an inviting reception area with these comfortable, synthetic leather upholstered guest chairs that feature luxurious 3½" thick foam cushions and padded armrests. The roomy seat measures 20½"W x 19", and the back measures 20½"W x 16"H (19"H from seat). 18 gauge all steel stable sled base. Upholstered in an antimicrobial agent which protects the upholstery from bacteria, mold, and mildew that causes odors and product degradation. Meets BIFMA Standards. Easy assembly. 1 Year Limited Warranty.



250787BK



516129BK

INTERION® RECEPTION SEATING

Make a good first impression with these comfortable padded guest chairs. Choose the style that complements your décor: vinyl, fabric, or mesh-back styles with an 18-gauge steel or wooden frame. Meets BIFMA standards.

Model	Frame Color	Seat Material	Arm Type
250787*	Black	Vinyl	Fixed
516129**	Black	Fabric	Fixed
695625	Cherry	Fabric	Fixed
695627	Black	Mesh/Fabric	Armless

*Add Suffix to Model: Black (BK), Burgundy (BY)
 **Add Suffix to Model: Black (BK), Gray (GY)

INTERION® RECEPTION TABLES

Furnish your reception area with these coffee and end tables. Sturdy and stylish, they feature laminate tops with PVC edge-banding and powder coat steel legs. Choose from four colors.

Model	Style	W" x D" x H"	Top Color
695754BK	End Table	24 x 24 x 17	Black
695755BK	Coffee Table	48 x 24 x 16	Black
695754GY	End Table	24 x 24 x 17	Gray
695755GY	Coffee Table	48 x 24 x 16	Gray
695754MH	End Table	24 x 24 x 17	Mahogany
695755MH	Coffee Table	48 x 24 x 16	Mahogany



695755BK



695754BK



695737-AM



695864



695865



695735GY-AM



695736GY-AM



695732

Model	Type	Color
695737-AM	Sofa	Black
695737GY-AM	Sofa	Gray
695736-AM	Loveseat	Black
695736GY-AM	Loveseat	Gray
695735-AM	Club Chair	Black
695735GY-AM	Club Chair	Gray

INTERION® RECEPTION SEATING

Decorate your office & reception area with this line of contemporary synthetic leather seating. Perfect for heavy-use areas, each piece of furniture has been treated with an antimicrobial compound that resists bacteria, mold, and mildew. Simply styled to complement modern or traditional décor, they have lightweight and durable frames and deep cushions for comfort. Choose from a sofa, loveseat, club chair, or bench.

Model	Type	Type	Color
695731	Guest/Side Chair	Fixed	Black/Black Frame
695865	Guest/Side Chair	Fixed	Black/Silver Frame
695732	Bench	Armless	Black/Black Frame
695866	Bench	Armless	Black/Silver Frame
695730	Guest/Side Chair	Armless	Black/Black Frame
695864	Guest/Side Chair	Armless	Black/Silver Frame

INTERION® STACKING CHAIR WITH MID BACK & FIXED ARMS

This stacking chair features a fabric-upholstered seat with web mesh that conforms to your body for cool, ventilated comfort, while the built-in lumbar support and plastic trim back add strength and support. Each seat has 4" thick comfort cushioning, fixed armrests to help reduce arm fatigue, a tubular steel frame with black finish, and dual-wheel swivel casters for easy mobility. Chairs can be horizontally stacked for quick and compact storage virtually anywhere.



INTERION® BANQUET CHAIRS

Padded chairs offer comfortable seating for banquets, meetings, or other gatherings. They feature an 18-gauge steel frame, 2" foam cushioning with fabric or vinyl upholstery, and waterfall seat. Can be stacked up to 10 high.



Model	Seat Material	Seat Color	Seat Thickness
695493	Vinyl	Black	2"
695494	Fabric	Black	2"
695862	Vinyl	Black	2"
695863	Vinyl	Black	2½"



INTERION® CHAIR CARTS

Stack folding chairs quickly and transport them to storage smoothly with these sturdy steel carts & trucks. Carts are equipped with non-marring, heavy-duty casters.

Model	Capacity	For use with	Type
250801	12 Chairs	Stacking Chairs	Vertical Stack
277431	35 Chairs	Folding Chairs	Vertical Stack
B2099151	50 Chairs	Folding Chairs	Vertical Stack
277435	36 Chairs	Folding Chairs	Horizontal Stack
B678987	84 Chairs	Folding Chairs	Hanging

INTERION® VENTILATED PLASTIC STACK CHAIRS

A stacking chair combines convenience with comfort. The contoured back is vented for air circulation, and the seat has a comfortable waterfall edge. The tubular sled base adds stability, and interlocking brackets let you join chairs in rows.

Model	Seat Color
250606BKA	Black
250606BLA	Blue



INTERION® MERION VENTED BACK MOLDED CHAIRS

Featuring a polypropylene shell with tubular steel frame for long-term use, these chairs have a contoured back and ventilating slot for comfortable seating. Chairs are equipped with non-marring glides & stack compactly at 2"H increments. Seat dimensions: 17"W x 16"D x 16"H & 17"H from floor. Sold 4 per carton, all the same color & style. Limited 2-Year Warranty.



Model	Type
921397BK	Arms
808665*	No Arms

Add suffix to Model: Black (BK), Blue (BL)

INTERION® STEEL FOLDING CHAIRS

Folding chairs are available in all-steel, or with vinyl or fabric seat and back. All have contoured backs for comfort, and a scratch- and chip-resistant powder coat finish. Welded leg braces keep chairs rigid and aligned, while safety hinges eliminate pinch points.

Model	Seat Material
607864*	Fabric
324501*	Steel
607863*	Vinyl

* Add suffix to Model: Black (BK), Beige (BG), Gray (GY)





INTERION® 4-SEAT INDOOR CAFÉ TABLE

Introducing the Interion round cluster table, meticulously crafted for indoor use with premium-quality materials. Featuring durable, commercial-grade laminate tops and comfortable wood seats, this table ensures longevity and style in any setting.

Model	Size	Top Color	Seat Color
536150	36" diam x 29"H	Grey Glace	Natural
536151	36" diam x 29"H	Grey Glace	Walnut
536152	36" diam x 29"H	Grey Glace	Black
536153	36" diam x 29"H	Fusion Maple	Natural
536154	36" diam x 29"H	Fusion Maple	Black
536155	36" diam x 29"H	Montana Walnut	Walnut
536156	36" diam x 29"H	Montana Walnut	Black



INTERION® BREAKROOM TABLES

Bar-height workstation tables combine durability with productivity. Designed for standing or sitting comfort with an all-around foot rest. Heavy-duty steel frame, super-strong bench top made of high-pressure laminate over MDF core. 8 power outlets. Gray or natural.

Model	L" x W"	Color
695671*	72 x 30	BK, CL, GY
695846*	72 x 36	BK, CL, GY
695670*	60 x 30	BK, CL, GY

*Add suffix to Model Number: Black (BK), Charcoal (CL), Gray (GY)



INDOOR PLASTIC FOLDING TABLES

Interion® By Global Industrial Plastic Folding Tables are sturdy enough for permanent use, lightweight enough for temporary needs, this durably made table's legs fold up in seconds for a compact overall storing thickness of only 1-3/4". Ample work surface is moisture-proof and corrosion and stain resistant polyethylene. Reinforced heavy-gauge 1-1/8" steel tube frame and legs for superior stability and strength.

Model	L" x W"	Color
506750	30 x 72	White
695811	30 x 60	White
277626	30 x 96	White
256560	60" Diam.	White



INTERION® CAFETERIA TABLES

These tables eliminate the hassle of moving and stacking chairs during cleaning, offering practicality in busy environments. Tables fold flat for convenient storage, making it ideal for dynamic environments. Torsion bars and torsion springs collaborate to deliver reliable lift assistance, ensuring smooth operation and longevity.

Model	Seat Style	Size	Color
536177	Bench	12'L x 29"H	Fusion Maple
536178	Bench	12'L x 29"H	Grey Glace
536179	Bench	12'L x 29"H	Montana Walnut
536180	Bench	12'L x 27"H	Fusion Maple
536181	Bench	12'L x 27"H	Grey Glace
536182	Bench	12'L x 27"H	Montana Walnut
536183	Stool	60" diam x 29"H	Fusion Maple
536184	Stool	60" diam x 29"H	Grey Glace
536185	Stool	60" diam x 29"H	Montana Walnut
536186	Stool	12'L x 29"H	Fusion Maple
536187	Stool	12'L x 29"H	Grey Glace
536188	Stool	12'L x 29"H	Montana Walnut



INTERION® STANDING HEIGHT TABLES WITH POWER

Bar-height workstation tables combine durability with productivity. Designed for standing or sitting comfort with an all-around foot rest. Heavy-duty steel frame, super-strong bench top made of high-pressure laminate over MDF core. 8 power outlets. Gray or natural.

Model	L" x W"	Color
238329	96 x 30	Gray
238328	72 x 30	Gray
695431	72 x 36	Gray
695430	72 x 36	Natural
695433	96 x 36	Gray
695432	96 x 36	Natural

INTERION® FLIP TOP TRAINING TABLES

Designed for versatility and maneuverability, the table's top flips up vertically using a simple lock release lever and

rests with other same-size models to take up less space when in storage. It is equipped with four 2-1/2" dual-wheel casters for smooth movement and they all lock to prevent accidental movement when in use. Made for a long service life, it features a steel frame & modesty panel with a black powder coat finish and a gray laminate top.

Model	L" x W"	Color
695220	72 X 24	Gray
695125*	72 X 24	Cherry
695219	60 x 24	Gray
695124*	60 x 24	Cherry
695218	48 x 24	Gray
695123*	48 x 24	Cherry

* Add Suffix to Model: Walnut (WN)





B457202

INTERION® SCIENCE TABLES

One piece top including sink is molded of polyolefin. Polyolefin is easy to clean, extremely chemical resistant, and is highly impact resistant to reduce glassware breakage. The low temperature strength eliminates cracking with dry ice. The long grooved sloping counter leads to large sink in center. Sink measures 24.5"W x 18.5"D x 14"H. Unit includes a hot and cold water mixing faucet. The cabinet bases are constructed of hardwood and oak veneers and include locks. Each of the outer cabinets have one adjustable shelf. The Clean Up Sink includes pulls, locks and rubber base molding.



695761



695609

INTERION® OPEN PLAN MODULAR DESKS

Modular system provides maximum versatility for your changing needs. This collection is suited for both individual and collaborative work. Surfaces are made of laminate and are pre-drilled for easy assembly. All hardware to connect desks is included.

Model	Description	W" x D" x H"	Color
695590	Office Desk	60 x 24 x 29	Charcoal
695606	Office Desk Return	48 x 24 x 29	Charcoal
695609	Pedestal with Cushion Seat	15 x 20 x 23¾	Red
695759	Low Credenza with Door	36 x 18.63 x 22	Black
695761	Low Credenza with Filing	36 x 18.63 x 22	Black



INTERION® STEEL TEACHER'S DESKS

These durable desks have an easy-clean laminate top and sturdy construction. File drawers can accommodate both letter- and legal-sized files. Pull-out pencil drawer allows easy access for small accessories. Grommet holes enable easy cable wiring.

Model	W" x D"
695631*	48 x 30
695632*	60 x 30
695633*	72 x 30

* Add Color Suffix to Model:
Gray (GY), Mahogany (MH),
Walnut (WN)



INTERION® PARTITION DESKING

Interion® By Global Industrial Office partition furniture helps optimize your partitioned work space, while adding functionality and storage. These modular components are made with 1 thick scratch resistant laminate work surfaces on charcoal finished steel frame. Desktop includes 2-3/16" diameter cable management grommet opening. Desk includes modesty panel and adjustable leveling glides. Easy assembly. 1 Year Limited Warranty.

Model	Description	W" x D" x H"
DESKS		
249012A*	Desk	36 x 24 x 30
240344*	Desk	48 x 24 x 30
240345*	Desk	60 x 24 x 30
240346*	Desk	72 x 24 x 30
240347*	Corner	36 x 36 x 30
248999*	Corner	48 x 48 x 30

CABINETS		
240276	36" Overhead Cabinet	
240277	36" Overhead Cabinet	
240278	36" Overhead Cabinet	

HANGING SHELVES		
240259	Hanging Shelf for 36" Panel	
240260	Hanging Shelf for 48" Panel	
240261	Hanging Shelf for 60" Panel	

* Add Suffix to Model: Cherry (CH), Gray (GY), Mahogany (MH), Rustic Gray (RGY), Walnut (WN)

INTERION® OFFICE PARTITIONS

Furnish any workspace with these convenient and reliable office partitions. The Interion® Freestanding Office Partition Panels provide versatile privacy for cubicles, reception spaces, call centers and more. Panels are made using 1-3/4" thick fabric upholstered panel with an MDF frame and honeycomb core covered with heavy tackable liner for structural strength. Panel trim is finished with self-extinguishing extruded polymer for optimum safety and rigidity. Panels are flame-retardant to meet the California 117 flammability standard. Steel T-legs ensure reliable freestanding stability, and make panels easy to adjust and rearrange. Various colors (Gray, Blue and Tan) and types (full fabric or partial window) offered.



FREESTANDING PANEL		FREESTANDING W/ WINDOW	DELUXE PANEL	DELUXE W/ WINDOW
Size	W" x H"	Model	Model	Model
24 1/4 x 42		694655F*	---	694652F*
24 1/4 x 60		694656F*	---	694653F*
24 1/4 x 72		694657F*	---	694654F*
24 1/4 x 96		695787F*	695787FW*	695791WF*
36 1/4 x 42		240224F*	694754WF*	694762WF*
36 1/4 x 60		238635F*	694675WF*	694683WF*
36 1/4 x 72		238636F*	694679WF*	694687WF*
36 1/4 x 96		695788F*	695788FW*	695792WF*
48 1/4 x 42		240225F*	694755WF*	694851F*
48 1/4 x 60		238637F*	694676WF*	694853F*
48 1/4 x 72		238638F*	694680WF*	694846F*
48 1/4 x 96		695789F*	695789FW*	695793F*
60 1/4 x 42		240226F*	694756WF*	694848F*
60 1/4 x 60		238639F*	694677WF*	694850F*
60 1/4 x 72		238640F*	694681WF*	694852F*
60 1/4 x 96		695790F*	695790FW*	695794F*

Add suffix (BL) for Blue, (GY) for Gray and (TN) for Tan

NOTE: Interion Freestanding Partition Panels also come as a Deluxe Model options with a wood topper. Visit Global Industrial's website for model numbers



INTERION® CUBICLE PARTITION PANELS


Interion® By Global Industrial partition panels help reduce noise, create privacy & use space efficiently. Panels can be used to wrap around existing desks or new office furniture to create private office spaces, cubicles, reception stations and call centers. Room partition panel is flame retardant to meet the California 117 flammability standard. 1-3/4" thick fabric upholstered panel features an interior engineered wood (MDF) frame and honeycomb core covered with heavy tackable liner for structural strength and support. Panel trim is finished with self-extinguishing extruded polymer that offers optimum safety and rigidity. Includes adjustable leveling feet that are ideal for uneven surfaces. Purchase Steel Connectors to join multiple partitions and create various cubicle configurations (sold separately). Available in (Gray, Blue and Tan) and types (full fabric, partial window, deluxe, deluxe window and whiteboard) offered.

Size W" x H"	STANDARD PANEL	STANDARD WINDOW W/	DELUXE PANEL	DELUXE W/ WINDOW
	Model	Model	Model	Model
24 1/4 x 42	277660*	---	277676*	---
24 1/4 x 60	277661*	---	277677*	---
24 1/4 x 72	277662*	---	277678*	---
24 1/4 x 96	695787*	695787W*	695787D*	694758W*
36 1/4 x 42	240224*	694754W*	277525*	694667W*
36 1/4 x 60	238635*	694659W*	277526*	694671W*
36 1/4 x 72	238636*	694663W*	277527*	695788DW*
36 1/4 x 96	695788*	695788W*	695788D*	694759W*
48 1/4 x 42	240225*	694755W*	277528*	694668W*
48 1/4 x 60	238637*	694660W*	277529*	694672W*
48 1/4 x 72	238638*	694664W*	277530*	695789DW*
48 1/4 x 96	695789*	695789W*	695789D*	694760W*
60 1/4 x 42	240226*	694756W*	277531*	694669W*
60 1/4 x 60	238639*	694661W*	277532*	694673W*
60 1/4 x 72	238640*	694665W*	277533*	695790DW*
60 1/4 x 96	695790*	695790W*	695790D*	695794WF*


Add suffix (BL) for Blue, (GY) for Gray and (TN) for Tan

NOTE: Interion Traditional Cubical Partition Panels also comes with Deluxe Model options with a wood topper or with a whiteboard option. Visit Global Industrial's website for model numbers

Making The Connection



Quick & Easy...1,2,3 Assembly



CONNECTORS FOR SAME HEIGHT PANELS

Description	Model
Straight Connector Kit	238644
90° Corner Connector Kit For 42" H Panel	248989
90° Corner Connector Kit For 60" H Panel	238645
90° Corner Connector Kit For 72" H Panel	238641
Three Way Connector Kit For 42" H Panel	248990
Three Way Connector Kit For 60" H Panel	238648
Three Way Connector Kit For 72" H Panel	238642
Four Way Connector Kit	238646
Wall Connector Kit	238647
8"H T-Leg Bracket	238CP89
Desk To Panel Bracket Set (1 Left & 1 Right With Screws)	256484

CONNECTORS FOR MULTI-HEIGHT PANELS

Description	Model
High-Low Straight Connector	240227
High Low Corner 90° Connector Kit For 42" Low Panel	240255
High Low Corner 90° Connector Kit For 60" Low Panel	240253
High Low Three Way Kit For Two 60" High Panel	240258
High Low Three Way Kit For Two 72" High Panel	240257
Low High Three Way Kit For Two 42" High Panel	240256
Low High Three Way Kit For Two 60" High Panel	240254

INTERION® OFFICE PARTITIONS WITH MODULAR WIRE MANAGEMENT RACEWAY

Raceway partitions create private offices and cubicles with built-in power options for computers and other electric equipment. Raceways provide convenient access for data cables & electrical wiring to keep office spaces clean and clear of visible wires. Panel is flame retardant to meet California 117 flammability standard. 1¾" thick fabric upholstered panels feature an interior engineered wood (MDF) frame and honeycomb core covered with heavy tackable liner for structural strength. 4"H charcoal powder coated steel raceways include UL approved modular electric components and cable management openings for phone & data connectors. Removable, hinged raceway covers allow easy wiring access. Includes adjustable leveling feet for uneven surfaces. 1 Year Limited Warranty. See our website for matching furniture and **wood accent cap** options. **All panel models available with window or whiteboard option.**

PANEL WITH ELECTRIC RACEWAY INCLUDES DOUBLE SIDED POWER BOXES



STEP 1 – PARTITIONS

Electric and non-electric panels can be connected together to place power where you need it. **Non-Electric Panels** include a basic raceway without cabling. **Pass-Thru Panels** include raceways with cables to connect to panels. **Panels with Electric** raceways include built-in double-sided power box, four circuit 1 receptacles, and modular cables. Each power box can accept up to 6 receptacles; 3 per side (additional receptacles sold separately). Use included **Blanks** to cover unused openings. **36"W Electric Panel** includes one double-sided power box. **48" & 60"W Electric Panels** include 2 double-sided power boxes.

W" x H"	NON-ELECTRIC PANEL Model	PASS-THRU PANEL Model	PANEL W/ ELECTRIC Model
24¼ x 42	277660N*	277660P*	---
24¼ x 60	277661N*	277661P*	---
24¼ x 72	277662N*	277662P*	---
24¼ x 96	695787N*	695787P*	---
36¼ x 42	240224N*	240224P*	240224E*
36¼ x 60	238635N*	238635P*	238635E*
36¼ x 72	238636N*	238636P*	238636E*
36¼ x 96	695788N*	695788P*	695788E*
48¼ x 42	240225N*	240225P*	240225E*
48¼ x 60	238637N*	238637P*	238637E*
48¼ x 72	238638N*	238638P*	238638E*
48¼ x 96	695789N*	695789P*	695789E*
60¼ x 42	240226N*	240226P*	240226E*
60¼ x 60	238639N*	238639P*	238639E*
60¼ x 72	238640N*	238640P*	238640E*
60¼ x 96	695790N*	695790P*	695790E*

Add suffix (BL) for Blue, (GY) for Gray and (TN) for Tan

STEP 2 – CONNECTOR

Steel connectors join multiple partitions together and create various configurations. Use **connectors with 1 Extended/Corner Cable** to complete a 90° turn or span intersection. Additional **Extended/Corner Cables** available separately (See Step 3).

FOR SAME HEIGHT PANELS	Without Cable	With 1 Extended/Corner Cable
Description		
Straight Connector Kit	238644	---
Corner 90° Kit For 46"H Panel	248989R	248989P
Corner 90° Kit For 64"H Panel	238645R	238645P
Corner 90° Kit For 76"H Panel	238641R	238641P
Three Way Kit For 46"H Panel	248990R	248990P
Three Way Kit For 64"H Panel	238648R	238648P
Three Way Kit For 76"H Panel	238642R	238642P
Four Way Connector Kit	238646	238646P
Wall Connector Kit	238647	---
End Base Cap (to finish panel end runs)	249065	---
FOR MULTI-HEIGHT PANELS		
High-Low Straight Connector	240227	---
High-Low Corner 90° Kit For 46" Low Panel	240255R	240255P
High-Low Corner 90° Kit For 64" Low Panel	240253R	240253P
High-Low Three Way Kit For Two 64" High Panel	240258R	240258P
High-Low Three Way Kit For Two 76" High Panel	240257R	240257P
Low-High Three Way Kit For Two 46" Low Panel	240256R	240256P
Low-High Three Way Kit For Two 64" Low Panel	240254R	240254P



GRAY (GY)



BLUE (BL)



PASS-THRU CABLE



SINGLE CIRCUIT
PLUG IN CABLE

MULTI CIRCUIT
STARTER CABLE

STEP 3 – CABLES AND RECEPTACLES

Starter Cable (Multiple Circuits, 80 receptacles max.) must be installed to a junction box for a power source. Cable pre-wired for 1-4 circuits. **Plug In Cable** (Single Circuit) easily plugs into existing wall outlets for power. 20 AMP (20 receptacles max.) 115 volt plug. Additional circuit 1, 2, 3 (Isolated Ground) & 4 receptacles available in packages of four. **Receptacle Removal Tool** is required when removing receptacles from power box.

Model	Description
249054	Starter Cable 72"
249055	Starter Cable 144"
249066	Plug In Cable 72" 20AMP
249057	Extended/Corner Cable
249061	Circuit 1 Receptacle (Pkg. 4)
249062	Circuit 2 Receptacle (Pkg. 4)
249063	Isolated Ground Receptacle (Pkg. 4)
249064	Circuit 4 Receptacle (Pkg. 4)
249053	Receptacle Removal Tool




RECEPTACLE
REMOVAL
TOOL

RECEPTACLES 1, 2, 3(IG) & 4




REMOVABLE, HINGED
RACEWAY COVER
ALLOWS EASY ACCESS
TO RECEPTACLES AND
CABLES

CABLE MANAGEMENT
OPENINGS FOR PHONE
& DATA CONNECTORS
(CABLES & CONNECTORS
NOT INCLUDED)




EXTENDED/CORNER
CABLE

CORNER 90°
CONNECTION*



AVAILABLE
SEPARATELY

THREE WAY
CONNECTION*



AVAILABLE
SEPARATELY

FOUR WAY
CONNECTION*



695777LGY

INTERION® MOTORIZED ERGONOMIC HEIGHT-ADJUSTABLE DESKS

Interion® By Global Industrial Office Desk features 1" thick scratch resistant laminate work surfaces on a charcoal finished steel frame. Desktop includes 2³/₁₆" diameter cable management grommet opening. Desk includes modesty panel and adjustable leveling glides. Steel File Cabinet features 2 file drawers that accept letter or legal size filing. Pedestal includes ganged cylinder lock, recessed handles and adjustable leveling glides. 1 Year Limited Warranty. BIFMA and UL/cUL certified.

Model	L" x D"	Top Color	Frame Color
695777LGY	60 x 24	Gray	Black
695777LGYGY	60 x 24	Gray	Gray
695777LMH	60 x 24	Mahogany	Black
695777LWHGY	60 x 24	White	Gray
695778LGY	72 x 24	Gray	Black
695778LGYGY	72 x 24	Gray	Gray
695778LMH	72 x 24	Mahogany	Black
695778LWHGY	72 x 24	White	Gray
695779GY	48 x 30	Walnut	Black
695779GYGY	48 x 30	Gray	Gray
695779MH	48 x 30	Mahogany	Black
695779WHGY	48 x 30	Walnut	Gray
695780GY	60 x 30	Gray	Black
695780GYGY	60 x 30	Gray	Gray
695780MH	60 x 30	Mahogany	Black
695780WHGY	60 x 30	White	Gray
695781GY	72 x 30	Gray	Black
695781GYGY	72 x 30	Gray	Gray
695781MH	72 x 30	Mahogany	Black
695781WHGY	72 x 30	White	Gray

LAN WORKSTATIONS

Constructed from heavy-duty materials, these LAN workstations are designed to provide ample storage space to accommodate multiple display monitors, servers, and networking equipment. These workstations feature height-adjustable shelves, a 30"D laminate work surface, a lower storage shelf, triple-leg support with four lateral braces for stability, and built-in cable management. Units are available in multiple sizes to fit the needs of your business.

Model	Width"
651317	24
651318	48
651319	72

651319



INTERION® PRIVACY STUDY CARREL

Study Carrels help provide privacy for public computer use in areas such as libraries, schools, call centers, internet cafes, test sites, listening and learning centers, and more. The privacy panels of these carrels also help health care environments meet HIPAA privacy regulations and guidelines. Expandable using our optional add-on Carrel Study Desk (model# 250772).

Model	Width
250771	Privacy Study Carrel
250772	Add On Carrel



INTERION® OFFICE DESK WITH PEDESTAL

Interion® By Global Industrial Office Desk features 1" thick scratch resistant laminate work surfaces on a charcoal finished steel frame. Desktop includes 2³/₁₆" diameter cable management grommet opening. Desk includes modesty panel and adjustable leveling glides. Steel File Cabinet features 2 file drawers that accept letter or legal size filing. Pedestal includes ganged cylinder lock, recessed handles and adjustable leveling glides. 1 Year Limited Warranty.

Model	W" x D"	Drawers
670076*	72 x 24	6
670074*	72 x 24	4
670073*	60 x 24	3
670072*	60 x 24	2
670077*	48 x 24	2

Add suffix to Model: Cherry (CH), Gray (GY)



REGENCY LAMINATE PEDESTAL OFFICE DESKS

This 60-inch double pedestal desk is a great choice for professional and home offices alike. All drawers lock and include ergonomically designed drawer pulls for convenience. Adjustable glides keep the desktop level. Two wire management grommets keep cables clear of work areas. Finished in an stylish Noble Oak laminate. The Legacy collection is constructed of a 1-inch thick thermal fused melamine laminate with a 3-millimeter commercial grade matching PVC edge.

Model	Description
B3177523	60 x 30 x 29 Noble Oak
B3177321	66 x 30 x 29 Noble Oak

MOBILE COMPUTER SAFETY CABINETS

- Heavy-duty gauge steel with powder coat finish
- Doors feature foam seals to keep out dust and debris
- Full access door in rear allows easy wiring and is louvered for ventilation
- Locking compartments
- Ample working space
- Break-resistant acrylic window
- 5" industrial-grade swivel caster (2 with brakes)



249190GY



239115BK



706669GY



273115BL



695429BK

Model	Description	Monitor Size	Monitor Type	Color
249190	Mobile Heavy-Duty LCD Computer Cabinet	27" Diagonal	LCD Monitors	Black(JBK or ABK), Blue (JBL or ABL), and Dark Gray (JGY or AGY)
239115	Mobile LCD Computer Cabinet, Complete Bundle	24" Diagonal	Flat Panel	Black(BK or BKA), Blue (BL or BLA), and Dark Gray (GY or GYA)
695429	Mobile Fold-Out Computer Cabinet	24" Diagonal	Flat Panel	Black (BK or BKA), Blue (BLA)
706669	Mobile Computer Cabinet	21" Diagonal	LCD Monitors	Black (BK), Blue (BL) and Dark Gray (GY)
239197	Mobile Heavy-Duty Computer Cabinet	27" Diagonal	LCD Monitors	Black Assembled (JBK) Black Unassembled (ABK)
273115	Mobile LCD Console Computer Cabinet	21" Diagonal	LCD Monitors	Black (BK), Blue (BL), Gray (GY)



MOBILE COMPUTER CABINET

- Heavy-duty steel with powder coat finish
- Locking compartment
- CPU shelf adjusts to accommodate either tower or desktop styles
- Rear cabinet access holes
- 5" industrial-grade swivel caster (2 with brakes)
- Available in 3 colors: Black (BK), Gray (GY), and Blue (BLA)



LAPTOP, CHROMEBOOK, & TABLET CHARGING CARTS

Featuring an all-steel construction with ventilated doors and sides, these carts keep mobile devices charged and safely stored with a 3-point locking system. Units are equipped with a nonskid top to keep items in place and a rear door for easy access to electrical connections. Choose the slot size that best accommodates your devices.

Model	Type	Device Storage
985748	Mobile	12 Chromebooks & Tablets
670051	Cabinet	16 Chromebooks & Tablets
251761	Mobile	24 Chromebooks & Tablets
670052	Mobile	32 Chromebooks & Tablets
987877	Mobile	36 iPads & Tablets

MOBILE POWERED CARTS

These carts are ideal for warehouses, manufacturing facilities, shipping & receiving, and industrial environments where employees constantly move between areas. Choose between 40AH or 100AH rechargeable batteries, configured as either a laptop cart or an exclusive Orbit cart. Optional accessories are available separately.



Model	Description
436996BK	Mobile Powered Laptop Cart with 560Wh Battery
436997BK	Mobile Powered Laptop Cart with 1331Wh Battery
436998BK2S	Orbit Mobile Powered Cart with 2 Swappable LiFePO4 Batteries
436998BK4S	Orbit Mobile Powered Cart with 4 Swappable LiFePO4 Batteries
436999BK	Orbit Mobile Powered Cart with 1331Wh Battery
436993BK	Scanner Holder For Global Industrial™ Powered Laptop Carts
670192	Single Monitor Desk Mount
436994BK	Keyboard Tray For Powered Laptop Carts
436995BK	Slide Out Printer Tray For Powered Laptop Carts
706543BK	Locking Keyboard Drawer
436995BK	Slide-Out Printer Tray for Laptop Cart
706543BK	Locking Keyboard Drawer for Orbit Cart



PORTABLE POWER STATIONS

Designed to provide portable AC power to devices such as laptops, printers, & other electronics, these rechargeable power stations feature lithium iron phosphate batteries for a longer-lasting charge and side grip handles for easy transport. These compact units are also capable of powering scales and testers while eliminating the need for hazardous extension cords or costly cable drops.

Model	Description	Amp Hour	Power
436986	Portable Power System 25AH	25AH	500W
436987	Portable Power System 52AH	52AH	1000W
436989	Portable Power System 54AH	54AH	2000W



BUILT-IN
POWER
OUTLET

ORBIT COMPUTER WORKSTATIONS WITH VESA MOUNT

Workstation includes a 5" x 5" steel center post, flat panel screen mount, and CPU holder. Steel surfaces have a powder coat finish. Post includes 3 cable management openings at 15", 42 1/2", and 70"H. Post base measures 17 1/2" X 17 1/2". 36"W X 20" D Work surface has a 1" thick wooden core with plastic laminate finish. Accommodates sitting or standing. VESA mount holds any flat panel monitor from 10-30", monitor tilts up 15 degrees and down 5 degrees Locks in place with a thumb screw. The CPU/power supply holder holds items up to 9"W securely. Includes non-skid cushions to prevent marring. Designed for reliability and performance, our rugged industrial computer workstations are perfect for demanding environments such as AI Data Centers, manufacturing, healthcare and logistics. With customizable configurations and industry-specific certifications, they ensure seamless integration and durability in any setting. .

Model	Finish
239138BK	Orbit Mobile Computer Cart, Black
239138BKE	Orbit Mobile Computer Cart and Power Outlets, Black
290900	Orbit Mobile Height Adjustable Computer Cart, Black
290901	Orbit Mobile Height Adjustable Computer Cart & Power Outlets
239133BKE	81"H Floor Mount Orbit Computer Kiosk & Power Outlet, Black
239134BK	81"H Stationary Floor Mount Orbit Computer Station, Black
239192BKE	LCD/Plasma Mobile Cart with Power Outlet - Black
290902	Orbit Mobile Height Adjustable LCD/LED Cart with Power Outlets, Black



DOCKING & CHARGING STATIONS

Ideal for use in warehouses, distribution centers, production floors, & other industrial spaces, these charging & docking stations keep your facilities running around the clock. LiFePO4 batteries sold separately.

Model	Description	Cap.
812554	Lithium Iron Phosphate Battery, 691WH	1
812545	Dual Charging Station for Hot Swappable LiFePO4 Batteries	2
812546	Dual Docking Station for Hot Swappable LiFePO4 Batteries	2
812547	Single Charging Station for Swappable LiFePO4 Battery	1
812548	Single Docking Station for Swappable LiFePO4 Battery	1



MOBILE REVERSIBLE MAGNETIC WHITEBOARDS

Get double the functional writing space with these dual-sided mobile magnetic whiteboards. Featuring a writing surface that resists staining and ghosting, these boards are equipped with four 3" casters (2 locking), an improved 1½" x 2" cross brace for added stability, and tightening knobs on either end. Ideal for schools, office spaces, and more, these whiteboards rotate 360 degrees on a pivot hinge and lock into place for different viewing angles.

Type	W"x H"	Material	Frame Color	Color
B379150	24 x 36	Painted Steel	White	Silver
B444996	36 x 24	Painted Steel	White	Silver
B859968	36 x 48	Painted Steel	White	Silver
B444997	48 x 36	Painted Steel	White	Silver
B444999	72 x 48	Painted Steel	White	Silver
B1854285	96 x 48	Painted Steel	White	Silver
B444997BK	48 x 36	Painted Steel	White	Black
B444999BK	72 x 48	Painted Steel	White	Black
B1854285BK	96 x 48	Painted Steel	White	Black
B444997P	48 x 36	Porcelain	White	Silver
B444999P	72 x 48	Porcelain	White	Silver
B1854285P	96 x 48	Porcelain	White	Silver



MAGNETIC GLASS DRY ERASE BOARDS

Made from 4mm tempered glass, these boards feature a white background for easy viewing and a galvanized steel backing that allows the boards to accept heavy-duty magnets. They are equipped with 1"D stainless steel mounting standoffs that create a 1¼" gap between the wall and the board. Built for long-lasting durability, these glass boards will not stain, dent, or scratch, making them ideal for schools, office spaces, and more.

Model	W" x D"	Color
695497	36 x 24	White
695260	48 x 36	White
695511	60 x 48	White
695259	72 x 48	White
695469	96 x 48	White
695649	36 x 24	Black
695650	48 x 36	Black
695651	72 x 48	Black
695652	96 x 48	Black
695708	36 x 24	Gray
695709	48 x 36	Gray
695710	72 x 48	Gray
695711	96 x 48	Gray
695700	36 x 24	Seafoam
695701	48 x 36	Seafoam
695702	72 x 48	Seafoam
695703	96 x 48	Seafoam



MAGNETIC WHITEBOARDS

Featuring an aluminum frame and painted steel writing surface, these whiteboards ship complete with mounting brackets and hardware suitable for installation on drywall. The aluminum tray has ample room to hold dry erase markers as well as erasers.

Model	W" x D"
B880023	36 x 24
B880024	48 x 36
695756	48 x 48
695646	60 x 48
B880012	72 x 48
B880013	96 x 48

NOTE: For a 2 pack set, add PK to the end of the model number

PORCELAIN DRY ERASE BOARDS

Featuring a high-quality, e3 ceramic steel surface, this board can be written on with any dry-erase, semi-permanent, water-soluble, or permanent marker. It mounts directly to drywall with included hardware and is equipped with an aluminum accessory tray to keep markers, erasers, and other accessories within reach. Built for long-lasting durability, this whiteboard features a sturdy aluminum frame and is an ideal solution for schools, offices, meeting rooms, and more.



Model	W" x D"
695653	36 x 24
695477	48 x 36
695654	60 x 48
695478	72 x 48
695479	96 x 48

NOTE: For a 2 pack set, add PK to the end of the model number



MOBILE GLASS DRY ERASE BOARDS

Ideal for offices, complexes, schools, and more, these enclosed boards feature a 2" thick silver anodized aluminum frame, lockable doors with full-length hinges, and shatter-resistant acrylic windows. The resilient natural cork surface is self-healing, so your board will always look neat and new. All mounting hardware is included.

Model	W" x D"
695638	36 x 48
695691	48 x 36
695692	60 x 48
695693	72 x 48



ENCLOSED BOARDS

Ideal for offices, complexes, schools, and more, these enclosed boards feature a 2" thick silver anodized aluminum frame, lockable doors with full-length hinges, and shatter-resistant acrylic windows. The resilient natural cork surface is self-healing, so your board will always look neat and new. All mounting hardware is included.

Type	W" x H"	Door Type
695875	18 X 24	1-Door
695481	24 X 36	1-Door
695757	36 X 48	1-Door
695482	48 X 36	2-Door
695758	60 X 36	2-Door
695542	72 X 48	3-Door
695874	48 X 36	Sliding Doors
695873	72 X 48	Sliding Doors

GHENT GHENT ENCLOSED BULLETIN BOARD

- Go "GREEN" - manufactured from post-industrial material: tack surface 90%, aluminum frame 75%
- Self-healing recycled rubber tack surface hides pin holes
- Doors feature full-length hinges, shatter-resistant acrylic panels, flush mount locks, and keys for added security
- Concealed corner brackets allow for easy and secure mounting
- Carries a 10-year manufacturer warranty
- Made in the USA



Model
B1479563

HSM® INDUSTRIAL SHREDDERS

Designed for high-volume shredding in commercial and industrial environments, these heavy-duty machines efficiently reduce the size of cans, foil, cardboard, plastic, and more. Constructed from high-quality materials for lasting durability, most units are equipped with an LED display and easy-to-use forward, reverse, and stop functions.



Model	Description
B2094692	V-Press 820 Plus Vertical Baler
B2094688	Cp4988 PET Crusher Baler Combo



FROSTED GLASS DRY ERASE BOARDS

The Frosted Glass Dry Erase Board offers a sleek, modern design to your workspace. Made from thick tempered glass, this translucent board blends well into any classroom, conference room, or office setting. It features stainless steel mounting standoffs that are 1" in diameter and creates a 1 1/4" gap between the wall and the board. Built for long-lasting durability, this board will not stain, dent, or scratch.

Model	W" x D"
695498	36 x 24
695466	48 x 36
695512	60 x 48
695467	72 x 48
695468	96 x 48

CORK BULLETIN BOARDS

Cork Bulletin Boards offer a sleek, updated design to help modernize offices, classrooms, and residences. 1/2" thick and lightweight, this thin-profile cork board is not clunky or cumbersome and easy to install. The resilient cork surface is self-healing, so your board will always look neat and new. The sturdy aluminum frame includes an easy 4-corner mounting system that allows the board to be mounted vertically or horizontally. Includes all mounting hardware.



Model	W" x D"
695463	36 X 24
695318	48 X 36
695492	60 X 36
695319	72 X 48
695320	96 X 48



HSM® NSA HIGH-SECURITY SHREDDERS

Ensure that documents containing confidential or sensitive information are protected with these high-security shredders. Built for lasting durability, these NSA-approved shredders feature high sheet capacities, micro-cut or cross-cut shredding, and jam-free operation for an extra layer of protection against data breaches.

Model	Description	Cut Type
B781256	1854M Securio P36L L6	Micro Cut
B1961435	390.3L6 39 Gal. Cap. With Auto Oilier	Cross Cut
B781242	14584 Classic 225.2Hs With Auto Oilier	Cross Cut

HSM® INDUSTRIAL SHREDDER BINS

Ideal for healthcare facilities, legal practices, and more, these bins are a secure solution for collecting sensitive documents & protecting confidential information from unauthorized access. Available in various capacities to fit the needs of your business.



Model	Description
B2263769	32-Gal. Mobile Shredder Bin - Gray
B2263768	64-Gal. Mobile Shredder Bin - Gray
B2263767	95-Gal. Mobile Shredder Bin - Gray
B2263756	36" Executive Shredder Bin Console - Gray
B2263757	24" Executive Shredder Bin Console - Gray
B2263770	30" Lockable Shredder Bin - 23-Gal. Capacity - Gray



**SHELVES SLIDE IN AND OUT
ADJUST ON 1¹/₄" CENTERS**

INTERIOR® STEEL BOOKCASE

These top-of-the-line quick adjust bookcases complement any office, plant, or warehouse decor. Constructed from heavy gauge double walled steel. Shelves slide in and out easily for easy height adjustments and have 90 lb. weight capacity. Includes one divider per shelf opening. Easy to assemble.



W" x D" x H"	Openings	Black	Putty
36 x 12 x 42	3	277440BK	277440PY
36 x 12 x 60	5	277441BK	277441PY
36 x 12 x 84	7	277442BK	277442PY
Additional Shelf Extra Divider		277443BK RP9058	277443PY RP9059



FIREPROOF FILE CABINETS

UL approved for impact, explosion hazard, water resistance, and Class 350 fire rating. Also protects contents from sprinklers and fire hoses. 2" thick cabinet walls are insulated with gypsum reinforced by a 1" x 2" lattice of 14 gauge welded steel wire. Each drawer forms a separate, insulated compartment for maximum protection. Drawers have full suspension cradles. The drill-proof, pick-resistant key lock surpasses UL standards by 50%. Limited Lifetime Warranty.

Model	W" x D" x H"	Style	Color	# of Drawers
240129LG	37 ¹ / ₂ x 22 x 28	Lateral	Gray	2
240130BK	37 ¹ / ₂ x 22 x 53	Lateral	Black	4
240130PY	37 ¹ / ₂ x 22 x 53	Lateral	Putty	4
240132BK	44 ¹ / ₂ x 22 x 53	Lateral	Black	4
736559BK	21 x 25 x 53	Vertical	Black	4
736569BK	21 x 31 ¹ / ₂ x 53	Vertical	Black	4
736557BK	18 x 25 x 53	Vertical	Black	4
B2292337	17 ³ / ₄ x 22 ¹ / ₈ x 52 ³ / ₄	Vertical	Black	4
B2292291	17 ³ / ₄ x 22 ¹ / ₈ x 52 ³ / ₄	Vertical	Parchment	4



INTERIOR® PREMIUM LATERAL FILE CABINETS

Steel cabinets are designed for side-to-side lateral filing, or add the included front-to-back bars to convert to 2 rows of front-to-back filing. Ball-bearing slides allow for full drawer extension. Accepts letter or legal size files. Choose from various sizes and colors. Add Suffix to Model Number: Black (BK), Putty (PY).

Model	W" x D" x H"	# of Drawers
248986	30 x 18 x 29	2
252590	30 x 18 x 28	2
252469	36 x 18 x 28	2
252467	30 x 18 x 52	4
252470	36 x 18 x 52	4
252468	30 x 18 x 64.5	5
252471	30 x 18 x 64.5	5



INTERIOR® BLUEPRINT FLAT FILE CABINET

Designed for large papers and drawings, flat file cabinets have hinged paper depressors in each drawer to keep documents flat and curl-free. Easy-glide ball bearing drawer runners and bumpers provide smooth opening and closing. Add Suffix to Model Number: Gray (GY), Putty (PY).

Model	W" x D" x H"	# of Drawers
506825	40 ³ / ₄ x 28 ³ / ₈ x 16	5
506826	46 ³ / ₄ x 35 ³ / ₈ x 16	5
506827*	53 ³ / ₄ x 41 ³ / ₈ x 16	5



BUS AND SMOKING SHELTERS

Featuring a sturdy frame constructed from durable materials, these outdoor structures are ideal for shielding individuals from rain, snow, and wind while waiting for the bus or smoking. These freestanding shelters include steel plates for anchoring to concrete and are a common solution for bus stops, transportation hubs, office buildings, schools, and other outdoor areas. Available with or without a 5-gallon outdoor cigarette urn.

Model	W x D x H	Capacity	Price
493404	6'5" x 3'8" x 7'	4 Persons	\$2099.00



SUNCAST® STORAGE SHEDS

- Durable, multi-wall resin construction
- Easy maintenance
- Padlockable door
- Reinforced floor supports heavier items and equipment

Model	Style	Overall Dimensions W" x D" x H"	Cap. Cu. Ft.
82055966	Horizontal	53 x 32½ x 45½	34
298462	Horizontal	70½ x 44½ x 52	70
298459	Vertical	32½ x 25½ x 72	22
298460	Vertical	53 x 32½ x 69½	54



SUNCAST® STORAGE BUILDINGS

- Steel-reinforced resin construction
- Reinforced floor supports heavy equipment
- Includes skylights, door windows, and corner shelves
- Padlockable metal lever handles

Model	W x D x H	Cap. Cu. Ft.
298465	8' x 7' x 8'6"	378
298466	8' x 10' x 8'6"	574



OUTDOOR STEEL STORAGE SHEDS

- Building construction is ideal for keeping valuable items secure
- Wooden floor keeps product dry and off the ground
- Built-in rain gutters allow for controlled water drainage
- Assembled building may easily be moved with a forklift


Model	Overall W x D x H	Door Opening W x H
240574	9'2" x 6'6" x 7'1"	3'9" x 6'2"
240575	9'2" x 12'11" x 7'1"	3'9" x 6'2"



OUTDOOR HAZARDOUS CHEMICAL STORAGE BUILDINGS

Designed to provide secure and compliant storage for hazardous materials, chemicals, and other dangerous substances, these storage buildings feature a heavy-duty steel construction for maximum strength and protection.

Model	W x D x H	Capacity
603150	5'x3'6"x6'11"	2 Drums
603153	5'x5'x6'11"	4 Drums
603156	7'x5'x8'4"	6 Drums
603159	7'x7'x8'4"	9 Drums
603162	7'x9'x8'4"	12 Drums



SLATTED STEEL BENCHES

Ideal for train stations, park facilities, shopping areas, courtyards, airports, and other high-traffic areas, these heavy-duty commercial benches are UV-stabilized and finished in corrosion- and rust-resistant powder coating to withstand even the harshest outdoor climates. Pre-drilled mounting holes allow the option to mount to any surface.

Model	Description	L" x W" x H"
VERTICAL SLATTED STEEL		
262112*	4' Flat Bench	48 x 22 x 18
262113*	6' Flat Bench	72 x 23 x 18
262114*	8' Flat Bench	96 x 23 x 18
694853*	4' Bench w/ Backrest	48 x 17 x 17½
694854*	6' Bench w/ Backrest	72 x 17 x 17½
694855*	8' Bench w/ Backrest	96 x 17 x 17½
HORIZONTAL SLATTED STEEL		
436974*	4' Bench w/ Backrest	48 x 17 x 17½
436975*	6' Bench w/ Backrest	72 x 17 x 17½
436976*	8' Bench w/ Backrest	96 x 17 x 17½



348204BK

ALUMINUM PARK BENCH

Ideal for train stations, park facilities, shopping areas, and more, these durable benches are constructed from lightweight aluminum materials with a protective black powder coat finish for rust prevention and year-round weather resistance. Units include pre-drilled mounting holes and assembly hardware for easy installation. Weight capacity: 1100 lbs.


Model	Description	L" x W" x H"
436977BK	6' Bench	68 x 17 x 16½
436978BK	6' Bench w/ Backrest	73 x 22¾ x 30¾/4



RECYCLED PLASTIC PARK BENCH WITH BACKREST & ARMS

Made with nine 2" x 4" resinwood slats and powder-coated, heavy duty cast aluminum frames. The under structure is heavily braced with length and width supports. Heavy duty, zinc coated hardware. Bench frame includes hole for surface mount. Slats are made with 100% recycled plastic that is environmentally friendly, maintenance free and vandal resistant. Easy assembly. Made in the USA. This park bench can also be Portable or Surface Mounted.

Model	Description	Color	L" x W" x H"
B264201	6' Park Bench	Cedar	68 x 19 x 17
B264197	6' Park Bench	Green	68 x 19 x 17
B264298	6' Park Bench	Gray	68 x 19 x 17



OUTDOOR STEEL FLAT BENCHES

Built for maintenance-free durability, these benches are made using a heavy-gauge metal mesh with a thermoplastic coating that is resistant to fading, mold, & vandalism. They feature a galvanized steel frame with a zinc-rich powder coat finish for rust prevention and resilience against the elements. Ideal for campuses, parks, and transportation stops, these benches are equipped with beveled corners for safety and mounting tabs for inground anchoring to ensure stability & security.

Model	Description	L" x W" x H"
EXPANDED METAL		
695741*	4' Flat Bench	48 x 14½ x 18
277156*	6' Flat Bench	72 x 14½ x 18
277157*	8' Flat Bench	98 x 14½ x 18
695743*	4' Bench w/ Backrest	48 x 24 x 33
277154*	6' Bench w/ Backrest	72 x 24 x 33
277155*	8' Bench w/ Backrest	96 x 24 x 33
PERFORATED METAL		
695742*	4' Flat Bench	48 x 14½ x 18
262075*	6' Flat Bench	72 x 14½ x 18
262076*	8' Flat Bench	98 x 14½ x 18
695744*	4' Bench w/ Backrest	48 x 24 x 33
694557*	6' Bench w/ Backrest	72 x 24 x 33
262077*	8' Bench w/ Backrest	96 x 24 x 33

* Add suffix to Model: BK (Black), BL (Blue), GN (Green), RD (Red), GY (Gray). For Inground Mount add (I) + Color Indicator (ex. 695741IBK = 4' Outdoor Inground Mount Steel Flat Bench)



SLATTED STEEL CURVED BENCHES

Featuring a galvanized steel frame with a zinc-rich black powder coat finish, this versatile bench is built to withstand the elements. Its slatted design prevents moisture buildup. These benches offer the flexibility for you to design and customize your own unique outdoor layouts according to your preferences. Choose from single units, half circles, or full circles, which can also be designed into S shapes.

Model	Description	L" x W" x H"
348135BKS	45° Bench	72.5 x 22 x 20
348135BKH	Half Circle Bench	102 x 22 x 20
348135BKF	Full Circle Bench	102 x 22 x 20



RECYCLED PLASTIC PARK BENCH

Constructed from recycled and plastic composite, these benches feature wrought iron legs and attractive green slats that are each 3⅜" wide. They are UV-, moisture-, & scratch-resistant, making them a great seating solution for outdoor areas such as parks and enclosed gardens. Units include pre-drilled slats and stainless steel hardware for easy assembly. Weight Capacity: 1100 lbs.

Model	Description	L" x W" x H"
240125*	4' Bench w/ Backrest	48 x 17 x 15
240126*	6' Bench w/ Backrest	72 x 17 x 15

* Add suffix to Model: BK (Black), GN (Green), GY (Gray) and TN (Tan)


348137



B264186



695550



B2331053



RECYCLED PLASTIC PICNIC TABLES

These commercial-grade recycled plastic picnic tables feature solid resin-wood planks with either a heavy-duty galvanized frame or a resin-wood plastic base. Virtually maintenance-free, these tables won't ever need to be sanded, painted, or refinished, making them an ideal solution for outdoor breakrooms, parks, schools, and more.

Model	Description	Color	Mounting Type
695528	6' Galvanized Picnic Table	Cedar	Surface
695550	6' Galvanized Picnic Table	Green	Surface
695551	6' Galvanized Picnic Table	Gray	Surface
B264186	6' A-Frame Picnic Table	Cedar	In-Ground or Surface
B264184	6' A-Frame Picnic Table	Green	In-Ground or Surface
B264228	6' A-Frame Picnic Table	Gray	In-Ground or Surface
B264042	6' Hexagon Picnic Table	Cedar	In-Ground or Surface
B264040	6' Hexagon Picnic Table	Green	In-Ground or Surface
B2331053	6' Hexagon Picnic Table	Gray	In-Ground or Surface
348136	6' Urban Picnic Table	Tan	In-Ground or Surface
348137	6' Urban Picnic Table & Bench Set	Tan	In-Ground or Surface

ALUMINUM PICNIC TABLES

Built with durability in mind, these heavy-duty anodized aluminum picnic tables are highly resistant to wear, scratches, corrosion, and harsh outdoor conditions. Its bolt-through frame and included hardware allow for permanent installation, while the bench seat makes for easy entry & exit.

348130



Model	Description	Mounting Type	L" x W" x H"
348130	6' Picnic Table	Portable or Surface	72 x 62 x 30
348131	8' Picnic Table	Portable or Surface	96 x 62 x 30

TIP-N-ROLL & STANDARD ALUMINUM BLEACHERS

Lightweight, corrosion-resistant aluminum bleachers provide an economical seating solution for indoor or outdoor sporting events. Made of 2" thick x 10" deep extruded aluminum planks and a 2" aluminum angle frame understructure. All seat boards are satin anodized to prevent oxidation. All bleachers without a guardrail system have finished footboards. All 5-row bleachers with guardrails have double footboards and risers on rows 4-5 to meet most building codes. All 4-row low-rise bleachers (5½" rise) meet the 30" threshold for height. Chain link guardrails are 42"H. Tip-N-Roll bleachers have 5" non-marring casters and rubber footpads. Limited 1-Year Warranty. Check local codes for height restrictions and guardrail requirements.



Model	Description	Rows	Length	Footboard
B1368407	National Rep Bleacher	2	7½'	Single
B1368429*	Universal Low-Rise Bleacher	3	15'	Single
248740	National Rep Bleacher	3	15'	Single
248773+	National Rep Tip-N-Roll Bleacher	3	15'	Single
B1368375	National Rep Bleacher	3	21'	Double
B1368441	National Rep Bleacher	3	9'	Single
B1368406*	Universal Low-Rise Bleacher	4	15'	Single
B1368377*+	Universal Low-Rise Tip-N-Roll Bleacher	4	21'	Double
248755**	National Rep Bleacher With Guardrails	5	15'	Single
B1368373**	Bleacher With Mid-Aisle & Guardrail	5	15'	Double
B1368381**	Bleacher With Mid-Aisle & Guardrail	5	21'	Double

*Low Rise, +Tip & Roll, **with Guardrails
Full selection available both online or through special order

METAL PICNIC TABLES

Built to withstand the elements, these picnic tables feature heavy-gauge metal mesh with a thermoplastic coating and a galvanized steel frame with a zinc-rich powder coat finish for rust prevention. Ideal for parks, schools, and other outdoor areas, these picnic tables can support up to 1000 lbs. and are equipped with an umbrella hole for shade and tabs for in-ground mounting. Multiple mounting options available. Note: Some colors not available in certain models.



EXPANDED METAL
is 9-gauge that forms a diamond pattern



PERFORATED METAL
is 11-gauge with 1/2" holes on staggered centers



277152BL



695295GN



694551GN



695291BL



695290BK



277150GN

Model	RECTANGULAR-30"W Description	L"
EXPANDED METAL		
695485K*	4' Kids Picnic Table	48
277152K*	6' Kids Picnic Table	72
277153K*	8' Kids Picnic Table	96
695485*+	4' Picnic Table	48
277152*+	6' Picnic Table	72
277153*+	8' Picnic Table	96
695289*	8' ADA Picnic Table	96
277620*+	4' Picnic Table w/ Backrest	48
277630*+	6' Picnic Table w/ Backrest	72
PERFORATED METAL		
694553*+	6' Picnic Table	72
694555*+	8' Picnic Table	72

* Add suffix to Model: BK (Black), BL (Blue), GN (Green), RD (Red), GY (Gray)
+ for added seat cushions on black add suffix (S) (ex. 695485BKS)

Model	ROUND Description
EXPANDED METAL	
277150K*	46" Kids Picnic Table
277150*	46" Picnic Table
695290*	46" ADA Picnic Table
277590*	46" Picnic Table w/ Backrest
695292*	46" Inground Picnic Table
695294*	46" Inground ADA Picnic Table
PERFORATED METAL	
262078*	46" Picnic Table

* Add suffix to Model: BK (Black), BL (Blue), GN (Green), RD (Red), GY (Gray)

Model	SQUARE Description
EXPANDED METAL	
695501*	36" Picnic Table
277151K*	46" Kids Picnic Table
277151*	46" Picnic Table
695291*	46" ADA Picnic Table
695965*	46" Picnic Table w/ Backrest
436982*	46" Octagonal Picnic Table
695293*	46" Inground Picnic Table
695295*	46" Inground ADA Picnic Table
PERFORATED METAL	
694551*	46" Picnic Table

* Add suffix to Model: BK (Black), BL (Blue), GN (Green), RD (Red), GY (Gray)



OUTDOOR DINING TABLE SETS

Expertly crafted with a thermoplastic coating that resists fading, mold, & vandalism, these dining sets feature a sturdy pedestal base with corrosion-resistant powder coat finish and a high-gloss surface that stays cool under the hot sun. These units are easy to clean and are built for lasting durability through years of high-traffic use, making them ideal for restaurants, bars, outdoor food courts, & more.



Model	Description	Color	L" x W" x H"
CAFÉ HEIGHT			
695974	5-Piece Square Mesh Dining Set	Black	36 x 36 x 29
695973	5-Piece Square Mesh Dining Set	Black	48 x 48 x 29
348119BK	5-Piece Square Thermoplastic Food Court Dining Set	Black	36 x 36 x 29
436990TN	5-Piece Square Dining Set	Cedar w/ Silver Frame	40 x 40 x 29
B2345130	5-Piece Square Dining Set	Gray w/ White Frame	35 x 35 x 29
B2345129	5 Piece Square Dining Set	Mocha w/ Silver Frame	35 x 35 x 29
695972	5-Piece Round Mesh Dining Set	Black	36 x 36 x 29
695971	5-Piece Round Mesh Dining Set	Black	48 x 48 x 29
348122BK	5-Piece Round Thermoplastic Food Court Dining Set	Black	36 x 36 x 29
B2345138	5-Piece Round Dining Set	Gray w/ White Frame	36 x 36 x 29
B2345135	5-Piece Round Dining Set	Mocha w/ Silver Frame	36 x 36 x 29
436991TN	5-Piece Rectangle Dining Set	Cedar w/ Silver Frame	70 x 40 x 29
B2345141	5-Piece Rectangle Dining Set w/ Chairs & Benches	Gray w/ White Frame	55 x 35 x 29
B2345142	5-Piece Rectangle Dining Set w/ Chairs & Benches	Mocha w/ Silver Frame	55 x 35 x 29
COUNTER HEIGHT			
348120BK	5-Piece Square Thermoplastic Food Court Dining Set	Black	36 x 36 x 36
348123BK	5-Piece Round Thermoplastic Food Court Dining Set	Black	36 x 36 x 36
BAR HEIGHT			
B2345133	5-Piece Round Dining Set	Gray w/ White Frame	36 x 36 x 45 ^{5/8}
B2345134	5-Piece Round Dining Set	Mocha w/ Silver Frame	36 x 36 x 45 ^{5/8}
B3123352	5-Piece Round Dining Set	Black w/ Silver Table	36 x 36 x 45 ^{5/8}
B3123356	5-Piece Rectangle Dining Set	Gray w/ White Frame	55 x 32 x 45 ^{5/8}
B3123354	5-Piece Rectangle Dining Set	Mocha w/ Silver Frame	55 x 32 x 45 ^{5/8}
B3123351	5-Piece Rectangle Dining Set	Black	55 x 32 x 45 ^{5/8}



OUTDOOR PATIO SETS

Ideal for hotels, spas, resorts, or similar public or private outdoor spaces, these 4-piece patio sets include a love seat, two chairs, and a coffee table with a tempered glass top. These sets are constructed with durable metal framing and are available in either sling or rattan material.

Model	Description	Material	Frame	Table L" x W" x D"
348125BK	4-Piece, Glass Top Table	Sling	Metal	35 ^{1/2} x 20 x 30
348128	4-Piece	Rattan	Metal	48 x 21 x 15
348127	4-Piece, Open Leg	Rattan	Metal	42 x 22 x 25

OUTDOOR UMBRELLAS

- Heavy-duty aluminum pole for extra strength
- Eight heavy-duty aluminum ribs for superior stability
- Fade-resistant Olefin fabric
- Easy-to-use crank mechanism for smooth opening and closing



Model	Description	Pole Dia."
262071	Umbrella, Tan	1 ^{1/2}
695328	Umbrella, Navy	1 ^{1/2}
436970	Umbrella, Blue	1 ^{1/2}
695329	Umbrella, Green	1 ^{1/2}
262070	Umbrella, Red	1 ^{1/2}
436972*	Cantilever Umbrella	1 ^{7/8}
695474	33 lb. Umbrella Base, Black	---
695475	88 lb. Umbrella Base, Black	---
696500	80 lb. Umbrella Base w/ Wheels, Black	---
436973	Cantilever Umbrella Base w/ Wheels	---
436971	Patio Umbrella LED Light	---

* Add Suffix to Model Number: TN (Tan), NV (Navy), BL (Blue), GN (Green) and RD (Red). Bases Sold Separately

CIRCULAR BIKE RACKS

Featuring an all-welded, 10-gauge steel construction, these circular bicycle racks securely hold up to two bikes upright and are ideal for athletic fields and parks with an existing cement surface. For a specific color, add color suffix to the model number: (BK) Black, (GN) Green and (GY) Gray.



Model	W" x D" x H"	Capacity
708388	37 x 37 x 33	2

VERTICAL BIKE RACK STORAGE

- Vertical mount occupies less space
- Holds up to four bikes
- Quick bike mounting and retrieval
- Flange-type floor mount for firm stability
- Made of durable steel with a black finish



Model	Description	Lockable
670514	Bike Rack	Non Lockable
670515	Fat Tire Bike Rack	Non Lockable
670513	Bike Rack	Lockable
670516	Fat Tire Bike Rack	Lockable

SKATEBOARD AND SCOOTER LOCKERS

Skateboard and scooter lockers are ideal for public parks, schools, campuses, and more. These convenient storage solutions help protect from theft and tampering of property. Skateboard lockers are made of heavy-duty galvanized steel and are rust-proof, making them suitable for indoor or outdoor use.



Model	Color	Capacity	H" x W"
B2247031	Gray	8	21 x 45
B2247029	Gray	8	36 x 45

BIKE STORAGE LOCKERS

Bike lockers are ideal for campuses, public transit stations, and more. Lockers are made using one-piece fiberglass-reinforced composite to resist impact and prevent corrosion. Most models include installation hardware and feature a continuous door hinge that will not rust. Bike storage lockers are available in various shapes and sizes.



Model	Color	Capacity	H" x W"
B936373	Gray	1	49 x 30
B936380	Tan	2	49 x 40
B936375	Tan	1	49 x 30
B936383	Gray	2	49 x 40
B936381	Tan	2	49 x 40
B936382	Gray	2	49 x 40
B936374	Gray	1	49 x 30

"U" BIKE RACKS

- Design eliminates sharp edges and allows double-sided bike attachment
- Use more than one rack to store multiple bikes
- Works in any outdoor environment
- Made to last using 1 $\frac{5}{8}$ " dia. x .098" thick tubular steel
- Add color suffix: Green (GN) or Black (BK)



Model	Color	Description
442804M	GN, BK	Flange Mount
442804G	GN, BK	Below Ground Mount

WAVE BIKE RACKS

- Rugged 12-gauge steel keeps bicycles secure
- Designed without sharp edges for safety
- Polyester powder-coated finish
- Available in 3 mount styles, including flange (M), below ground (G), & free-standing (F)
- Two color options: Green (GN) and Black (BK) To order: Base Model + Mount + Color



Base Model	Bike Capacity	Mount	Color
652778	5-Bike	M	GN, BK
652779	9-Bike	F	GN, BK
652777	5-Bike	G & F	GN, BK

GRID BIKE RACKS

- Powder coat steel
- 1 $\frac{5}{8}$ " diameter tubular frame with $\frac{3}{4}$ " diameter bike grid
- Available in single-sided or double-sided options
- Easy assembly



Model	Description
652770	5-Bike, Single-Sided

Model	Description
652771	9-Bike, Single-Sided
652772	10-Bike, Double-Sided

OUTDOOR BIKE STORAGE SHELTER

- Easy assembly
- Stores up to 16 bikes
- Provides strong protection against sunlight and elements



Model	W" x D" x H"	Capacity
708408	120 x 95 $\frac{1}{2}$ x 90 $\frac{1}{16}$	16-Bike

PLUMBING & PUMPS



BOTTLE FILLING STATIONS

- Includes a ready-to-use PFAS and microplastic filter
- Keyed filter access door allows for tool-free filter changes
- Touchless activated bottle filling station
- Braille messaging on the push-bars
- LED filter status light

Model	Type	# of Stations	Refrigerated	W" x D" x H"
761218	Combination Fountain/Bottle Filler	Single	Yes	18 x 18 ⁷ / ₈ x 37 ⁷ / ₈
761243	Combination Fountain/Bottle Filler	Bi-Level	Yes	36 x 18 ⁷ / ₈ x 54 ¹ / ₂
270315	Surface-Mount Bottle Filler	Single	No	17 ⁷ / ₈ x 6 ⁵ / ₁₆ x 25 ⁹ / ₁₆
761219	Wall-Mount Bottle Filler	Single	Yes	18 x 11 x 37 ⁷ / ₈

DRINKING FOUNTAINS

- Includes 3,600-gallon PFAS & microplastic water filter
- Keyed filter access door allows for tool-free filter changes
- Braille messaging on the push-bars
- LED filter status light



Model	Type	# of Stations	Refrigerated	W" x D" x H"
761217	ADA Wall-Mount	Single	Yes	18 x 18 ⁷ / ₈ x 19 ³ / ₈
761244	ADA Wall-Mount	Bi-Level	Yes	36 x 18 ⁷ / ₈ x 24 ³ / ₈



NEW GLOBALPURE™ PFAS & MICROPLASTIC 3,600-GALLON WATER FILTER

- Removes total PFAS and a full range of chlorine, lead, cyst, turbidity, and microplastics
- NSF- & ANSI-Listed (Standards 42, 53, 372 & 401) with total PFAS filtration (PFOA + PFOS, PFNA, PFHxS, and PFHpA)
- Compatible with Global Industrial™ & Elkay® Filtered Water Bottle Refilling Stations and Filtered Coolers
- 3,600-gallon high-capacity advanced filtration system

Model	Type
761215PF	Single-Pack
761215PF-2PK	Two-Pack
761215PF-3PK	Three-Pack

WATER COOLERS

- Bottleless or bottled (accepts 3- or 5-Gallon)
- Tri-Temp: hot, cold, & room temperature

Model	Type	Installation	Filtered	W" x D" x H"	Color
670435	Bottleless	Floor	No	15 ³ / ₄ x 15 ³ / ₄ x 44 ¹ / ₈	Black/Silver
670436	Bottleless	Floor	UV-C	14 ¹ / ₈ x 16 x 45	Black
670437	Bottle - Top Load	Floor	No	14 ¹ / ₈ x 15 ⁵ / ₁₆ x 42 ¹ / ₄	Black
670438	Bottle - Top Load	Countertop	No	14 ¹ / ₈ x 15 ⁵ / ₁₆ x 23 ³ / ₄	Black



OUTDOOR BOTTLE FILLING STATIONS

- Filtered models are shipped with GlobalPure™ PFAS & Micoplastics 3,600-gallon water filter
- Available in powder-coated stainless steel or rugged polyethylene construction with a granite finish
- Mechanical push-button activation with vandal-resistant bubblers
- Includes installation hardware

Unfiltered Model	Filtered Model	Style	No. of Bubbler's	Material	Color
603602	603602F	Bottle Filler Only	-	Polyethylene	Tan
761222	761222F	Bottle Filler Only	-	Stainless Steel	Stainless
761222BL	761222BLF	Bottle Filler Only	-	Stainless Steel	Blue
761222BK	761222BKF	Bottle Filler Only	-	Stainless Steel	Black
761222GN	761222GNF	Bottle Filler Only	-	Stainless Steel	Green
603606	603606F	Bottle Filler w/Pet Bowl	1	Polyethylene	Tan
603601	603601F	Bottle Filler w/Side Arm Fountain	1	Polyethylene	Tan
761216	761216F	Bottle Filler w/Side Arm Fountain	1	Stainless Steel	Stainless
761216BL	761216BLF	Bottle Filler w/Side Arm Fountain	1	Stainless Steel	Blue
761216BK	761216BKF	Bottle Filler w/Side Arm Fountain	1	Stainless Steel	Black
761216GN	761216GNF	Bottle Filler w/Side Arm Fountain	1	Stainless Steel	Green
761220	761220F	Bottle Filler w/2 Side Arm Fountains	2	Stainless Steel	Stainless
761220BL	761220BLF	Bottle Filler w/2 Side Arm Fountains	2	Stainless Steel	Blue
761220BK	761220BKF	Bottle Filler w/2 Side Arm Fountains	2	Stainless Steel	Black
761220GN	761220GNF	Bottle Filler w/2 Side Arm Fountains	2	Stainless Steel	Green
603605	603605F	Bottle Filler w/2 Side Arm Fountains and Pet Bowl	3	Polyethylene	Tan
761221	761221F	Bottle Filler w/2 Side Arm Fountains and Pet Bowl	3	Stainless Steel	Stainless
761221BL	761221BLF	Bottle Filler w/2 Side Arm Fountains and Pet Bowl	3	Stainless Steel	Blue
761221BK	761221BKF	Bottle Filler w/2 Side Arm Fountains and Pet Bowl	3	Stainless Steel	Black
761221GN	761221GNF	Bottle Filler w/2 Side Arm Fountains and Pet Bowl	3	Stainless Steel	Green



WALL-MOUNT OUTDOOR BOTTLE FILLING STATIONS

- All models shipped with GlobalPure™ PFAS & Micoplastics 3,600-gallon water filter (can be installed without filter)
- Corrosion-resistant stainless steel provides protection against the elements
- Simple push-button activation
- Includes installation hardware

Model	Color
270313F	Stainless
270313BKF	Blue
270313BK	Black
270313GN	Green



WALL-MOUNT OUTDOOR DRINKING FOUNTAINS

- Corrosion-resistant stainless steel
- Vandal-resistant bubbler with hood guard to prevent contamination or tampering
- Includes installation hardware
- No electrical power required

Model	Color
761224	Stainless
761224BL	Blue
761224BK	Black
761224GN	Green



84"H OUTDOOR SHOWER

- Ideal for pools and beaches
- Includes 2 nozzles and 2 push buttons
- Vandal-resistant
- Durable 2.5mm-thick stainless steel with a 4mm base



Model	Color	L" x W" x H"
670434	Stainless Steel	12 x 12 x 84

OUTDOOR DRINKING FOUNTAINS

- Filtered models shipped with GlobalPure™ PFAS & Micoplastics 3,600-gallon water filter
- Available in powder-coated stainless steel or rugged polyethylene construction with a granite finish
- Mechanical push-button activation with vandal-resistant bubblers
- Includes installation hardware



Unfiltered Model	Filtered Model	Style	No. of Stations	Material	Color
603603	603603F	Pedestal Fountain	1	Polyethylene	Tan
761223	761223F	Pedestal Fountain	1	Stainless Steel	Stainless
761223BL	761223BLF	Pedestal Fountain	1	Stainless Steel	Blue
761223BK	761223BKF	Pedestal Fountain	1	Stainless Steel	Black
761223GN	761223GNF	Pedestal Fountain	1	Stainless Steel	Green
603604	603604F	Pedestal Fountain w/ Side Arm Fountain	2	Polyethylene	Tan

ELKAY® BOTTLE FILLING STATIONS



- 1.1 GPM fill rate
- Hands-free bottle filler
- Available with 3,000-gallon water filter
- Flexi-Guard antimicrobial safety bubbler
- Push button front & side bars activate bubbler
- Requires 115V power

Model	# of Stations	Filter	Mfr's Part #	Color
ENHANCED MODEL				
B384182NG	Single	Yes	LZS8WSLP	Gray
B384183NG	Single	Yes	LZS8WSSP	Stainless
B384231NG	Bi-Level	Yes	LZSTL8WSLP	Gray
B384100NG	Bi-Level	Yes	LZSTL8WSSP	Stainless
STANDARD				
806156N	Single	No	EZS8WSLK	Gray
B1890600	Single	No	EZS8WSSK	Stainless
B384182N	Single	Yes	LZS8WSLK	Gray
B384183N	Single	Yes	LZS8WSSK	Stainless
B957732	Bi-Level	No	EZSTL8WSLK	Gray
B384231N	Bi-Level	Yes	LZSTL8WSLK	Gray
B384100N	Bi-Level	Yes	LZSTL8WSLP	Gray



NEW ELKAY® FLOOR STANDING DRINKING FOUNTAINS

- Furnished with Flexi-Guard® Safety bubbler
- Mechanical top bubbler button activation

Model	Filter	Refrigerated	Chilled Water Capacity (Gallons Per Hour)	Mfr's Part #
B190414	No	No	3 GPH	FD7003L1Z
B190393	No	Yes	8 PGH	EFA8L1Z



ELKAY® BOTTLE FILLER RETROFIT KIT

- Transform any Elkay push bar-activated water cooler into a refilling station
- 1.0 GPM fill rate for refrigerated units; 1.5 GPM for non-refrigerated units
- Sanitary, no-touch sensor activation
- Available with or without a filter

Model	Filter	Part #
B639787N	No	EZWSRK
B639788N	Yes	LZWSRK

ELKAY® SURFACE/ WALL BOTTLE FILLERS



- Available with push button or electronic activation
- Filtered units include a 3,000-gallon capacity filter
- Optional remote chiller (sold separately)

Model	Activation	Filter	Refrigerated	Mfr's Part #
806246	Mechanical	No	No	EMASM
B1890605	Mechanical	Yes	No	LMASMB
B606768	Sensor	No	No	EZWSSM
B606767	Sensor	Yes	No	LZWSSM
B3085008	Sensor	No	Yes	EZ8WSSSMC
B3085007	Sensor	Yes	Yes	LZ8WSSSMC



NEW ELKAY® CHILLERS

- Air cooled
- Converts any drinking fountain into a water cooler
- Mounts up to 15 feet from dispensing location

Model	Chilled Water Capacity (Gallons Per Hour)	Mfr's Part #
B384226	1.5	ERS11Y
B384144	4	ECH8
B384220	8	ER101Y

ELKAY® ADA-COMPLIANT WALL-MOUNTED WATER COOLERS



- Flexi-Guard antimicrobial safety bubbler
- Available with 3,000-gallon water filters
- Provides 8 GPH of chilled water
- Requires 115V power
- Bi-level versions available for most models

Model	# of Stations	Color	Filter	Part #
B190402	1	Light Gray	No	EZS8L
B190341	1	Light Gray	Yes	LZS8L
B190442	2	Light Gray	No	EZSTL8LC
B190443	2	Stainless Steel	No	EZSTL8SC
B190343	1	Stainless Steel	Yes	LZS8S

STAINLESS STEEL WALL-MOUNT SINK

- For industrial, commercial, or educational settings
- 16-gauge stainless steel
- For hand washing or tool cleaning
- Deep basin contains splashes
- Available with or without faucet & knee valve
- NSF-listed



Model	L" x W" x H"	Includes
670448	14 x 10 x 5	Faucet
670453	14 x 10 x 5	Faucet w/knee valve
670454	14 x 10 x 5	Faucet w/knee valve
670455	14 x 10 x 5	Sink only
670458	14 x 10 x 5	Knee valve
670459	14 x 10 x 5	Knee valve

STAINLESS STEEL UTILITY SINK

- Ideal for commercial kitchens, workstations, studios, and more
- Deep basin and backsplash to contain splashes
- 18-gauge stainless steel construction
- Available with or without faucet
- NSF-listed and non-NSF-approved options



Model	NSF-Listed	L" x W" x H"	Faucet Included
670451	Yes	18 x 18 x 12	Yes
670456	Yes	18 x 18 x 12	No
670452	Yes	24 x 24 x 12	Yes
670457	Yes	24 x 24 x 12	No
252978	No	24 x 24 x 14	No
252979	No	24 x 24 x 14	Yes

MOUNTED WASH STATIONS

Made with heavy-duty materials like stainless steel, these wash stations provide durable and practical hygiene solutions ideal for use in commercial and industrial environments. Available in various sizes to fit the needs of your business.



Model	L" x W" x H"	Handle Type	Mounting Location
B2159386	44 x 25 x 45	Foot Pedal	Floor
B2159281	44 x 25 x 45	Lever	Floor
B2309454	20 x 60 x 10	Manual	Wall
B3154448	40 x 20 x 39	No Faucet	Floor
B2309520	20 x 80 x 10	Electronic	Wall
B2159307	121 x 25 x 45	Sensor	Floor

WASH FOUNTAINS

Wash fountains provide reliable and hygienic areas for hand washing in commercial and industrial settings, including workshops, manufacturing plants, and lavatories. They are made of highly durable materials like stainless steel or polyethylene, offering resistance to corrosion and wear. Wash fountains feature hands-free operation through sensor-activated faucets or foot pedals, promoting hygiene by minimizing contact.

Model	Brand	Shape	Number of Stations	Activation	Material
604082	Global Industrial™	Elliptical	2	Foot	Polyethylene
604083	Global Industrial™	Semi-Circular	2	Sensor	Polyethylene
B721315	Acorn	Semi-Circular	3	Foot	Stainless Steel
B721316	Acorn	Semi-Circular	3	Sensor	Stainless Steel
B721320	Acorn	Semi-Circular	4	Foot	Stainless Steel
B721312	Acorn	Circular	8	Foot	Stainless Steel

PORTABLE SINKS

Portable sinks are self-contained units that provide convenient and hygienic handwashing solutions in locations where traditional plumbing infrastructure is unavailable or impractical. Since the sinks are self-contained, most units have built-in water reservoirs, soap dispensers, and wastewater tanks, which eliminates the need for external plumbing connections.

Model	W" x D" x H"	Weight Lbs.	Material	Waste Tank Included
B3085955	19 ³ / ₄ x 15 ³ / ₄ x 34 ¹ / ₈	51	Stainless Steel	No
243068	30 x 27 ³ / ₈ x 62	110	Polyethylene	Yes
B2371536	28 ¹ / ₂ x 23 ¹ / ₂ x 49 ¹ / ₂	120	Wood	No
B3085954	19 ³ / ₄ x 15 ³ / ₄ x 34 ¹ / ₈	51	Stainless Steel	Yes
B2257343	28 ¹ / ₂ x 23 ¹ / ₂ x 38	84	Wood	Yes
B3085951	25 x 16 ¹ / ₂ x 36 ¹ / ₄	64	Stainless Steel	Yes



SENSOR-OPERATED BATHROOM FAUCETS

- Faucet-only models are ideal as replacements or for single-temperature operation
- Models with mixing valves deliver consistent, safe water temperature
- Auto shut-off
- ADA-compliant



Model	Brand	Mount Type	Holes	GPM
670461	Global Industrial™	Deck	1	2.2
299191	Global Industrial™	Deck	3	1
732416	Global Industrial™	Counterset	3	0.5
B2371751	Zurn®	Counterset	1	1.5
B252453	Sloan®	Counterset	3	0.5
B252665	Sloan®	Widespread	3	0.5
B3121017	Olympia	Widespread	3	1.2
B548821	T&S Brass	Widespread	3	2.2

FOOD SERVICE DECK- AND WALL-MOUNTED FAUCETS


- Ideal for heavy-duty use in any high-volume commercial setting
- Deck-mount or wall-mount with swing or goose neck
- Stainless steel or solid brass
- With 4" or 8" center faucet mounting holes



Model	Mount	Centers "	Spout Reach "	Style	Brand
B548804	Deck	4	7½	Gooseneck	T&S Brass
B2169837	Deck	4	10	Swing	Krowne
B2169877	Deck	8	14	Swing	Krowne
B2169846	Wall	4	3½	Gooseneck	Krowne
B2169950	Wall	8	8½	Gooseneck	Krowne
B2169949	Wall	8	6	Gooseneck	Krowne
186571	Wall	8	12	Swing	Equip By T&S
B2169952	Wall	8	8	Swing	Krowne
B3035321	Wall	4	4½	Gooseneck	Krowne
B2169737	Wall	8	12	Swing	Krowne

URINAL/TOILET SENSOR-OPERATED FLUSH VALVES

- Safe and effective at limiting the spread of bacteria and viruses
- Infrared sensor
- ADA-compliant



Model	Brand	Style	GPF
761208	Global Industrial™	Urinal	1
761209	Global Industrial™	Toilet	1.6
236684	Sloan®	Toilet	1.6
236686	Sloan®	Urinal	1.6
236687	Sloan®	Toilet	3.5
B850520	American Standard	Toilet	1.28
B850538	American Standard	Urinal	0.125
B850523	American Standard	Urinal	1

PRE-RINSE UNITS

- For commercial or industrial food service settings
- Flexible steel hose directs spray where needed
- Several riser heights available to accommodate different sink sizes
- Deck-mount or wall-mount



Model	Brand	Mount	Centers"	GPM
B548809	T&S Brass	Deck		1.42
B344692	T&S Brass	Deck	-	1.42
B344694	T&S Brass	Wall	8	1.42
WITH ADD-ON FAUCET				
B2169974	Krowne	Wall	8	1.8
B548815	T&S Brass	Wall	8	1.42
B548782	T&S Brass	Wall	12	1.42
B2169804	Krowne	Wall	8	1.2
B548781	T&S Brass	Wall	8	1.42
B548808	T&S Brass	Wall	7¾-8¾	1.42

URINAL/TOILET SENSOR-ACTIVATED FLUSH VALVE RETROFIT KITS

- Provides hands free flushing for toilets and urinals
- Battery operated
- Side mount models are universal and replace flush handle
- Global top mount units are adjustable 0.25 - 1.6 GPF

Model	Brand	Type	Mounting
270314	Global Industrial™	Toilet / Urinal	Side Mount
761210	Global Industrial™ for Sloan®	Toilet / Urinal	Top Mount
761211	Global Industrial™ for Zurn®	Toilet / Urinal	Top Mount
B67172	Zurn®	Toilet / Urinal	Side Mount
B67173	Zurn®	Toilet / Urinal	Side Mount
423173	Sloan®	Toilet / Urinal	Side Mount
B3150730	Zurn®	Toilet / Urinal	Side Mount

BALL VALVES

- Full Port
- Dezincification Resistant Brass construction
- Sweat or threaded connections
- 400-600 PSI CWP



Model	Brand	Size"	Connection
B2374666	Legend Valve®	1/8	Threaded
B2374663	Legend Valve®	1/4	Threaded
B2374664	Legend Valve®	1	Threaded
B2374661	Legend Valve®	2	Threaded
B921581	American Valve	1½	Threaded
B3150882	Legend Valve®	1½	Threaded
B2374661	Legend Valve®	2	Threaded
B2094259	American Valve	3	Threaded

PIPE INSPECTION & LOCATION

Pipe locators and inspection tools allow for the inspection and viewing of underground pipes to collect accurate information. They are lightweight and compact, ensuring easy transport across worksites. The durable construction holds up against heavy-duty use in environments such as construction zones and excavation projects.



Model	Type
603608	Acoustic Water Leak Detection System
B3083293	Pipe Inspection/Location system
270316	Pipe Inspection System with Camera & 200' cable
B1141208	Energized Line Locator
B2353503	Compact jobsite pipe inspection system

PIPE JETTERS

Pipe jetters are designed to efficiently clear clogs and debris from pipes, providing a versatile and effective solution for plumbing professionals. The high-pressure water streams generated by these tools effectively break down and flush away stubborn obstructions, restoring optimal flow in pipes.



Model	HP	Power Type	Pipe Size	Hose Size
B213994	1½	Electric	1½ to 4"	¼" x 150' & ⅜" x 30'
B213865	1½	Electric	1½ to 12"	¼" x 150' & ⅜" x 75'
B213867	11	Gas	1½ to 8"	¾" x 200'
B861782	2	Gas & Electric	1¼ to 4"	⅜" x 50' & ½" x 110'
B861755	6½	Gas & Electric	1¼ to 6"	¼" x 75' & ½" x 110'
B213868	13	Gas	1½ to 12"	¾" x 200' & ⅜" x 75'

PRESS TOOLS

Press tools give contractors another option for a fast and reliable way to join copper, stainless steel, and PEX from ½" to 4" without the use of a torch. The inline form of the tool allows access to tighter spaces, enabling press connections in difficult-to-reach areas. Press Tool Kits come with a battery-powered press tool, jaws, batteries, a charger, and a carrying case. The actuator jaw includes a patented swiveling feature that allows the tool to connect to the ring at any angle relative to the tubing, while combo crimp tools are ideal for making PEX tubing connections in potable water and radiant heating applications with ASTM F 1807 copper crimp rings.



Model	Type	Includes	Pipe/Tubing Size"
B1347638	Combo Tool	Black Copper Crimp Rings & Insert Fittings	½ - ¾ PEX
B1444056	Press Tool Kit	Press Tool, Jaws, Batteries, Charger, & Carrying Case	½ - 1¼ Copper & Stainless Steel, ¾ - 1½ PEX
B1347630	Actuator & Rings	Actuator Jaw & Crimp Rings	2½ - 4 Copper

PIPE THREADING MACHINES

Pipe threading machines are essential tools for the precise and efficient threading of pipes in plumbing and industrial applications. These machines securely clamp pipes, rotate them, and use a cutting head with dies to create threads on the pipe's end, ensuring clean and secure connections with other pipes and fittings.



Model	Brand	Pipe Threading Cap"	Includes
604049	Global Industrial™	½ to 2	Threader, Die Heads, Alloy Dies, Oiler Clamp, & Carrying Case
604051	Global Industrial™	½ to 2	Threader, Die Head, Dies, Cutter, Reamer, Stand Legs, & Foot Switch
604050	Global Industrial™	½ to 2	Threader, Die Head, Dies, Reamer, Oiler, Tri-Stand & Foot Switch
B326761	Rigid	½ to 2	Die Head, Dies, Reamer, Cutter, & Oil
B326962	Rigid	½ to 2	Die Head, Dies, Cutter Wheel, Reamer, Oil, & Stand
B326771	Rigid	¼ to 2	Die Head, Dies, Cutter, Reamer, Cutter Wheel, Oil, Hex Keys, & Wrench



DRAIN CLEANING MACHINES

- Ideal for plumbers, maintenance workers, and homeowners
- Available in hand-held or drum-style machines
- Clean filters from ¾" to 10"
- Unclogs sinks, pipes, and toilets



Model	Description	Cables Included
670462	Electric Auto-Feed Handheld Drain Cleaner	25' x ¾" Bulb Auger
670455	Electric Handheld Drain Cleaner	3 Cables
670439	Drain Cleaner for 2-4" Pipe	75' x ¾"
670440	Electric Auto-Field Drain Cleaner	75' x ½"
670441	Drain cleaner for 4-9" pipe	100' x ¾"

GLOBAL INDUSTRIAL™ WATER & TRASH PUMPS

- For general-purpose use, high-pressure transfer, or flood recovery
- Reliable Honda engines
- Low-oil sensor automatically shuts the engine off if oil level drops too low
- Corrosion-resistant seals and a durable cast iron impeller on 2", 3" and 4" models



Model	Style	Output"	HP	GPM
761202	Water	2	7	158
761203	Water	3	7	264
761204	Trash	2	7	158
761205	Trash	4	14	458



VISITOR SAFETY GLASSES

Sold in packages of 10, and available with an anti-scratch hard coating for additional protection, these safety glasses are made of polycarbonate for durability and corrosion-resistance to provide eye protection on job sites, in warehouses & plants, and more. They meet ANSI Z87.1 standards



Model	Coating
708121HC	Hard Coat
708400	None

SPORT HALF- FRAME SAFETY GLASSES

Lightweight wraparound sport half-frame glasses feature an anti-fog coating and soft nose pieces for optimal comfort during prolonged wear. Meets ANSI Z87.1 standards.



Model
708402SM

Model
708402CL

LENS CLEANING WIPES

708584



- Ideal for cleaning glass or polycarbonate lenses
- Anti-fog and anti-static for non-abrasive cleaning
- Disposable, convenient wipes offer silicone-free cleaning
- 100 Wipes/Package

HIGH-PERFORMANCE HEADGEAR FACE SHIELDS

Designed with deep crown protectors that extend coverage without increasing weight, these face shields are heat-resistant and feature impact-resistant propionate windows that fit over eyewear & respirators. Meets ANSI Z87.1+ & CSA Z94.3 standards.



Model	Description
B312561	F400, 4" Crown Headgear
B312564	F500, 7" Crown Headgear
B312745	8"W x 11¼"H Propionate Window, Clear

WRAPAROUND SAFETY GLASSES

Polycarbonate wraparound safety glasses are the ideal choice for standard eye protection. The wraparound design provides more peripheral protection than standard models with an unobstructed view. Meets ANSI Z87.1 standards



Also available in anti-fog by adding suffix AF to the model number.

Model	Lens Color
708119CL	Clear
708119SM	Smoke

SAFETY GOGGLES



- Polycarbonate lens
- Elastic Strap
- Meets ANSI Z87.1+ standards

Also available in anti-fog by adding suffix AF to the model number.

Model	Description	Vent
708582	Impact Resistant	Direct
708583	Splash Resistant	Indirect

MSA V-GARD HARD HATS



B2279027



V-Gard Series hard hats feature an HDPE shell that provides superior impact protection. Fas-Trac III® suspension and self-adjusting crown straps provide a truly customized and comfortable fit. ANSI Type 1 Hard Hat, Class E.

JACKSON SAFETY CLIMBING-STYLE HARD HAT



B2836655

This lightweight industrial hard hat draws inspiration from modern climbing gear with a chin strap and molded chin cup for comfort & security. It is made with impact-resistant ABS plastic and features sliding vents for use in cold & hot conditions., 4 external clips to hold headlight straps secure, and a 6-point ratchet suspension system. Meets ANSI Z89.1, Type 1, Class C standards.



VERISHIELD™ PASSIVE EARMUFFS

Earmuffs provide comfortable noise protection. Made of molded ABS plastic with an internal baffle design for lighter weight. Wide cup opening and large dimension range fit most head sizes. Oil-resistant cup surface withstands oily, heavy-work environments, & frequent cleaning.

Model	Color	NRR
B2319545	Black	24
B2319544	Black	26
B2319540	Black	30
B2319541	Hi-Viz Yellow	30



PARTICULATE RESPIRATORS

N95 particulate respirators protects against dust and non-oil based particles. Lightweight construction and adjustable nose clip with cushioned seal provide added comfort during wear. Exhalation valve reduces heat build-up and moisture for more comfortable wear. Meets NIOSH 42 CFR 84 N95.

Model	Series	Exhalation Valve	Package Qty.
651481	8511	Y	10
651475	8210	N	20



7000-SERIES REUSABLE RESPIRATORS

Made of an advanced silicone material for a softer feel and a unique adjustment design that helps reduce the tension and pressure points for unsurpassed comfort. The exhalation valve design helps make breathing easier and helps reduce heat and moisture build-up.



Model	3M Model	Mask Size
795244	7501	Small
795245	7502	Medium
795246	7503	Large

Model	3M Model	Cartridge Description
795251	60923	Organic Vapor/ Acid Gas/P100
795250	60921	Organic Vapor/P100
795252	60926	Multi-Gas/Vapor/P100
795247	6001	Organic Vapor
795248	6003	Organic Vapor/Acid Gas
795249	6006	Multi Gas/Vapor

SAFETY & SECURITY

SPARKPLUGS® PLUGSTATION® EARPLUG DISPENSERS

Dispenser easily mounts to any wall, ensuring hearing protection is readily available. Ear plugs feature extra-soft, low-pressure foam for exceptional comfort. Tapered shape allows for easy insertion and removal. Plugs are NRR 33dB tested. CSA Class A1.

Model	Pkg. Qty.
B308767	250 Pairs
B311542	500 Pairs



DISPOSABLE EARPLUGS

Global Industrial™ low-pressure foam disposable earplugs conform to your ear canal for superior comfort. The dispenser packs allow convenient access in high-traffic areas; disposable design improves user hygiene. Choose from two shapes; Tapered and Contoured. Noise decibel level: 32dB.

Model	Style	Shape
708375	Uncorded	Tapered
708376	Corded	Tapered
708377	Uncorded	Contoured
708378	Corded	Contoured

DISPOSABLE EAR LOOP FACE MASKS

Face masks provide nose and mouth protection against airborne particulates including dust, debris, pollen, and more. The lightweight polypropylene construction is designed for user comfort without annoying pressure points. Flexible nose piece and knitted ear loops.

Model	Description
708527	Adult, Individually Packed 50/Box



NORTH® 5400-SERIES FULL-FACEPIECE RESPIRATOR

Lightweight design offers comfort that ensures worker acceptance. The facepiece seal is made from a soft, pliable elastomer with high chemical resistance. Filters available separately.



Model	Description
B313316	North® 5400 Series Low Maintenance Full Facepiece Respirators, 54001
B312128	North® Combination Gas and Vapor Cartridges, 75SCP100L, 2/Pk
B312127	North® Combination Gas and Vapor Cartridges, 7584P100, 2/Pk
B2453160	Honeywell North 7583P100L Organic Vapor/Acid Gas Cartridge & P100 Filter, 2/Pk

GENERAL PURPOSE WORK GLOVES

Made from a combination of durable materials such as leather and cotton, these gloves protect hands in hazardous environments while ensuring a secure grip. Sold per dozen.



Model	Description
754249	Knit Wrist
708123L	2½ Safety Cuff, Large
708123XL	2½ Safety Cuff, X-Large
754251L	4½ Gauntlet Cuff

MIRCO-FOAM NITRILE-COATED GLOVES

Designed to provide an enhanced grip in both wet and dry conditions, these 15-gauge nylon knit gloves with coated fingertips and palms keep hands dry and cool while improving dexterity. Meets EN388: 4131.



Model	Size
708122M	Medium
708122L	Large
708122XL	X-Large

SMOOTH PU-COATED GLOVES

Featuring a 13-gauge nylon liner to keep hands cool and dry, these smooth, polyurethane-coated gloves provide you with excellent dexterity and a good dry grip. Sold per dozen.



Model	Size
708350M	Medium
708350L	Large
708350XL	X-Large

CRINKLE LATEX-COATED GLOVES, HI-VIZ

Crinkle latex-coated gloves provide palm and finger protection for dry conditions. They feature a tear-resistant coating and have a high-visibility design for added safety.



Model	Size
708603M	Medium
708603L	Large
708603XL	X-Large

PVC CHIP SAFETY GLOVES

Designed specifically for cleaning sewers and drains, these safety gloves feature PVC chips that allow workers to hold spinning cables with less abrasion and provide resistance to water fluids.



Model
716192

STRING KNIT GLOVES

String knit gloves are ideal for multi-purpose industrial use. Non-grip gloves can be used as a liner under gloves or worn alone. Grip gloves help provide a secure grip and reduce fatigue.



Model	A. Non-Grip	Ga.
708354S	Ladies (SM)	7
708354L	Mens (L/XL)	7
B. Grip		
708352	PVC Dot, Single-Sided	7
708351	PVC Dot, Double-Sided	7
708355	Latex-Coated	10

PIP® TOUCHSCREEN HI-VIS COATED GLOVES

The seamless knit polyester plus spandex shell offers increased comfort, finger dexterity, and breathability. Washable and resistant to chemicals, water, and ultraviolet light, these gloves are ideal for electronic applications.



Model	Size
B1030690	Medium
B1030689	Large
B1030692	Medium

PIP® MAXIFLEX® ULTIMATE™ NITRILE-COATED KNIT NYLON GLOVES

Featuring a knit wrist that helps prevent dirt and debris, these gloves have a breathable micro-foam nitrile coating that provides a good grip and excellent abrasion resistance.



Model	Size
436638XL	Medium

AMMEX® GLOVEWORKS INDUSTRIAL-GRADE DISPOSABLE NITRILE GLOVES

Powder-free & 8 mil thick, these industrial-grade disposable nitrile gloves are ideal for painting, automotive, chemical, and janitorial applications. 100 gloves/box.



Model	Size
B1587660	Medium
B1587661	Large
B1587662	X-Large

MCR SAFETY NINJA ICE GLOVES

Designed for reliable hand protection without sacrificing dexterity, these gloves feature a unique polymer-combo shell & a wicking two-layer liner that protects them from the elements while keeping them soft and pliable in temperatures as low as -58°F.



Model	Size
B2263145	Medium
B2263151	Large
B2263144	X-Large

MCR SAFETY CUT-RESISTANT SLEEVE

These cut-resistant sleeves allow for manual dexterity with a high level of comfort. Made from FDA-accepted materials for use in food processing applications. These gloves are launderable for repeat use.



Model
B314428

IDEAL WAREHOUSE FORKLIFT PROPANE CYLINDER HANDLING GLOVES

Protects against user injury from extreme cold and skin irritation while handling Liquid Propane Gas. Gloves attach to the forklift's overhead guard with a chain to ensure they are readily available for use.



Model	Size
986878	One Size

MILLER® TITAN NON-STRETCH HARNESS

- Sliding back D-ring
- Universal fit with tongue-buckle legs, mating-buckle chest, shoulder straps, & sub-pelvic strap
- Integrated, oversized pull-free lanyard rings
- Bright webbing color is easily visible
- Meets all OSHA, ANSI, & CSA standards
- Available in L/XL

436720



MILLER® H500 HARNESS CONSTRUCTION COMFORT

- Lightweight, ergonomic, breathable harness comfortable around the legs, waist, back, & shoulders
- Smart rebar hook/lanyard keepers & SRL weblink
- Increased freedom of movement
- Fast and easy to fit & adjust
- Improved visible stitch pattern
- Clearly identifiable fall-impact indicators

290522



MILLER® FULL-BODY HARNESS

- Holds up to 400 lbs.
- Provides fundamental fall protection at an exceptional value
- 5 points of adjustment for a custom fit
- Lightweight and comfortable

708495

Honeywell
MILLER


PRO™ PACK SHOCK- ABSORBING LANYARD

Featuring an energy-absorbing design that limits fall arrest forces, this lanyard is equipped with durable webbing, corrosion-resistant plated alloy steel hardware, and user-friendly self-locking snap hooks at each end. Compact and lightweight, this 6' lanyard only weighs 2.3 lbs. Meets OSHA 1910.66, OSHA 1926.502, & ANSI A10.32.

Honeywell
MILLER


436801

CONTRACTOR 1D HARNESS & 6'L LANYARD COMBO

761317

Start building a complete personal fall arrest system with this universal-fit harness and shock-absorbing lanyard combination set. The harness features a back D-ring, mating legs, & a chest buckle, while the single-leg lanyard has a plated alloy steel snap hook. Meets applicable OSHA & ANSI regulations.


3M | **PROTECTA**

PROTECTA® FIRST™ HARNESSES

Made from strong, durable 100% polyester, these universal-fit harnesses come standard with back D-rings for fall arrest and are constructed to last through your toughest jobs. Available with either tongue buckle legs or pass-thru buckle legs. Meets OSHA 1926 and ANSI Z359.1 standards.

Model	Description
795490	Pass-thru buckle
795491	Pass-thru buckle w/side D-ring
795492	Tongue buckle
795493	Tongue buckle w/side D-ring


3M | **SALA**
Fall Protection

I-BEAM TROLLEY

B312014

Ideal for use with self-retracting lifelines, this I-beam trolley provides a fast & safe tie-off point for personal fall protection systems. It features easy-to-use dual-adjustment dials and installs onto I-beam flanges that are 3" to 8" in width and up to 11/16" thick. Meets OSHA & ANSI Z359 standards.



MILLER MANYARD® II SHOCK-ABSORBING LANYARD

B313421

- Stretchable, shock-absorbing lanyard
- Contracts 6' to 4' to reduce tripping, snagging, or dragging hazards
- Working load of 310 lbs.
- Warning flag to indicate that it has arrested a fall


Honeywell
MILLER

B861869

AUTO-LOCKING CARABINER

- Spring-loaded keepers with 1" gate opening
- Use as anchorage connectors
- Rated for 400 lbs. maximum capacity
- Meets or exceeds OSHA 1926.502, ANSI Z359-2007, and CSA Z259.12 requirements



MILLER D-RING EXTENSION

This extender provides added mobility by enabling the user to easily and quickly attach the back D-ring of the harness and the connecting device. It is 18"L and features durable polyester webbing & a locking snap hook. Universal size.

B312190

Honeywell
MILLER


HONEYWELL® MILLER TURBOLITE™+ PERSONAL FALL LIMITER

B3150285

The compact and lightweight Miller TurboLite+ Personal Fall Limiter provides the same working capacity as a traditional shock-absorbing lanyard while instantly arresting a free fall within inches. It features a quick-activating, high-strength stainless steel braking system and has a capacity rated up to 420 lbs.





ERGODYNE® CHILL-ITS® HI-VIS RANGER HAT W/ BUILT-IN COOLING TOWEL

Featuring a wide brim and vented mesh side panels, this ranger hat is lined with an advanced PVS material for the ultimate cooling relief. It's easily activated by running under water for one minute and lasts up to 4 hours. ANSI-certified 150D Oxford Polyester & ANSI-compliant tape with contrasting color for high visibility in work conditions.

Model	Size
B910942	Small



ERGODYNE® CHILL-ITS® COOLING TOWEL

Machine washable for repeat use, this cooling towel features advanced PVA cooling technology that quickly activates by running under cold water for one minute. It is super-evaporative and feels significantly cooler than ambient air for relief in warm working conditions.

Model	Size
B305290	One Size



HYDRATION & ELECTROLYTES

Dehydration happens slowly, so it's important to drink water every 15 minutes to avoid it. Ensure your crew & staff have what they need to prevent heat exhaustion & dehydration with this range of hydration products.

Model	Description
B335584	Igloo 5 gal. jug
B2412656	Niagara Water/Pallet
B2412653	Overtime Powder Mix
B3168903	Shield Electrolyte Freeze Pop



B2307789

ENESPRO® ARCGUARD® LIGHTWEIGHT ULTRASOFT FR BALACLAVA

The Lightweight UltraSoft FR Balaclava is made in the USA and features inherently FR fabric that will not melt, drip, or ignite. Lightweight & durable, this hood is made with a single layer of UltraSoft fabric and has a flat lock seam for comfort when worn under a hard hat.

Model
B2307789



OCCUNOMIX® HEAT PAX™ HAND & TOE WARMERS

Hand and toe warmers are ideal for use in cold weather applications, including construction and transportation. Safe and odorless, these ultra-thin warmers are comfortable for use throughout the day. Single use packs, 40 pack displays.

Model	Description
708200	Hand Warmers
B604814	Toe Warmers



TREX™ ICE TRACTION DEVICES

Made from rubber for comfort and long-lasting durability, these ice traction devices feature steel studs and are designed to stretch over shoes to create traction to provide stability while walking on ice or snow. Flexible to -40°C (-40°F).

Model	Size	Type
B305908	USM 5 - 8	Non-Adjustable
B305934	USM 8 - 11	Non-Adjustable
B305935	USM 11 - 13	Non-Adjustable

TINGLEY® PILOT G2 KNEE BOOT, PLAIN TOE

Perfect for working in wet, muddy conditions, these 100% waterproof PVC boots provide easy walking and all-day protection. They feature an injection-molded construction and are resistant to select acids, alkalis, fats, oils, hydrocarbons, and other chemicals.



Model	Size
761267	9
761268	10
761269	11

TINGLEY® METATARSAL STEEL-TOE BOOTS

Flexible and comfortable in even the toughest work environments, these 16" metatarsal steel-toe boots are puncture-resistant and 100% waterproof. They feature an internal support system in critical areas, such as the heel and ankle, to help mitigate the occurrence of injuries.



Model	Size
B1378814	9
B1378815	10
B1378872	11



IMPACTO® TURBOTOE STEEL TOE CAP OVERSHOES

Steel toe cap overshoes help protect the toe area from accidental impact, crushing, or stubbing. Overshoes are made of flexible, pliable PVC and feature treads to help prevent slipping and allow liquid to flow away from the foot. Ideal for visitors and temporary workers. CSA-certified.

Model	Size
B2692131	2X-Small
B2692127	Small
B2692126	Medium
B2692125	Large
B2692128	X-Large

MESH CLASS 2 HI-VIS SAFETY VESTS

- ANSI Class 2 with pockets
- Includes mic tab for clipping on walkie talkie
- Made of durable, lightweight polyester material with reflective strips and piping
- Zip-front closure
- Available in sizes S-5XL



641636LL



641637OL



Features 2" silver continuous reflective stripes

Model	Pockets	Color	Size
641636LL	2	Lime	L/XL
641636LXXL	2	Lime	2XL/3XL
641636OL	2	Orange	L/XL
641636OXXL	2	Orange	2XL/3XL
641637LL	3	Lime/Black	L/XL
641637LXXL	3	Lime/Black	2XL/3XL
641637OL	3	Orange/Black	L/XL
641637OXXL	3	Orange/Black	2XL/3XL

SOLID CLASS 2 HI-VIS SAFETY VESTS

- ANSI Class 2
- Bright neon color helps ensure visibility for day and night
- Made of durable, lightweight polyester material with reflective strips and piping
- Hook & loop closure
- Available in sizes S-5XL



Model	Color	Size
641638LS	Lime	S/M
641638LL	Lime	L/XL
641638LXXL	Lime	2XL/3XL
641638LXXXXL	Lime	4XL/5XL

TWO-TONE CLASS 3 HI-VIS SAFETY VESTS

- ANSI Class 3, an essential for areas with zero visibility and high-speed vehicles
- 4 pockets and a mic tab for clipping on a walkie talkie
- Made of lightweight polyester mesh fabric with reflective strips
- Zip-front closure
- Available in sizes L-3XL



Model	Color	Size
641640LL	Lime	L/XL
641640LXXL	Lime	2XL/3XL
641640OL	Orange	L/XL
641640OXXL	Orange	2XL/3XL

TWO-TONE CLASS 2 HI-VIS SAFETY VESTS

- ANSI Class 2 with pockets
- Two-tone bright colors help ensure visibility for day and night
- Made of lightweight polyester mesh fabric with reflective strips
- Zip-front closure
- Available in sizes S-5XL



Model	Pockets	Color	Size
641639LL	2	Lime	L/XL
641639OL	2	Orange	L/XL
641641LL	6	Orange	L/XL
641641OL	6	Orange	L/XL

HI-VIS SAFETY VESTS

- Simple hook and loop enclosure
- One size fit with elastic side strips for easy adjustment
- Made of lightweight polyester mesh fabric and reflective strips
- Ideal for workers in warehouses and large spaces where equipment moves at low speeds



Model	Color
641643B	Blue
641643L	Lime
641643O	Orange
641643P	Pink



**GSS PUTS YOUR SAFETY FIRST,
BECAUSE SAFETY IS ALL THEY DO.**



SHORT SLEEVE SAFETY SHIRTS

- Breathable and moisture wicking polyester mesh keeps workers cool
- Select styles have reflective tape with contrasting trim and chest pockets
- Multiple options including Class 3 certified, non-ANSI, and moisture-wicking
- Available in multiple sizes & colors

Model	Description	Color	Size
B2939622	Non-ANSI Shirt	Blue/Black	L
B2939638	Non-ANSI Shirt	Red/Black	L
B2939714	Non-ANSI Shirt	Pink	L
B1834292	Moisture Wicking Shirt	Lime	L
B1834372	Moisture Wicking Shirt	Orange	L
B1961847	Class 3 Hi-Visibility Moisture Wicking Shirt	Lime	L
B1961913	Class 3 Hi-Visibility Moisture Wicking Shirt	Orange	L



LONG SLEEVE SAFETY SHIRTS

- Moisture wicking shirt features breathable polyester mesh material with one chest pocket
- Job Shirt with 1/4 zipper features a pullover design and 1" reflective tape on the sleeves for extra visibility
- Rip stop shirt is lightweight yet durable, with moisture wicking fabric to keep workers drier and cooler
- Available in multiple sizes

Model	Description	Color	Size
B1834334	Moisture Wicking Shirt	Lime	L
B3134769	Job Shirt with 1/4 Zipper	Black	L
B2939699	Lightweight Rip Stop Shirt	Lime	L



SHORT SLEEVE SAFETY POLO

- Breathable and moisture wicking polyester mesh keeps workers cool
- Features 2" silver reflective tape
- Includes one chest pocket
- Available with black body & lime trim in multiple sizes

Model	Description	Color	Size
B3134713	Two Tone Short Sleeve Polo Shirt	Black/Lime	L




SAFETY SWEATSHIRTS

- Ideal for increased visibility in cooler environments
- Features 2" silver reflective tape
- Heavyweight sweatshirt features extra reflective piping across the sleeves
- Enhanced visibility sweatshirt features a three-layer bonded, water repellent shell to keep workers dry in light rain
- Available in multiple sizes

Model	Description	Closure Type	Color
B1834513	Class 3 Sweatshirt	Zipper	Lime/Black
B2939735	Class 3 Heavyweight Sweatshirt	Zipper	Lime/Black
B3134585	Class 3 Enhanced Visibility Sweatshirt	Zipper	Black

RAIN COATS

- Keep workers dry and visible in rainy conditions
- Sealed seams for added durability and water-resistance
- Select models feature 2" reflective tape with contrasting trim
- Class 3 premium rain coat includes 1 phone pocket and 2 lower front pockets with flaps
- Rip stop rain coat features ventilation at front and back to provide ventilation
- Available in multiple sizes



B2939588

B3134709

Model	Description	Color	Size
B2939592	Premium Two Tone Rain Coat	Black	L/XL
B2939588	Class 3 Premium Two Tone Rain Coat	Lime/Black	L/XL
B3134709	Non-ANSI Rip Stop Rain Coat	Navy	L/XL

QUILTED PANTS

- Helps maintain warmth and comfort in cooler conditions
- Zippered design on bottom of legs for easy on/off
- Features reflective tape with black trim
- Additional reflective piping on pockets for increased visibility
- Available in multiple sizes



B2238505

B2238538

Model	Description	Color	Size
B2238505	Class E Quilted Pants	Black	L/XL
B2238538	Class E Two Tone Quilted Pants	Lime/Black	L/XL

RAIN PANTS

- Keeps workers dry and comfortable in wet conditions
- Waterproof, sealed seam design
- Select models feature cargo pockets for added storage
- Available in multiple sizes



B1834342

B2939775

Model	Description	Color	Size
B2939766	Class E Two Tone Rain Pants	Lime/Black	L/XL
B2939775	Class E Two Tone Rain Pants	Black	L/XL
B1834503	Class E Standard Waterproof Pants	Lime	L/XL
B1834342	Class E Premium Waterproof Pants	Lime/Black	L/XL

OVERALLS

- Protects workers and clothing from hazards and spills
- Reflective tape with contrasting trim for added visibility
- Includes pockets for tools and personal items
- Available in multiple sizes



B2939606

B1344687

Model	Description	Color	Size
B2939606	Non-ANSI Premium Rain Overalls	Black	L/XL
B2939596	2-Tone Poly-Filled Insulated Overalls	Black	L/XL
B1344687	Waterproof Flame-Resistant Insulated Overalls	Lime	L/XL

HI-VISIBILITY CLASS 3 WATERPROOF QUILT-LINED BOMBER JACKET



Made with 100% waterproof PU-coated shells, sealed seams, and a concealed hood, they feature 4-¾ oz. polyfill insulation with a polyester quilted lining, zippered closure and snap storm flap, and an assortment of pockets. ANSI/ISEA 107-2010 Class 3 compliant.

Model	Color
B1727708	Lime
B1834520	Orange

FR WATERPROOF FLAME-RESISTANT WINTER QUILTED JACKET



Flame-resistant winter quilted jackets are waterproof and windproof, and feature a detachable, tear-away storm blaster hood to reduce exposure to the elements. Heavy-duty, 100% polyester FR-treated 300 denier construction. High-visibility design with 2" reflective tape with 4" contrasting trim. Includes two lower cargo pockets and one interior pocket. Available in additional colors and sizes.

Model	Size
B3134741	L
B3134743	XL
B3134704	2XL



ONYX SURVEYOR'S SAFETY VEST

Comfortable to wear with plenty of pockets & pouches for tools and instruments. Ripstop polyester, mesh back & padded neck. Reflective tape with contrasting reflective trim.

Model	Size
B2939676	M
B2939664	L
B2939677	XL
B2939650	2XL



CLASS 2 HEAVY-DUTY SAFETY VEST

These Class 2 vests are ideal for airport baggage handlers & ground crew, forestry workers, parking attendants, and utility workers. ANSI/ISEA 107-2010 Class 2 compliant. Size: XL.

Model	Color
B1961876	Lime
B1961853	Orange



MULTI-PURPOSE CLASS 2 MESH SAFETY VEST

Designed for comfort & safety, this vest is made of polyester mesh with a convenient hook & loop closure and reflective silver tape details. Pen/instrument organization chest pocket and inside pocket. ANSI/ISEA 107-2010 certification.

Model	Size
B1834523	M
B1834522	L
B1834536	XL
B1834462	2XL



ENHANCED- VISIBILITY MULTI-COLOR VEST

Made of polyester mesh with a zipper closure, this vest has 2" silver reflective tape with a contrasting trim to maximize visibility in hot weather or over regular outerwear. It has a variety of pockets and a mic tab on the shoulder. NON-ANSI certified.

Model	Color
B2939619	Red
B2939708	Black
B2939723	Purple
B2939615	Blue

ANSI-COMPLIANT CLASS B FIRST AID CABINETS

Steel cabinets are adequately stocked for minor accidents, ailments, and injuries. Each Class B kit includes supplies to treat minor cuts, eye irritation, personal discomfort, burns, and trauma. Includes carry handle; can be wall-mounted. Meets ANSI Z308.1-2021 standard.

Model	Description	# of People Served	W" x D" x H"
761295A	2-Shelf	50-75	10½ x 4¾ x 15½
761296A	3-Shelf	75-100	13½ x 5½ x 16
761297A	4-Shelf	100-150	15 x 5¾ x 22
761294A	Refill Kit	Up to 75	—



ANSI-COMPLIANT CLASS A FIRST AID KITS

Global Industrial™ Class A First Aid Kits provide a quick and handy storage solution for minor accident and medical emergency supplies. Storage cases can be wall-mounted or portable with an easy carry handle. Available in plastic or metal cases. Refill Kit contains necessary components for 25 to 50 people. Meets ANSI Z308.1-2021 standard.

Model	Case	People Served
761287A	Plastic	10
761288A	Plastic	25
761289A	Plastic	50
761292A	Metal	25
761290A	Metal	50
761285A	Refill Kit	25-50



BLOODBORNE PATHOGEN KIT

B892445

Designed for the safe and sanitary removal of spilled bodily fluids, blood, and other potentially infectious substances in the workplace. Helps comply with OSHA Bloodborne Pathogen Rule 29 CFP 1910.1030.

761286



FIRST AID BURN KIT

Global Industrial™ burn kits provide a quick & handy solution for minor accidents and medical emergencies. These first aid kits are held in a reusable plastic case for secure, organized storage. This 14-piece burn kit includes the basic necessities for burn care.



DISPOSABLE LAB COATS

These disposable lab coats provide protection against dry particulates such as dust, dirt, and debris. The polypropylene construction provides lasting strength and dependability, while the snap front elastic wrists and collar secure the lab coat. 25/Case. Add size suffix to model number: Medium (M), Large (L), X-Large (XL), and 2X-Large (XXL).

Model	Type	Sizes
708208	Elastic Wrists & Polypropylene Collar	M-2XL
708309	Knit Wrists & Collar	M-2XL

DISPOSABLE PROTECTIVE CLOTHING

Protect workers from various contaminants with these white disposable coveralls. Polypropylene coveralls protect against non-hazardous dry particles, while microporous coveralls protect against non-hazardous particles, light splashes, and aerosols. Features a zip front for easy user access & removal. Add size suffix: Small (S), Medium (M), Large (L), X-Large (XL), 2X-Large (XXL), & 3X-Large (XXXL). Case Qty 25.


Base Model	Fabric	Wrist/Ankles	Size	Hood	Boots
708190	Microporous	Elastic	M-3XL	-	-
708189	Microporous	Elastic	M-3XL	-	-
708191	Microporous	Elastic	M-3XL	-	-
708188	Microporous	Open	M-3XL	-	-
708187	Polypropylene	Elastic	M-3XL	-	-
708186	Polypropylene	Elastic	S-3XL	-	-
708185	Polypropylene	Open	M-3XL	-	-

BOUFFANT CAPS & HAIRNETS

These hairnets contain and prevent loose hair contamination for food service applications including restaurants, cafeterias, commercial kitchens, and more. Caps are constructed from polypropylene and hairnets are constructed from nylon honeycomb. Available in white.



Model	Type	Dia."
708192A	Bouffant Cap	21
708192B	Bouffant Cap	24
708192C	Bouffant Cap	28
708193A	Hairnet	20
708193B	Hairnet	24



B2779181

BOOT SAVER® DISPOSABLE SHOE COVERS

Resistant to snags, tears, & abrasions, these covers are made of liquid-proof natural rubber latex to easily stretch over footwear and fit either foot to keep contaminants out. A textured outsole provides grip on wet & dry surfaces and are ideal for any place where contamination prevention is needed. Available in four sizes & colors. 100 pairs/case.



SHOP JUSTRITE FOR SAFETY CANS, CABINETS, & MORE.

EAGLE TYPE I & TYPE II SAFETY CANS

Made using hot dipped 24 gauge galvanized steel with lead-free technology and powder coat finish. Comfort grip release trigger for ease of use. Spring closing lid with neoprene gasket vents offer 5 psi internal pressure. Meets OSHA and NFPA code 30 requirements. FM, UL/ULC approved.



Model	Description	Gal. Cap.	Funnel	Color
B214720	Type I	1	Yes	Red
B214733	Type I	5	No	Yellow
B214719	Type I	5	No	Red
B214721	Type I	2	Yes	Red
B214722	Type I	5	Yes	Red
B214548	Type II with Spout	2	No	Red
B214550	Type II with Spout	5	No	Red
B214552	Funnel for Type I	---	---	Yellow

JUSTRITE TYPE I & TYPE II SAFETY CANS

Engineered to help prevent flammables from igniting and to protect personnel from the dangers of fire and explosion. Flashback is prevented by double-mesh flame arrestor screen inside spout. Spring-loaded cap closes automatically after pouring. Long-life synthetic gasket resists virtually all liquids and maintains a tight seal. Galvanized steel for storing petroleum products where purity and color are not critical. FM, UL/ULC approved. Meets OSHA and NFPA requirements.



Model	Description	Gal. Cap.	Funnel	Color
420200	Type I	1	No	Red
420206	Type I	5	No	Red
420212	Type II	2	Yes	Red
436706	Type II Accuflow™	5	Yes	Yellow
420214	Type II	5	Yes	Red

FLAMMABLE SAFETY CABINETS

Designed to meet OSHA and NFPA standards, Sure-Grip EX cabinets are constructed of sturdy 18-gauge (1-mm) thick double-wall, welded steel with 1-1/2 inch (38-mm) of insulating air space for fire resistance. All door styles meet OSHA and NFPA 30; self-close door styles also meet NFPA 1 and the International Fire Code. Most cabinets are FM approved and all come with a ten-year warranty.



Model	Gal. Cap.	W"x D"x H"	Doors	Style	Color	Door Type
B875482	60	43x18x65	2	Paint & Ink	yellow	Manual-Close
B3149441	45	43x18x65	2	Flammable	yellow	Self-Close
237294	90	43x34x65	2	Flammable	yellow	Self-Close
B3149394	60	34x34x65	2	Flammable	yellow	Self-Close
269895	18	17x18x22	1	Flammable	yellow	Manual-Close

OVERPACK & LAB PACK DRUMS

These drums are ideal for safe storage, handling, and transportation of hazardous materials and spill containment and cleanup of hazardous materials. Constructed of blow-molded high-density polyethylene (HDPE) with UV inhibitors.



Model	Drum Size	Drum Type	Lid	Color
921243	65 gal.	Overpack	screw top	yellow
952868	95 gal.	Overpack	screw top	yellow
921241	20 gal.	Lab Pack	screw top	yellow
921242	30 gal.	Lab Pack	screw top	yellow
240836	30 gal.	Lab Pack	open head w/metal lever lock	blue
987230	55 gal.	Lab Pack	open head w/metal lever lock	blue

SAFETY PLUNGER CAN

Helps safely moisten cleaning cloths or swabs without spills. Steel Cans are made from 24 gauge steel with chemical resistant powder paint finish. Polyethylene Cans comply with OSHA standards.



Quart Cap.	Material	Model
1	Steel	237866
2	Poly	237870
1	Poly	237869
2	Steel	237867
4	Steel	237868
4	Poly	237871

LAB SAFETY CANS WITH BOTTOM FAUCET

Steel Laboratory Safety Cans are the choice of lab professionals for safe dispensing of hazardous liquids into test tubes, small flasks and beakers. Self-closing faucets provide trouble-free dispensing. FM approved. OSHA and NFPA compliant.



Model	Capacity
440504	5 Gallon

FIRE EXTINGUISHER CABINETS

Fire extinguisher cabinets safeguard fire extinguishers from environmental elements, damage, and tampering, ensuring they are readily-accessible during emergencies. Ideal for commercial buildings, manufacturing plants, industrial facilities, and more.

Model	Description	Size Lbs.	Material	Color	Width"	Depth	Height"
641648	Surface Mount	21/2-5	Polystyrene	Red	19 5/16"	8 1/4"	61 1/16"
670600	Surface Mount	21/2-5	Steel	White	6"	6"	20"
670597	Surface Mount	21/2-5	Steel	White	6"	8"	18"
724202	Semi Recessed	2-6 1/2	Steel	White	10 1/2"	5 1/2"	24"
670598	Surface Mount	10	Steel	White	9"	6"	24"
670599	Semi Recessed	10	Steel	White	10 4/5"	6"	24"
670601	Surface Mount	10	Steel	White	10"	6"	26"
641649	Surface Mount	10	Polystyrene	Red	23 5/16"	9 5/16"	7 3/16"
641650	Surface Mount	20	Polystyrene	Red	28 3/8"	11 5/16"	10"



641649



B2680334

CO2 FIRE EXTINGUISHERS

Carbon dioxide is discharged as a white cloud of "snow" that smothers a fire by eliminating oxygen. It is effective for Class B flammable liquids and is electrically non-conductive.

Model	Lbs.
B2680334	5
B2680335	10
B2680336	15



DRY CHEMICAL FIRE EXTINGUISHERS

ABC or multi-purpose extinguishers utilize a specially fluidized and siliconized mono ammonium-phosphate dry chemical. It chemically insulates Class A fires by melting at approximately 350°F and coats the surface to which it is applied. It smothers and breaks the chain reaction of Class B fires and will not conduct electricity back to the operator.

Model	Type	Lbs.
B2680341	ABC	2.5
B2680338	ABC	5
B2680339	ABC	10



GAS & GO POLYETHYLENE GAS CADDY

Polyethylene construction resists corrosion and dents. Spring-loaded nozzle prevents overflow. Meets DOT & UN transportation requirements.

B1988375 features two heavy duty 10" pneumatic wheels, 10' 3/4 L hose, and 25 gallon capacity.

Model	Description
672022	15 Gallon Fuel Caddy
B1988375	25 Gallon Diesel Caddy
B1309598*	25 Gallon Fuel Caddy
B1309601	2-Way Rotary Hand Pump for 25 Gallon Caddy

* UN/DOT Approved



WESTERN GLOBAL FUEL CUBES

Fuel Tanks provide safe transportation and storage options for both diesel or gasoline, especially in construction zones and disaster areas.

Model	Description	Cap. Gal
B2732622	FuelCube Diesel, Pump Kit & Gauge	528
B2732625	FuelCube Diesel with Gauge	250
670765	Transcube Gasoline Transportable Tank	552
670756	FuelCube Gasoline Stationary Tank	243



300705

JOHN DOW 30-GALLON GAS CADDY

- Steel container for unleaded gas, diesel, kerosene, or mixed fuels
- Cast iron 2-way rotary pump siphons dispenses 1-gal per 12 revolutions
- Fire screened vent/fill level gauge and filler neck
- OSHA-compliant & UL-listed



Honeywell

SAFETY IS KEY. MAKE SURE ALL IS HONEYWELL AND GOOD.



237680



Pull Handle Down to Begin Saline Flow



Eye-View Station



EMERGENCY EYEWASH STATIONS

Pure Flow 1000® Emergency Eyewash Stations feature a pressure balancing system for a constant flow rate and lasts up to 24 months, four times longer than other self-contained eyewash devices. Fendall® Flash Flood Portable Eyewash Stations include easy-to-use pull an easy-to-use, pull handle-activated stream that frees worker's hands to hold eyes open. Emergency Eye/Face Wash Double Bottle Stations are highly-visible and mount conveniently in hazardous areas for emergency flushing.

Model	Description
237680	Pure Flow 1000® Emergency Eyewash Station, 7 Gal.
237681	Pure Flow 1000® Eyesaline™ Cartridge Refills, 2/Pack
672017	Universal Stand for Eyewash Stations
829007	Fendall® Flash Flood Portable Eyewash Station, 1 Gal.
829008	Fendall® Eyesaline Refill
116270	Emergency Eye/Face Wash, 32 Oz. Double Bottle Station
116272	Emergency Eye/Face Wash Refill



EMERGENCY DRENCH SHOWER

Shower is horizontally-mountable to provide quick access to overhead flushing of corrosive elements from affected areas. Pull rod-activated for immediate water flow. Includes ANSI-compliant identification sign. ETL-listed 101496/ANSI Z358.1-2014. A

Model	Construction
708384	Plastic
708384SS	Stainless Steel



EMERGENCY EYEWASH STATIONS

Emergency eye wash and shower stations are essential for industrial spaces where chemicals or hazardous substances are used. Eyewash basins have push handle activation for hands-free operation once unit is activated. Includes ANSI-compliant sign. ETL-listed 101496/ANSI Z358.1-2014. Also available in a stainless steel version; add suffix SS to model number.

Model	Description	Mount
708381	Eyewash Station	Wall
708382	Eyewash Station	Pedestal Floor
708383	Emergency Combo Shower & Eyewash Station	Floor



708387

708606

GRAVITY-FED PORTABLE EYEWASH STATIONS

Improve eye safety in your workplace with the Global Industrial™ Gravity-Fed Portable Eyewash Stations. The 9-gallon emergency eyewash station is wall-mountable for easy accessibility, and provides continuous flow of water at 0.4 gallons per minute for 15 minutes. Meets ANSI Z358.1-2014. The 20-gallon emergency eyewash station is also portable and easily mounts to the wall of any nearby working location for quick access to eye flushing or spot washing. Meets ANSI Z358.1-2009.

Model	Description	Capacity
708606	Gravity-Fed Portable Eyewash Station	9 Gal.
708387	Gravity-Fed Portable Eyewash Station	20 Gal.

Model	Description
708563	Emergency Eyewash Preservative, 8 oz.



EYEWASH BOTTLE STATIONS

Wall-mountable eyewash bottle stations provide quick response to eye accidents in work environments. Help individuals get immediate treatment from an ANSI-compliant eyewash station by placing one within a 10-second walk of potential hazards.

Model	Description	Size
708569SS	Single Bottle Station	16 oz.
708570SS	Single Bottle Station	32 oz.
708569DS	Double Bottle Station	16 oz.
708570DS	Double Bottle Station	32 oz.
708571	Universal Bottle Mount	Up to 32 oz.


Model	Description	Size
708567	Replacement Bottle Only	16 oz.
708568	Replacement Bottle Only	32 oz.



MOTOROLA TWO-WAY RADIOS

Motorola two-way radios are designed for transmitting and receiving audio signals over short distances. They feature a compact and rugged design, making them suitable for use in various environments, including industrial, commercial, and outdoor settings. Features include push-to-talk functionality for instant communication, multiple channels for organizing different communication groups, and built-in antennas for improved signal transmission and reception. Provides an indoor coverage area of up to 250,000 sq. ft. or 20 floors.

Model	Description	Watt	# of Channels	Type	Range
B3125230	T270 Rechargeable Two-Way Radio	2	22	FRS/UHF	50,000 Sq. Ft./ 2 Floors
436854	RMU2040 RM Series Two-Way Radio	2	4	UHF	250,000 Sq. Ft./ 20 Floors
436857	RMM2050 Two-Way Radio	2	5	MURS	220,000 Sq. Ft./ 13 Floors
795372	CLS1410 Two-Way Radio	1	4	UHF	200,000 Sq. Ft./ 15 Floors
436856	RMU2080D RM Series Two-Way Radio	2	8	UHF	250,000 Sq. Ft./ 20 Floors
436853	RMV2080 RM Series Two-Way Radio	2	8	VHF	220,000 Sq. Ft./ 10 Floors



SECURITY SEALS

- High-security bolt seal is designed to safeguard high-value cargo
- Fixed-length truck seal is compact, highly tamper-resistant, and user-friendly
- Metal cable seals with non-preformed cable are ideal for trucks, containers, drums, rail cars, high-value totes, and canisters
- Add color suffix to model number: Red(RD), Blue(BL), Green(GN), Yellow(YL), Orange(OR), White(WH)

Model	Description	Pk. Qty.
670487	High-Security Bolt Seal	50
670477	7½" L Fixed-Length Truck Seal	100
670488	¼" x 12" L Metal Cable Seal	50




SAFETY MIRRORS

- Prevent injuries and discourage theft
- Lightweight acrylic surface is impact-resistant and durable
- Mirror is built with a molded plastic backboard for added safety and enhanced appearance
- Convex safety mirrors offer protection against intersection accidents at blind corners
- Wide-angle, full-dome mirror provides an unobstructed view



Model	Description	Dia."
670547	Convex Mirror	26
670549	Convex Mirror	36
670542	180° Mirror	26
670543	180° Mirror	36
670539	360° Mirror	26
670540	360° Mirror	36
670563	360° Warning Mirror	36

B729988



B313978



443244RD



B729972

MASTER LOCK® LOCKOUT STATION & PADLOCKS

The Lockout Station helps protect personnel from accidents and prevents unwanted or unsafe equipment operation. Add Safety 410-Series Padlocks for a complete system to protect your employees. Complies with "One Employee, One Lock, One Key" directive. Padlocks have a 1 3/4" tall thermoplastic body with 6-pin, reserved-for-safety cylinder with key retention to ensure padlock is not left unlocked, and are available in a variety of colors.

Model	Description
B729988	Lockout Center
B729972	Personal Lockout Kit
443244RD	Safety Padlock, Red
B313978	"Do Not Operate" Lockout Tags



ABSORBENTS

Pads are ideal for most spills, and are the go-to for emergency spill response. Include Universal, Oil-Only, and Hazmat options. Absorbent Socks wrap around leaky equipment and conforms to uneven surfaces to absorb liquids. Absorbent Rolls are all-purpose with great wicking for leaks, drips, and spills. They will soak up both oil and water, as well as grease.

PADS

Model	Description	Cap. Gal.	Dimension	Pkg. Qty.
670638	Hazmat Pads, Yellow	23	15 x 18	100
B2305919	Hazmat Pads, Yellow	22	15 x 18	100
670639	High-Visibility Hazmat Pads, Yellow	23	16 x 18	100
B2305920	Hydrocarbon-Based Oil Pad, White	21	15 x 18	100
670634	Oil-Only Pads, White	24	15 x 18	200
670635	Oil-Only Pads, White	18	15 x 18	100
670636	Oil-Only Pads, White	22	15 x 18	100
B2305917	Universal Pad, Gray	15	15 x 18	100
B2305918	Universal Pad, Gray	22	15 x 18	100
670630	Universal Pads, Gray	28	15 x 18	200
670631	Universal Pads, Gray	22	15 x 18	100
670632	Universal Pads, Gray	26	15 x 18	100

ROLLS

Model	L' x W"	Cap. Gal.	Pkg. Qty.
B2305914	150 x 30	34	1/Bag
B2305915	150 x 15	41	2/Pack

SOCKS

Model	Description	Cap. Gal.	Dia." x L"	Pkg. Qty.
670627	Universal	13	3 x 12	12
670628	Universal	44	3 x 48	40
670629	Oil-Only	44	3 x 48	40



ULTRATECH ULTRA-CONTAINMENT BERM®

Reinforced polyethylene (RPE) berms have a 30-mil liner for maximum durability. The L-shaped aluminum brackets provide sturdy sidewalls, yet its frameless design makes it quick to deploy inside or outside. Ideal for either temporary or long-term storage and spill containment.

Model	Size'	Cap. Gal.
B3144687	6 x 6	269
B3144699	12 x 12	1077
B3144688	10 x 10	748
B3144710	50 x 10	3740
B3144700	25 x 12	2244
B3144711	50 x 12	4488



SPILL BERMS

Contain spills and prevent leaks around machines and equipment. Quick setup for easy containment of spills. Polyurethane material is resistant to oil and various chemical spills.

Model	Description	H"
670613	High Profile	4.5
670614	Low Profile	2.25

SPILL PALLETS & SUMPS



- Spill containment platforms feature a low-profile design for easier loading and unloading, or taller with a higher sump capacity
- Constructed of polyethylene for impact-resistance and containment of a variety of chemicals

Model	Description	Cap. Gal.	Weight Cap. Lbs.
989073	4-Drum Low Profile Pallet/Drain	66	8000
988952	2-Drum Modular Platform	30	5000
988951	1-Drum Spill Modular Platform	15	2000
988953	4-Drum Spill Modular Platform	65	10000
298442	4 Drum Spill Sump/Plastic Deck	85	4000
298441	Spill Containment Sump/Wire Deck	85	4000
989056	Containment Ramp		1500

SPILL KITS

Prepacked kits contain all the supplies needed to clean up and dispose of spills quickly & easily. Multiple sizes available for different applications.



Model	Description	Cap. Gal.
B2305923	Truck Spill Kit, Zipper Bag	5
B2305924	Truck Spill Kit, Bucket	5
670674	Wheeled Spill Kit	30
670675	Spill Drum Kit	55
670676	Wheeled Spill Kit	65
670677	Spill Drum Kit	94



670785

IBC SPILL CONTAINMENT PALLET

The low profile design of this IBC containment pallet is able to be moved by a forklift. It includes a drain to empty the 365 gallon sump. Sump has an 8000 lb weight capacity. Meets SPCC, EPA Container Storage Regulation 40 CFR 264.175



CLEARANCE BARS

Clearance bars prevent damage and protect vehicles in industrial settings. They will help prevent vehicles from entering an area that does not allow tall equipment. Made of high density polyethylene and bright yellow finish. Offered in a variety of sizes.

Model	Length	Tape Color
708405BK	104" - 120"	Black
708405YR	104" - 120"	Red
670751	80"	Red



SPEED HUMP

Control high traffic areas up to 10MPH with this 110" length speed bump. Very easy installation in both asphalt and concrete and removable. Improve safety in parking lots and other areas to reduce traffic speeds. Helps protect pedestrians, cyclists and other drivers. Add more middle sections to expand the length

Model	Description	Length"
670774	Rubber Speed Hump with Endcaps	110
670779	Speed Hump Middle Section	18 1/2



PLASTIC SAFETY DRUMS

- Plastic traffic control drums bounce back after impacts
- Made from UV-stabilized bright orange high-density polyethylene
- Meets MUTCD standards
- Tire Ring Base model **B2350244**

Model
B2350321
B2350244

REFLECTIVE DELINEATOR POSTS

45" Delineators with 2 reflective 3" stripes. Base can be nested when not in use. Posts and bases sold separately.




Model	Base	Color
670681	Square, 10 Lbs.	Orange
670682	Hexagonal, 16 Lbs.	Orange
670683	Square, 10 Lbs.	Blue
670684	Hexagonal, 16 Lbs.	Blue
670685	Square, 10 Lbs.	White
670686	Hexagonal, 16 Lbs.	White
670797	Hexagonal, 16 Lbs.	Yellow
670800	Square, 10 Lbs.	Yellow
670798	Hexagonal, 16 Lbs.	Black
670801	Square, 10 Lbs.	Black
670799	Hexagonal, 16 Lbs.	Green
670802	Square, 10 Lbs.	Green



TRAFFIC CONES

- Weatherproof orange PVC traffic cones have a weighted, tip-resistant base
- Meets MUTCD standards
- Available in reflective or non-reflective

Model	Description
708147	Black Base, 7 Lbs.
708141	Orange Base, 10 Lbs.
708136	Orange Base, 2 1/2 Lbs.
708140	Orange Base, 7 Lbs.
708173	Retractable Cone Bar



PORTABLE RUBBER SPEED BUMPS

- Made of UV-resistant rubber for long-lasting durability and dependability
- Bumps maintain and control vehicle speed for high-traffic areas
- Molded cat-eye reflector tape enhances visibility
- Maintenance-free construction provides chemical-, weather-, and corrosion resistance

Model	L"
708109	72
670528	48



RUBBER PARKING CURBS

- Made of recycled rubber for long lasting durability and dependability
- The structural integrity of this curb provides high impact-resistance
- Molded reflective tape improves driver visibility

Model	L"
670594	22
670595	36
670596	48
708111	72

FOLDING TRAFFIC BARRICADES

Easy to store and setup to direct traffic or limit access. Economic & Premium feature A-Frames with reflective sheets and polyethylene legs. Portable versions are foldable and lightweight. Meets MUTC standards.



Model	H"	Panel W"x L"	Panel Qty.	Sheeting Side
ECONOMIC				
442376	40	81/8x 72	1	2
442377	40	81/8x 72	2	4
PREMIUM				
940385	42	71/2 x 72	1	2
940386	42	71/2 x 72	2	4
940387	42	71/2 x 96	1	2
940388	42	71/2 x 96	2	4
PORTABLE				
442378	42 3/5	8 x 24	4	2
442379	42 3/5	8 x 24	4	4



INTERLOCK SAFETY BARRICADES

Direct traffic flow or cordon off hazards or construction with these high-density polyethylene barricades. Barrier sections can be filled with water or sand. These safety barriers offer high-visibility using reflective strips. Available in Orange, Natural, or Yellow.

Model	Color	Size (L"xW"xH")
B1604473	Orange	60x16x24
B1604474	Natural	72x18x36
672031	Yellow	71 1/4x24x43



ANSI GRAPHIC SIGNS

- Universally-understood ANSI graphic signs for comprehension at a glance
- Safety alert triangle and headings indicate an immediate or potentially hazardous situation
- Add suffix "R" for Plastic or "P" for Vinyl
- Measures 7"W x 10"H
- Meets ANSI Z535 guidelines

Model	Description
952809	Caution - Forklift Traffic Area
952824	Emergency Shower
921171	Notice All Visitors Must Register
952819	Danger High Voltage



OSHA SAFETY SIGNS

- Brightly-colored, easy-to-read signs help comply with OSHA regulations
- "Danger" signs should be used where immediate hazards exist
- "Caution" signs warn against potential hazards and unsafe practices
- "Notice" signs convey important safety information
- Add material suffix: Vinyl (P), Aluminum (A), or Plastic (R)

Model	Description	H" x W"
724216	Danger Keep Out	7 x 10
724210	Caution Do Not Enter	7 x 10
724226	Notice Authorized Personnel Only	7 x 10



FIRE EXTINGUISHER SIGNS

- High-visibility design helps you quickly locate fire safety equipment in an emergency
- Safety glow is immediately visible in the event of a sudden blackout

Model	Material	H" x W"
237910	Vinyl Glow	18 x 4
724220R	Rigid Plastic	18 x 4
724223RB	Rigid Plastic	10 x 14



LED SIGN PROJECTOR WITH "STOP" LENS

- Projects safety signs on walls or floors when conventional signs won't adhere
- Displays safety and warning signs up to 82' in dark areas and 40' in brighter areas
- Easily mounts to ceilings or walls and provides stationary or rotational projection
- Features air cooling technology to prevent overheating
- Includes projector, remote control, 5' power cord and one interchangeable STOP glass lens
- Additional interchangeable safety sign lenses available (sold separately)



GRAPHIC FACILITY SIGNS

- High-visibility signs feature pictures and words to better communicate their message
- Choose pressure-sensitive vinyl or weather- and impact-resistant rigid plastic
- Add suffix "R" for Plastic or "P" for Vinyl


Model	Description
337530	First Aid
337534	Emergency Eye Wash



SOLAR-POWERED FLASHING LED SIGNS

- Highly-visible and bright LEDs
- Sign has visibility up to 2600 ft.
- Features a lithium-ion battery that allows 5-7 days of operation per charge
- Heavy-duty aluminum and 3M reflective diamond-grade film


Model	Description	Size
708312	Stop Sign	30"
708313	Pedestrian Crossing Sign	30"



Bridge Feet, Set Of Two



Flat Feet, Set Of Two



PORTABLE SAFETY BARRIERS

- Direct pedestrians with all-welded steel barriers
- Easy to transport with removable feet
- Interlock system allows multiple barriers to be connected
- Choice of Flat or Bridge Feet for various surfaces
- For Indoor or Outdoor use

Model	Description	Finish
670862	Barrier with Flat Feet	Powder Coated
670870	Barrier with Bridge Feet	Powder Coated
670866	Barrier with Flat Feet	Galvanized
670871	Barrier with Bridge Feet	Galvanized
670864	Flat Feet	Powder Coated
670865	Bridge Feet	Powder Coated
670868	Flat Feet	Galvanized
670869	Bridge Feet	Galvanized



CROWD CONTROL RETRACTABLE BELT BARRIERS

- Perfect for directing crowds or blocking off restricted areas
- 2"W nylon webbing ensures additional visibility for pedestrian control & safety
- Posts measure 40"H x 2 1/2"D with 14 lb. weighted base
- Specify belt color suffix: Black (BK), Blue (BL), Red (RD), or Yellow/Black (YB)



BELT STANCHIONS

Model	Description	Belt L"
708414	Black Post	7 1/2
708413	Stainless Steel Post	7 1/2
708417YB	Yellow Post, Yellow/Black Belt	11
708417BC	Yellow Post, Caution Belt	11

WALL MOUNT BELTS

Model	Description	Belt L"
708410	Wall-Mount w/Receiver	7 1/2
708411YB	Wall-Mount w/Receiver, Caution Belt	15
708412	Wall-Mount w/Receiver, Yellow/Black Belt	30



B56183

EXTENDABLE MOBILE BARRIER WITH REFLECTIVE STRIPES, 12'L.

- 56 reflective strips make it highly-visible
- Foldable for easy storage and deployment
- Lightweight and portable for easy transport between areas
- Durable polypropylene plastic construction will hold up in tough environments
- Limits access to streets, work areas, and hazardous equipment

PLASTIC CHAIN AND STANCHIONS

- Keep aisles clear from moving traffic and secure sensitive areas
- Recommend using 1 post with every 8' of area
- Fill bases with sand to prevent from tipping and falling



954112YB

954113YL

Model	Description
POSTS AND POLES	
708552	Plastic Stanchion Post
708553	Plastic Stanchion Ground Pole
Specify belt color suffix: Black (BK), Blue (BL), Red (RD), Safety Green (SG), Safety Orange (SO)	
CHAINS	
954112	1.5" Plastic Chain
954113	2" Plastic Chain
Specify color suffix: Yellow/Black (YB), White (WH), Yellow (YL), Blue (BL), Green (GN), BWN (Brown), Cobalt Blue (CBL), Evergreen (EG), Gold (GD), Khaki Gold (KG), Magenta (MG), Purple (PRP), Red (RD), Sky Blue (SBL), Silver (SL), Safety Green (SG), Safety Orange (SO), Safety Pink (SP), Traffic Blue (TB), Traffic Orange (TO)	



708552YL

708553WH

INDOOR/OUTDOOR SAFETY GUARDS AND BOLLARDS

Safety guards and bollards protect equipment and machinery in parking and loading areas in and around warehouses. They are made with a durable, high-visibility yellow powder coat finish. Bolt-on models are made with 4-1/2" all-welded steel. Removable Base models feature a detachable base plate that allows for quick, easy, and temporary removal. All Removable Base bollards have a removable rubber cap that enables the bollard to be filled with concrete for additional reinforcement. Bollards to be installed on existing concrete (suffix "M") use a floor-mounting plate. Optional mounting kits sold separately.

H" x L"	BOLT ON Model	REMOVABLE BASE Model	REMOVABLE CAP Model
STEEL BOLLARD			
24"H	337326R	238794	652898M
36"H	337327R	238795	652899M
42"H	337328R	238796	652900M
POUR IN PLACE BOLLARD			
24"H	652898G		
36"H	652899G		
42"H	652900G		
RACK GUARD			
9 x 36	337320R	238802	
9 x 48	337321R	238803	
MACHINERY GUARD			
24 x 36	337322R	238806	
24 x 48	337323R	238807	
36 x 48	337324R	443480	
48 x 48	337325R	443481	


Concrete Mounting Kit (includes 4 bolts)

320742


REMOVABLE CAP



BASE FOR EXISTING CONCRETE




BASE FOR UNDERGROUND



MACHINERY GUARD



REMOVABLE BASE



RACK GUARD

REBOUNDBING BOLLARD

Impact-absorbing rebounding bollards help protect equipment and machinery. Heavy-duty 12 GA steel designed to stop up to 5000 lbs. at 7.5 MPH. Surface-mountable on concrete or asphalt.

Model	Dia.	Height
670782	4"	42"H
670783	6"	42"H



FLOOR STOP BOLLARDS

Control the flow of vehicles and prevent accidents and access where needed. Made from 4.5" diameter steel with removable rubber caps for filling with concrete. Yellow powder-coat finish for high visibility.

Model	Height
670591	24"
670592	36"
670593	48"



OFFSET BOLLARDS

Offset design is meant to help prevent interference with vehicle traffic. Steel construction with baseplate and yellow powder coat finish.

Model	Height
670588	35"
670589	47"
670590	53"



REMOVABLE SAFETY BOLLARD

- Bright yellow finish provides high visibility
- Solid steel construction ensures durability
- Removable from in-ground base, allowing access when required

Model	Dia."	H"
670517	4	36
670518	6	36



COLLAPSIBLE BOLLARDS

Prevents vehicles from parking and going into entryways. Can be unlocked and pushed down to provide temporary access. Steel construction with cast steel base to withstand harsh outdoor environments with red stripes for visibility.

Model	Diameter
670754	4 ⁵ / ₁₆ "
670755	2 ³ / ₈ "



PORTABLE BOLLARD

Wheels allow for easy transport to areas that are in need of a barrier. Steel construction for use indoors or outdoors in areas such as parking lots, drive-through lanes, outdoor parks, and warehouses.

Model	Height
670768	42"



BOLLARD SLEEVES

Bollard post sleeves resist fading, rusting, and cracking. High-density polyethylene construction for effective use outdoors. Available in ribbed or smooth surface. **Add Suffix YL for Yellow and RD for Red.**

Model	Dia."	H"	Tape Color
670525	8" Post	52"	Red
238819	6" Post	60"	No Tape
708406	4.5" Post	52"	Red
238818	4" Post	60"	No tape



WILDECK® SAFETY BOLLARD

Bollards help protect warehouse equipment from scratches and dents, and employees from accidents, by creating a physical barrier from fork trucks. Strong square structural steel tubing is welded to a base mounting plate and topped with a galvanized steel cap.



B2217381



COLUMN PROTECTORS

Column Protectors help absorb forklift and tow-motor impacts, minimizing damage. Made of high-density polyethylene for durability.



HEAVY DUTY DOCK BUMPER

Tough plies of fabric impregnated rubber pads are compressed and secured by $\frac{3}{4}$ " thick steel rods and mounted to $\frac{1}{4}$ " thick angle iron brackets. Pre-drilled $\frac{13}{16}$ " anchor bolt holes offer quick installation. Allow 12" between each bumper for dependable protection.



652923

SAFETY BARRICADE GATE

- Quickly and easily block access to dangerous or restricted areas
- Folded gate has a small footprint for easy storage
- All-steel construction with powder coat finish
- Expands to 20'L

Model	Opening L" x W"	Outer Dia.	Height
708166YL	6.5 x 6.25	13	42
708163YL	8.5 x 8.25	24	42
708164YL	10.5 x 10.25	24	42
708165YL	12.5 x 12.25	24	42
670827*	6.5 x 6.25	24	24
670828*	8.5 x 8.25	24	24
670829*	10.5 x 10.25	24	24
670830*	12.5 x 12.25	24	24

* Specify Color suffix: Red (RD), Yellow (YL)

Model	Overall Projection	Width	Height
988026	4.5"	14"	10"
988027	4.5"	20"	10"
988028	4.5"	26"	10"
988029	4.5"	38"	10"
988030	4.5"	13"	20"
988031	4.5"	13"	24"

FOLDING SECURITY GATE



- 3/4" 14 Gauge Steel channel
- Non-corroding zinc-plated rivets
- Gray powder coat finish will protects from scratches
- Double gates have cane bolt that holds left half in position and both halves fully open
- Gates fold completely and swing 180 degrees

Model	W" x H"*	Width" Retract	Model	W" x H"*	Width" Retract
SINGLE FOLDING GATE			DOUBLE FOLDING GATE		
968130	5 1/2 x 5	10	968100	8 x 6 1/2	12 1/2
968132	5 1/2 x 6 1/2	12 1/2	968102	8 x 8	14
968136	5 1/2 x 8	14	241689	10 x 5	10
968138	6 1/2 x 6 1/2	13	968104	10 x 6 1/2	12 1/2
968142	6 1/2 x 8	15	968106	10 x 8	14
968144	7 1/2 x 6 1/2	14 1/2	968108	12 x 6 1/2	13
968148	7 1/2 x 8	18	968110	12 x 8	15
			968116	16 x 6 1/2	14 1/2
			968118	16 x 8	18

* Retracted Height 14 1/2



SECURITY WIRE MACHINE GUARDS

Provides a highly visible barrier between employees and potential hazards such as dangerous machinery or conveyor belts. Panels feature durable 10-gauge wire construction. Build to fit your space with connecting posts.

Model	Description
184902	3' Wall Panel
184903	4' Wall Panel
184904	5' Wall Panel
184910	Connecting Post

SECURITY ROOMS

Security rooms help protect important tools, merchandise, or other valuables by closing off a portion of backroom, warehouse, or floor space without building permanent walls or modifying your floor plan. Choose from a pre-configured kit or assemble a customized, build-your-own room.

ROOM WITHOUT ROOF				ROOM WITH ROOF			
2 SIDES	3 SIDES	4 SIDES		2 SIDES	3 SIDES	4 SIDES	
Model	Model	Model		Model	Model	Model	
603280	603290	603300	10 10 8	180250	180350	180450	
603281	603291	603301	20 10 8	180252	180352	180452	
603282	603292	603302	20 15 8	180254	180354	180454	
603283	603293	603303	20 20 8	180256	180356	180456	
603284	603294	603304	30 20 8	180258	180358	180458	
603285	603295	603305	10 10 10	180260	180360	180460	
603286	603296	603306	20 10 10	180262	180362	180462	
603287	603297	603307	20 15 10	180264	180364	180464	
603288	603298	603308	20 20 10	180266	180366	180466	
603289	603299	603309	30 20 10	180268	180368	180468	

SLIDING SERVICE WINDOW Mounted in 5' wide panel. Padlockable. Includes 12"D shelf. Add suffix **A** to any model above.



PROTECTIVE GUARD RAILS

- Rails constructed from 10-gauge high-tensile steel
- Rail sections slide into brackets attached to post with bracket kit
- Assembly hardware included

Model	Description	Model	Description
436724	2-Rib, 4'L Rail	670804	3-Rib, 4'L Rail
436725	2-Rib, 5'L Rail	670805	3-Rib, 6'L Rail
436726	2-Rib, 6'L Rail	670806	3-Rib, 8'L Rail
436727	2-Rib, 7'L Rail	670807	3-Rib, 10'L Rail
436728	2-Rib, 8'L Rail	670811	24"H Post - Single Rail
436729	2-Rib, 9'L Rail	670809	42"H Post - Double Rail
436730	2-Rib, 10'L Rail	670810	60"H Post - Double Rail
436731	18"H Post - Single Rail	670803	Bracket (Pair) For Drop-In Style 3 Rib
436732	42"H Post - Double Rail		
436733	Bracket Kit (Pair) For Drop-In Style 2-Rib		



PEDESTRIAN BARRIERS

Rebounding, impact-absorbing 12-gauge steel bollards with steel guard rail help to protect equipment & machinery. The bollard is surface-mountable to concrete or asphalt using user-supplied galvanized bolts and is designed to stop up to 5000 lb at 7.5 MPH

Model	Guard Rail	Bollard
670775	4' 2 Rib	4" Dia.
670776	4' 2 Rib	6" Dia
670777	6' 2 Rib	4" Dia
670778	6' 2 Rib	6" Dia



PEDESTRIAN BARRIERS

- Ideal for protecting employees from uneven surfaces or drop-offs
- Heavy-duty 1½" diameter 42" high steel pipe frame with mid-rail for rigidity
- Use single- or double-sockets to form a straight row or a curved barricade with angles up to 30-deg.
- Meets OSHA requirements

Model	Description
940373	96"L Barrier
940372	72"L Barrier
940374	Single Socket Base
940375	Double Socket Base

DROP-IN/LIFT-OUT LIGHT-DUTY GUARD RAILS

- 5000 lb. impact rating at 4 MPH
- Protect machinery against forklift or pallet trucks
- Easy installation: Rails simply slide into posts
- 11-gauge steel with OSHA safety yellow finish

Model	Description
708429	4'L Guard Rail
708430	5'L Guard Rail
708431	6'L Guard Rail
708432	7'L Guard Rail
708433	8'L Guard Rail
708434	9'L Guard Rail
708435	10'L Guard Rail
708436	20"H One-Rail End Post
708437	20"H In-Line One Rail Post
708439	20"H One-Rail Corner Post
708440	42"H In-Line Two-Rail Post
708441	42"H Two-Rail End Post
708442	42"H Two-Rail End Post



SAFETY GATES

- Self-Closing Guard Rail Gates mount directly to the Global Industrial Guard Rail Posts and is used to protect machinery and equipment.
- Spring Loaded Gates protect opening in railings and are constructed from durable steel tubing and plastic cuffs. Can be mounted left or right
- OSHA-compliant hi-viz yellow finish

Model	Description
708372	2 Rib Self Closing Guard Rail Gate
670831	3 Rib Self Closing Guard Rail Gate
708536YL	Adjustable 16" - 26" Spring Loaded Safety Gate
708537YL	Adjustable 24" - 40" Spring Loaded Safety Gate
708360YL	Universal Spring Loaded Safety Gate



END RACK PROTECTORS

- Protect employees and storage & inventory racks from costly damage
- Heavy-duty 3/8" thick steel takes the impact instead of the rack
- Bright yellow finish for improved visibility
- Various sizes available and sold as Single Left, Single Right, or Double End

Model	Orientation	Length
670853	Double End	36"L
670854	Double End	42"L
670855	Double End	48"L
670856	Left	36"L
670857	Right	36"L
670858	Left	42"L
670859	Right	42"L
670860	Left	48"L
670861	Right	48"L



FLOOR CURBS

- Protect racks and other structures against damage
- Highly-visible yellow finish
- Use as a guide for machinery in storage aisles

Model	Orientation
3/8" Thick Curbs	
670813	48" Length
670817	90 Degree Corner
670815	45 Degree Corner
5/16" Thick Curbs	
670812	48" Length
670816	90 Degree Corner
670814	45 Degree Corner

BLUFF PRODUCTS REALLY STEEL THE SHOW.



WALL-MOUNTED PIPE GUARDS

Pipe Guards protect exposed pipes, conduits, ducts, and downspouts from vehicle and forklift damage. Standard wall-mounted guard models are 36" or 46" tall, built of $\frac{3}{16}$ " thick steel, and fit pipe diameters from 2-12 inches.

Model	Height"	Pipe Size"
B3080817	36	4
B3080818	36	6
B3080819	36	8
B3080820	36	10
B3080821	36	12


Model	Height"	Pipe Size"
B3080822	46	6
B3080823	46	8
B3080824	46	10
B3080825	46	12
B3080826	46	4

BLUFF® STAIRWAYS

These easy-to-install stairways can be integrated with existing stable structures or used as freestanding units to accommodate various layouts and entrance heights. They feature safety handrails and threaded-step surfaces to minimize slipping, making them an ideal solution for warehouses, manufacturing facilities, and other industrial workspaces.




Number of Steps	Step Width"	Height"	OSHA / IBC Compliant	Model
4	36	38	OSHA	B2114579
5	36	41	OSHA	B2114544
6	36	51	OSHA	B2114575
7	36	45	IBC	B2114547
8	36	72	OSHA	B2114638
9	36	62	IBC	B2114501
10	36	93	OSHA	B2114693



EZ-PULL EDGE-OF-DOCK LEVELER

Edge of Dock Levelers provide a safe way to transition between a loading dock and truck and are an inexpensive alternative to pit-mounted levelers. Designed with a working range of 5" above or below dock height.

Model	Item Description	Width"	Cap. Lbs.
986636	EZ-Pull Mechanical Edge-of-Dock Leveler	78	20,000
986639	EZ-Pull Mechanical Edge-of-Dock Leveler	78	25,000
986637	EZ-Pull Mechanical Edge-of-Dock Leveler	66	25,000
986642	EZ-Pull Mechanical Edge-of-Dock Leveler	78	30,000
986647	EZ-Pull Refrigerated Truck Edge-of-Dock Leveler	72	25,000
986640	EZ-Pull Mechanical Edge-of-Dock Leveler	66	30,000
986650	EZ-Pull Refrigerated Truck Edge-of-Dock Leveler	72	30,000
986645	EZ-Pull Refrigerated Truck Edge of Dock Leveler	78	20,000



HEAVY-DUTY DOCK BOARDS AND PLATES

Dock plates and boards provide a seamless bridge between trailers or shipping containers and loading docks, ensuring smooth and efficient loading and unloading operations for manual pallet jacks, hand trucks, and foot traffic.

Model	Material	Weight Cap. Lbs.	Width"	Length"
DOCK PLATES				
244353	Aluminum	9,079	48	24
244342	Aluminum	3,238	36	36
988886	Aluminum	7,900	60	36
244356	Aluminum	4,532	48	48
241172	Aluminum	1,656	48	60
DOCK BOARDS				
334463	Aluminum	10,000	72	48
244147	Aluminum	10,000	60	60
985074	Steel	15,000	72	72
985082	Steel	20,000	72	72

BLUFF® STEEL FORKLIFT YARD RAMPS

These steel forklift yard ramps offer a reliable and efficient solution for industrial loading and unloading. Constructed with heavy-duty steel, these ramps provide a sturdy platform to access cargo and have a portable design for easy transportation.



Model	L' x W'	Weight Cap. Lbs.	Model	L' x W'	Weight Cap. Lbs.
985597	15 x 7	12,000	985611	15 x 6	30,000
984557A	36 x 6	16,000	985614	18 x 7	30,000
251740A	36 x 7	25,000	B3150464	36 x 7	30,000



LABORATORY REFRIGERATORS

Medical and laboratory refrigerators are refrigeration units designed to provide reliable, temperature-controlled storage for medical and lab requirements. We offer upright, compact/countertop, freestanding or undercounter refrigerators with one, two, or three solid or glass doors. Medical and lab refrigerators come with optional LED thermostat displays, locks, and wheels. Ideal for hospitals, pharmacies, labs, and more.

Model	Description	# of Doors	Cu. Ft. Cap.	Temp. Range
2453703	Upright Laboratory Refrigerator	1	13.8	2° to 8°C
B3140097	Upright Vaccine Refrigerator	1	15	2° to 8°C
B3140098	Upright Vaccine Refrigerator	1	18	2° to 8°C
2453704	Upright Laboratory Refrigerator	2	31.4	2° to 8°C
B2352824	Stainless Steel Laboratory Refrigerator	2	49	1 to 10 °C
B997746	Powder Coated Steel Laboratory Refrigerator	3	72	1 to 10 °C
B2352822	Stainless Steel Laboratory Refrigerator	3	72	1 to 10 °C
2453700	Undercounter Laboratory Refrigerator	1	2.4	2° to 8°C
2453701	Undercounter Laboratory Refrigerator	1	4.2	2° to 8°C



2453704



2453700



VACCINE & PHARMACY REFRIGERATORS

Constructed from durable materials, these vaccine and pharmacy refrigerators provide secure, reliable storage for vaccines, medicines, and other medical supplies. These refrigerators come in compact, countertop, upright, and undercounter models and are designed to maintain strict temperature control.

Model	Description	# of Doors	Cu. Ft. Cap.	Temp. Range
B2187666	Upright Refrigerator	1	10.5	2 to 8 °C
B2187648	Upright Refrigerator	1	26	2 to 8 °C
B2187638	Upright Refrigerator	2	49	2 to 8 °C
B2352827	Upright Stainless Steel Refrigerator	2	49	2 to 8 °C
B2375049	Upright Refrigerator	2	49	2 to 10 °C
B2187684	Upright Refrigerator	3	69	2 to 8 °C
B2187682	Freestanding Undercounter Refrigerator	1	5.2	2 to 8 °C



B2187638



B2187682



LABORATORY AND PHARMACY FREEZERS

Designed to provide reliable climate-controlled storage for sensitive materials, these freezers are an ideal solution for medical, pharmaceutical, and science facilities. Units are available in a range of sizes and styles to fit any space.



B2195515



B2375039

Model	Description	# of Doors	Cu. Ft. Cap.	Temp. Range °C
2453706	Upright Laboratory Freezer	2	17.3	-10 to -30
B2375039	Stainless Steel Upright Pharmacy Freezer	1	23	-30 to -15
B997781	Freestanding Undercounter Freezer.	1	1.5	-15 to -25
2453705	Undercounter Laboratory Freezer	1	3.2	-10 to -25
B2195515	Freestanding Undercounter Freezer	1	4	-37 to -43
B1953879	Compact General Purpose All-Freezer	1	1.4	-20

ULTRA-LOW TEMPERATURE FREEZERS

Ultra-low temperature freezers are made to store materials that require critically low temperatures in labs and medical facilities. Available in a range of styles, these high-quality freezers can reach and maintain temperatures as low as -86°C. UL- & cUL-listed.



Model	Description	# of Doors	Cu. Ft. Cap.	Temp. Range °C
2453707	Undercounter Lab Freezer	1	3.5	-40 to -86
B2299312	Freezer	1	17	-50 to -86
B2299310	Freezer	1	21	-50 to -86



B2299310

CANDO TREATMENT TABLE

Featuring comfortable table cushions with easy-to-clean upholstery and adjustable parts for adapting to any situation, these treatment tables provide versatile and reliable surfaces for medical exams and treatments.



Model	Description	Capacity Lbs.	L" x W" x H"
B3133895	Standard	400	78 x 30 x 31½
B3133894	i-Lo	500	73 x 16 x 29

SHARPS DISPOSAL CONTAINERS

Sharps and biohazard containers are engineered for the safe disposal of medical waste, including used needles, syringes, and other biohazardous materials. These containers serve as a vital safeguard against accidental needlesticks, guaranteeing the proper containment and disposal of potentially infectious substances. They play a pivotal role in promoting safety within healthcare settings. Typically color-coded in red or yellow to signify their contents, they are indispensable assets for hospitals, doctor's offices, and pharmacies alike.



Model	Description	Capacity	Lid Type
Sharps Disposal Containers			
732120	Oakridge Products 8 Gallon Sharps Container W/ Split Rotor Lid, Red	8 Gal.	Split Rotor Lid
732119	Oakridge Products 5 Quart Sharps Container W/ Horizontal Drop Lid, M-Style, Red	5-Quart	Horizontal Drop Lid
B2249830	Internal Disposable Containers For 878 Sharps Disposal, Yellow, Case Of 4	4.23 Gal.	Hinged Lid
Wall Mount Sharps Container Cabinets			
B2219121	In-Room Cabinet & Glove Dispenser, Beige	5-Quart	Counter Balanced Lid
B2219120	In-Room Cabinet, Beige	5-Quart	Counter Balanced Lid
B2249829	878 Biomedical Sharps & Bio-Hazard Disposal, Stainless Steel	4.23 Gal.	Hinged Lid
Drug Disposal Containers			
732169	Rx Destroyer™ All-Purpose, 1 Gallon Bottles, Pro Series Bottle, 4/Case	1 Gal.	Tethered cap
732167	Rx Destroyer™ All-Purpose, 64Oz Bottles, 4/Case	½ Gal.	Tethered cap
732182	Rx Destroyer™ 1 Gallon Bottle Mount W/ Security Cable, Each		
732197	Rx Destroyer™ Drug Disposal Starter Kit (2), Each		



MULTI-USE WALL MOUNT MEDICAL CABINETS

Multi-use medical cabinets are versatile cabinets designed to protect medical supplies, store patient or resident personal belongings, and secure pharmaceuticals. Ideal for healthcare settings, offering a durable, space-efficient solution that ensures organization and safety.

Model	Description	# of Shelves	W" x D" x H"
316087A	Stainless Steel 304 Wall Cabinet	2	30 x 12 x 30
316085A	Stainless Steel 430 Wall Cabinet	2	30 x 12 x 30
B642962	Patient E-Lock Security Wall Cabinet - Gray	1	16 x 4 x 16¾
B642961	Patient E-Lock Security Wall Cabinet - Beige	1	16 x 4 x 16¾
B642968	Wall Storage Cabinet with Ambi-Top - Gray	1	16 x 8 x 26¾
B642967	Wall Storage Cabinet with Ambi-Top - Beige	1	16 x 8 x 26¾

NARCOTICS & MEDICINE CABINETS

Hospital regulations mandate secure storage for narcotics to prevent misuse and ensure safety. Our narcotic cabinets provide reliable, compliant storage solutions, keeping controlled substances out of unauthorized hands. Available in various sizes and contains adjustable shelves.



Model	Description	Color	W" x D" x H"
436952*	Small Narcotics Cabinet, Double Door/Double Lock	Beige	12 X 8 X 15
436951*	Medium Narcotics Cabinet, Double Door/Double Lock	Beige	16 X 8 X 24
436953*	Large Narcotics Cabinet, Double Door/Double Lock	Beige	18 X 10 X 30
670149*	Medical Security Cabinet W/Double Key Locks	Beige	8 X 2½ X 12½
436945*	Medical Security Cabinet W/Double Key Locks	Beige	14 x 3½ x 17½
269940	Medicine Cabinet With Pull-Out Shelf	White	18 X 8 X 27

* Add SS to the end of the model number for our Stainless Steel Version

STAINLESS STEEL SPECIMEN PASS-THRU CABINET

The Global Industrial™ Pass-Thru Cabinet provides convenient passage for specimen from patient area to laboratory. Constructed from stainless steel with exposed surfaces in a satin finish, this pass-thru cabinet features self-closing doors with spring hinges to ensure privacy when passing medical specimens.



Model	Description	Lock Type	W x D x H
670148	Stainless Steel Specimen Pass-Thru Cabinet, Recessed,	Pull Knob	13¼ X 6 X 12¾
B201904	10-8154 Recessed Specimen Pass-Through Cabinet,	Pull Knob	13¼ X 6 X 12¾
B489401	Recessed Specimen Pass-Thru Cabinet	Pull Knob	12½/16 X 6 X 12¾
B2222636	Stainless Steel Pass-Thru Cabinet	Thumb Latch	12 X 11½ X 8¼
B2222637	Stainless Steel Pass-Thru Cabinet	Thumb Latch	12 X 11½ X 6
B642934	Stainless Steel Pass-Thru Cabinet	Keyed Alike	12 X 11½ X 6
B2222638	Stainless Steel Pass-Thru Cabinet	Keyed Alike	12 X 11½ X 8¼
B2300737	Stainless Steel Multi-Specimen Dropbox Cabinet	Keyed Alike	13½ X 3¾ X 10

WHEELCHAIRS

An essential mobility aid for individuals with limited or no ability to walk, Global Industrial™ wheelchairs offer a foldable design that's easy to store and convenient for travel and compact living spaces. Built for durability, units feature resilient, low-maintenance nylon upholstery, a powder-coated aluminum frame for lasting use, and dependable, solid rubber tires mounted on composite wheels for smooth transportation. For added comfort & convenience, Model **695985** includes **flip-back arms and swing-away footrests**.

Model	Description	Width	Capacity
695985	Wheelchair	20"	300 lbs.
695986	Transport Chair	19"	250 lbs.



ROLLATOR WALKER

Built for durability, these height-adjustable walkers are equipped with smooth-rolling casters, padded cushions, reliable brakes, and convenient storage baskets to provide you with unmatched comfort, independence, and ease of movement.

Model	Description	Adjustable Height	Capacity
B985363	Nitro Euro Style Walker Rollator	33-1/2" - 38-1/4"	300 lbs.
B2095474	Nitro Euro Style Walker Rollator Tall	36-41"	250 lbs.
B275209	Go-Lite Bariatric Rollator	35-1/4" - 39-1/2"	500 lbs.



WHEELCHAIR SCALE

Easily weigh ambulatory and wheelchair-bound individuals with the Global Industrial™ Wheelchair Scale. Featuring an easy-to-read LCD display, this scale has a 1,000 lb. capacity and readability of 0.5 lb. for precise weighing. It is made with durable steel and is equipped with integrated wheels for easy transport, adjustable foot pads to level out uneven floors, and a built-in ramp.

Model	Description	Capacity	Dimensions
244701	Wheelchair Scale	1000 lbs.	41-2/3" L x 41-1/4" W

EVACUATION EQUIPMENT

Evacuation Chairs give you the power to evacuate disabled or injured persons from multilevel facilities in emergency situations. Designed for single-person operation, these chairs allow the safe, controlled descent of an individual from an unlimited number of stories.


Model	Description	Capacity
B2247358	EVACU-TRAC Emergency Evacuation Chair	400 lbs.
B1529875	Evac+Chair® Evacuation Stair Chair	400 lbs.
732225	Stryker Evacuation Chair	500 lbs.



WHEELCHAIR RAMPS

EZ-ACCESS modular ramps are engineered to provide safe passage to various entryways. These wheelchair ramps are easy to install, reconfigure, and relocate. Some models feature interchangeable surfaces and handrail options. The heavy-duty construction provides lasting durability for years of reliable use.

Model	Description	W" x L	Capacity
B1651420	EZ-ACCESS® SUITCASE® Triplefold Ramp	29 1/2" x 10'	800 lbs.
B2690335	EZ-ACCESS® PATHWAY® Ramp Kit	36" x 8'	1000 lbs.
B2690362	EZ-ACCESS® PATHWAY® Platform Ramp	65 1/2" x 65 1/2"	1000 lbs.



GENESIS MOBILE STAIRLIFT

The latest innovation in ambulation mobility! The Genesis Mobile Stairlift is designed to help transport riders up and down stairs safely and efficiently. This lightweight and portable mobile stairlift does not require pre-installed tracks and is able to carry up to 400 lbs. for as many as 120 flights of stairs on a single charge. To prevent injury, it is recommended that the operator be properly trained in the stairlift's use and that they first practice without a rider. Includes Genesis mobile stairlift chair, battery, charger, safety head restraint, (2) keys, dust cover, lap belt, & instruction manual.





GRAVITY CONVECTION LAB OVENS

Featuring a double-walled steel construction, a corrosive-resistant aluminized steel interior, and high-density mineral wool insulation, these gravity convection ovens are ideal for meeting the laboratory needs of research organizations. UL- and CSA-recognized components in all ovens. Temperature range: ambient +25 to 450°F (232°C).

Model	Capacity	Exterior	Temp Control	Volts/Watts
B918772	0.7 cu. ft.	14"W x 17 ¹ / ₂ "H x 12 ¹ / ₄ "D	Bi-metal	115V 600W
B918776	2 cu. ft.	20"W x 25 ¹ / ₂ "H x 14 ¹ / ₄ "D	Hydraulic	115V 1200W
B918713	3 cu. ft.	20"W x 31 ¹ / ₂ "H x 16 ¹ / ₄ "D	Hydraulic	115V 1500W

AUTOMATED EXTERNAL DEFIBRILLATOR (AEDS) PACKAGES

Defibrillators are designed to help first responders and emergency personnel provide essential medical treatment in various situations. AED defibrillators are compact, lightweight, and easy to use. These packages include a full emergency response kit with electrode pads, a battery, a carrying case, and step-by-step voice commands.

Model	Description	Operation Mode	Storage & Cases
B3140138	Philips Heart Start Onsite	Semi-Auto	Carrying Case
B2612283	HeartSine Samaritan®	Full-Auto	Alarmed Cabinet & Carrying Case
B1505637	HeartSine Samaritan®	Semi-Auto	Alarmed Cabinet & Carrying Case



DUCTLESS FUME HOODS

Provide laboratories with pollution control and ventilation with these ductless fume hoods. Designed to be mounted on walls or bench tops, these units use advanced filtration technology to help capture and contain hazardous fumes, vapors, and particles, creating a safe, clean work environment.

Model	Description	Dimensions	# of Filters
B2173524	Basic Ductless Fume Hood	48"W X 27"D X 35"H	2
B2173523	Basic Ductless Fume Hood	36"W X 27"D X 35"H	1
B2173516	Basic Ductless Fume Hood	24"W X 27"D X 35"H	1

Model	Description	Filter Type
B2173530	General Purpose Carbon Filter	Solvent, organic, alcohol, hydrocarbon vapor, & odors
B2173531	ACI Plus Carbon Filter	For acid vapors
B2173532	Formaldehyde Vapors Carbon Filter	Formaldehyde vapors
B2173533	HEPA Filter	For powders and particulates



STEREO MICROSCOPES & ACCESSORIES

Stereo microscopes are instruments designed for the three-dimensional viewings of objects and specimens at low magnification. Featuring a quality construction and LED bulbs for clear, distortion-free images, these microscopes are versatile and can be used in various fields, including biology, electronics, manufacturing, & education.

Model	Description
M1787936	Amscope Trinocular Stereo Microscope
B2047602	Meiji Techno Binocular Zoom Stereo Body
M00031	Amscope Microscope Digital Camera & Software
B2047519	Meiji Techno Boom Stand



BIOHAZARD PERSONAL PROTECTION SHIELDS

Biohazard personal protection shields are essential pieces of safety equipment when working with corrosive or caustic materials in lab environments. Global Industrial™ Splash Guards are made with heavy-duty acrylic for lasting support and protection while maintaining sharp visibility for staff as they work. The lightweight and compact design is portable for quick relocation.

Model	Dimensions
732137	4 ¹ / ₂ "W X 19"D X 18"H
732136	4 ¹ / ₂ "W X 21 ¹ / ₄ "D X 18"H
732135	4 ¹ / ₂ "W X 23 ¹ / ₂ "D X 18"H



PPE APPAREL DISPENSERS

Increase efficiency in facilities and keep laboratory apparel organized with these PPE dispensers. Made from strong acrylic to ensure durability, these dispensers are designed to improve operational flow and increase productivity. Units include white labels for easy customization.

Model	Description	Compartments
695987	Hair, Shoe, & Arm Cover Dispenser	3
695989	Hair, Shoe, & Arm Cover Dispenser	2
695988	Lab Coat & Isolation Gown Dispenser	1



MEDICAL BEDSIDE CART

Secure medical supplies and tools easily with the Global Industrial™ Medical Bedside Cart. Constructed from heavy-duty steel for long-lasting durability and an easy to clean ABS plastic top, this cart comes assembled with the option for users to install the casters if necessary. A central key lock secures all the drawers at the same time.



Model	Description	L" x W" x H"
670147	5-Drawer Medical Bedside Cart	24 ¹ / ₂ x 13 ³ / ₄ x 29

NEXEL® LINEN CARTS WITH COVERS

Nexel® linen service carts provide organized and efficient linen and laundry transportation in healthcare facilities including hospitals, nursing homes, and clinics. Made with heavy-duty materials like chrome wire or galvanized steel, these linen carts feature multiple shelves and casters for mobility. These carts come with water-resistant 400 Denier nylon covers to protect linens from airborne dust and dirt.



Model	Description	L" x W" x H"
436934	Galvanized Steel	60 x 24 x 69
436932	Galvanized Steel	48 x 24 x 69
436918	Chrome Wire	60 x 24 x 69
436916	Chrome Wire	48 x 24 x 69

MAYO INSTRUMENT STAND

The Global Industrial™ Mayo Instrument Stand allows you to keep important surgical instruments and supplies organized, nearby, and within comfortable reach. This instrument tray is made to be portable and height-adjustable – making it ideal for operating rooms and patient rooms. Built for lasting durability, this stand features a removable stainless steel tray and a sturdy aluminum-alloy base.



Model	Description	Height
436948	Mayo Instrument Stand	30"-50"

NEXEL® SLANT WIRE SHELVE SUTURE CART

Nexel® Suture Carts make restocking quick and easy while providing maximum visibility and access. They feature a rear-loading design that assures stock rotation and angled shelves that support up to 400 lbs. each and adjust at 1" increments. Constructed from sturdy chrome-plated steel, these carts roll smoothly on four 5" casters, two of which are braking, and have a total unit capacity of 1200 lbs.



Model	L" x W" x H"
436959B	48 x 24 x 69
436956B	36 x 18 x 69

NEXEL® STERILE WRAP RACKS

These sterile wrap racks provide a safe, convenient place to store sterile wraps in hospitals, clinics, and other healthcare facilities. Made from rust- and corrosion-resistant chrome, these racks feature rubber O-rings to reduce slipping and 5" polymer swivel casters for easy mobility.



Model	Description	L" x W" x H"
436960	Low-Profile	60 x 18 x 40
B2256461	High-Profile	60 x 24 x 68

CHROME HAMPER STAND

This hamper stand offers an easy way to transport large bags of linens and other laundry. The chrome plated steel is sturdy and easy to maintain, hands-free foot pedal raises the white, poly-coated steel lid for easy access. Includes hamper bag storage pouch.



Model	Description
436911	Foot-Operated hamper stand
B2224897	Nylon hamper bag



MOBILE COMPUTING WORKSTATION

- Designed for seamless mobile computer transport and access
- Secure compartments for laptops and keyboards
- Theft-deterrent design for added security
- Effortless height adjustment for user comfort
- Smooth-rolling, stable, and well-balanced construction
- Compact design fit easily through hospital doorways for enhanced portability

Model	Description	W" x D" x H"
695436	Mobil Sit-Stand Workstation	22 x 24 ¹ / ₈ x 55 ¹ / ₈ -70 ⁷ / ₈
607300	Adjustable Standing Workstation	26 x 26 x 73
695421	Mobile Laptop Station	26 x 26 x 53 ¹ / ₄
309235BKA	Mobil Computer Cart	27 x 24 ¹ / ₂ x 41



OVERBED TABLE WITH H-BASE

Provide your patient rooms with essential surface space for medical equipment, food trays, reading materials, and more with these Global Industrial™ Overbed Tables. Designed to fit over any standard medical bed, these tables are available in multiple weight capacities and feature an H-base, ensuring absolute stability.

Model	Description	Cap Lbs.	Color
436910	Standard	40	Walnut
436910WH	Standard	40	White
436965WN	Heavy-Duty	100	Walnut
436965WH	Heavy-Duty	100	White



TRIPPNT™ SUTURE CARTS

TrippNT's Suture Carts hold up to 48 standard suture boxes on 8 angled shelves for easy viewing & retrieval. Featuring a corrosion-resistant, non-metal HDPE construction, these carts have a large bulk storage area for storing additional suturing kits and bottles of irrigation water. These units are equipped with 4" twin wheel casters & are capable of easily navigating elevator gaps and uneven surfaces.

Model	Dimensions	Door
B592665	19"W x 17"D x 57"H	Clear
B1915833	19"W x 17"D x 57"H	Smoke
B1771309	27"W x 17"D x 56"H	Clear

MOBILE 3 PANEL PRIVACY SCREEN

- Provides your patients and guests with more privacy
- Ideal for hospital settings, nursing homes, and vaccination, or testing sites
- Easy to maneuver and store when not in use
- Non-transparent panels
- Aluminum frame with double legs for stability
- Replacement panels sold separately



Model	Description
732141	Privacy Screen
732142	Replacement Panel



12 PANEL DRUG TEST CUP

These 12-panel, multi-drug test cups are easy to use, convenient, and up to 99% accurate. FDA (510) K Cleared & CLIA Waived, these tests feature a fully integrated, self-contained screening cup that provides test results in 5 minutes or less. Tests have a shelf life of up to 24 months.

Model	Description
B2117522	25 Tests/Box

PHYSICIAN SCALES

Medical and physician scales are specialized weighing devices designed for use in medical settings such as hospitals, clinics, or physician offices. They are specifically calibrated and constructed to accurately measure the weight of individuals, providing essential data for monitoring health and managing medical conditions. Scales feature a sturdy platform with non-slip surface for stability and safety during weighing procedures, and digital displays with large, easy-to-read numbers.



Model	Description	Weight Cap. Lbs.
244701	Wheelchair Scale	1,000
318503	Digital Physician Scale w/ Height Rod	600
B770054	Portable Digital Chair Scale	600
B770052	Digital Bariatric Scale	1,100

HANDRAIL MEDICAL SCALE

Constructed from a robust steel-aluminum alloy, this Electronic Medical Scale has a weight capacity of up to 660 lbs. and is ideal for use in hospitals, healthcare facilities, and more. It is equipped with a low-profile weighing platform, sturdy handles to provide stability, an LCD backlit display, and a 9V 600mA adapter.



244293

SHOPSOL VINYL LAB STOOL WITH MOVEABLE ARM

B2214245



- Designed for healthcare applications, this has an antimicrobial vinyl seat & back and durable steel base & footring
- Unique moveable armrest allows you to position this for back lumbar support, armrest support, or leaning support
- Adjustable seat height from 17.5" to 22.5" using a one-touch round seat lever
- Meets BIFMA testing standards
- Easy to wipe clean

VETERINARY SCALES

Veterinary scales are made specifically for use in animal care facilities. These animal scales are designed to make handling and weighing animals easier and more efficient. They feature multiple settings and features and are constructed of durable materials for long-life reliability. These vet scales are also available in multiple sizes and weight capacities.



Model	Description	Weight Cap. Lbs.
412581	Veterinary Scale	1,000

STEEL STEP STOOLS

Steel stationary step stools provide maximum stability and durability for any workplace. Made with heavy-duty steel, these step stools feature a non-skid rubber platform and reinforced rubber tips on the legs for stability and safety. These stationary stools come with one or two steps and with or without a handrail. Available products include stackable and MRI-safe stools.



Model	Steps	Hand Rail	Weight Cap. Lbs.	Length"	Width"
B2181734	1	No	350	11	14
B2181733	1	Yes	350	11	14
436956	1	No	500	11	14
436957	1	Yes	500	11	14
436961	2	No	500	24 1/2	15 1/2
436961HR	2	Yes	500	24 1/2	15 1/2

PHYSICIAN STOOLS

- Stable & slim design ensures easy maneuvering
- Cushion provides firm support that softens & contours to your body over time
- Pneumatic height-adjustment
- Durable, versatile black vinyl covering is easy to maintain
- Available with antimicrobial treatment



Model	Description
240152ABK	All-Purpose Mobile Stool
240159ABK	Antimicrobial Medical Stool
B522158A	Medical Stool with Backrest and Footring
240160ABK	Antimicrobial Medical Stool with Backrest

PACKAGING & SHIPPING



CARTON SEALING TAPE

Hot Melt Carton Sealing Tape offers a strong, long-lasting seal on a wide range of materials including corrugated boxes. It's ideal in a variety of applications including electronics, food packaging, and more. The backing easily conforms around edges and on rough surfaces for a tight seal. This hot melt tape resists abrasion, moisture, chemicals and scuffing for peak performance. Acrylic Carton Sealing Tape is a versatile packaging tape for all of your shipping, bundling and sealing needs. This industrial-grade tape adheres to most surfaces and performs well in damp and cold environments. This acrylic tape is available in a variety of lengths, and features adhesive that offers high performance in tough environments.



Model	Brand	Mfg No.	Mil	Adhesive	W" x Yds.	Qty
B2280776	3M	311+	2.05	Acrylic	2 x 110	36
430074	3M	375	3.1	Hot Melt	2 x 55	36
418627CL	3M	371	1.8	Hot Melt	2 x 110	36
724412	3M	371+	1.9	Hot Melt	2 x 110	36
B2280775	3M	311+	2.05	Acrylic	3 x 110	24
B3126843	3M	375+	3.1	Hot Melt	3 x 55	24
B3163240	3M	371	1.8	Hot Melt	3 x 110	24
B34751	3M	375	3.1	Hot Melt	3 x 55	24
B1499397	Tape Logic	1000	3.0	Hot Melt	3 x 55	24
B3142388	Tape Logic	350	3.5	Acrylic	3 x 55	24
B3142404	Tape Logic	291	2.6	Acrylic	3 x 110	24
B3142405	Tape Logic	400	2.0	Acrylic	2 x 110	36
423067	Shurtape	HP 200	1.9	Hot Melt	3 x 110	24
422747	Shurtape	HP 200	1.9	Hot Melt	2 x 110	36
422745	Shurtape	HP 100	1.6	Hot Melt	2 x 110	36
422750	Shurtape	AP 101	1.6	Acrylic	2 x 110	36
B862535	Shurtape	AP 180	1.8	Acrylic	3 x 110	24



KRAFT TAPE DISPENSERS

Global Industrial™ Manual Gummed Kraft Paper Industrial Tape Dispenser features adjustable water levels, pressure plate, and double brush moistening for optimal seals that keep packages banded tight with strict adhesion. Global Industrial™ Electronic Tape Dispenser has a top operating speed of 22" per second. Heavy-duty blades provide consistent cutting for clean edges in each and every dispensing task. Portable dispensers are compact in design to save space and are simple to move around your shipping area as needs change.

Model	Type	Min Tape W'	Max Tape W"
300713	Manual	8/10	4
412477	Electric	1 1/2	3

3M™ MACHINE-LENGTH CARTON SEALING TAPE

3M™ tape is made of polypropylene for long-lasting durability and dependability, and secures box & carton materials of different types. Moisture-resistant backing resists abrasion, chemicals, and scuffing. Easy to handle and dispense.



Model	3M No.	Mil	W" x Yds'	Case Qty.
B3126853	375+	3.1	3 x 1000	4
B3126854	375+	3.1	2 x 1000	6
B2381500	311+	2.05	2 x 1000	6
B3146774	311+	2.05	3 x 1000	4
B2219868	371	1.8	3 x 1000	4
652693CL	371	1.8	2 x 1000	6
724413	371+	1.9	2 x 1000	6
B3126844	371+	1.9	3 x 1000	4

HEAVY-DUTY TAPE DISPENSER

Rubber rollers and tape brakes allow you to set tension and unwind to fit your job. Comfort grip handle on 3" model for greater comfort. Seals carton in one quick pass.



Model	Size"
795451	2
185421	3

WATER-ACTIVATED KRAFT SEALING TAPE

Water activated paper carton sealing tapes handle applications from light- to heavy-duty. Made with quality adhesive materials in a variety of strengths for long lasting durability and available in a variety of types that require water to activate the tape glue. The water-activated adhesive bonds to corrugated cardboard in dusty or dirty conditions.



B2273263

Model	W"	L'	Color	Case Qty.
B2273264	2 3/4	450	Tan	10
422836	3	450	Tan	10
422834	2 11/16	375	Tan	8
B2273258	3	375	Tan	8
B2273263	3	375	White	8
422841	3	600	Tan	10

MACHINE STRETCH WRAP

Made of high-quality materials for long-lasting durability and dependability. Wrap allows ergonomic content packaging and protection from debris, moisture, theft, and more. Film provides tear-resistance and adaptability for content stability. High clarity allows efficient inventory identification.



Model	Gauge	W" x L'
242429	80	20 x 5000
B2264780	120	20 x 4000
B2264783	60	20 x 6000
B2264777	80	20 x 5000
B2264781	80	30 x 5000

SEMI-AUTOMATIC STRETCH WRAP MACHINE

Semi-automatic stretch wrap machines increase productivity and eliminate worker strain, wrapping pallets and packaging tightly, but without damage. Utilizing built-in close loop self-adjusting technology & a photo-eye sensor, the machine automatically adjusts the tension and detects the pallet height, allowing the operator to perform other work and return to a fully-wrapped pallet. Additional features include a durable & strong steel housing, a pre-wired power cord, user-friendly controls, and forklift pockets to make moving and positioning easier. These wrapping machines are ideal for use in warehouses, shipping, and distribution centers. An optional loading ramp is available separately.



Model	Description
412409	Semi Automatic
412410	Ramp-For Model 412409 & 238509
238507	Semi Automatic w/NTEP Scale
241020	Ramp-For Model 238507
238508	Semi Automatic w/112" Wrap Height
241021	Ramp for Model 238508
238509	Semi Automatic w/Auto Film Attach & Cut

GOODWRAPPERS STRETCH WRAP



Provides puncture and tear resistance, content protection and revolves around a patented hand braking system which offers the operator the most efficient means of dispensing handwrap. Dispensing system provides tension control for optimal film elasticity. Integrated disposable handles prevent hand friction for user comfort & safety.

Model	Gauge	W" x L'	Ctn Qty
B1499445	80	30 x 1000	4
B2056824	80	20 x 1000	4
B2214644	120	20 x 800	4
B2214638	80	5 x 1000	12
B2214637	120	5 x 650	12
B2055917	80	3 x 1000	18

HAND STRETCH WRAP

Hand Stretch Wrap - provides content protection, stability, and tear resistance during transport. Available in Cast or Blown. Hand Stretch Wrap Extended Core - allows ergonomic content packaging and protection for debris, moisture, theft, and more. Integrated disposable handles prevent friction for convenient operation and handling. Mini Stretch Wrap secures small bundles and sticks only to itself without harming products or leaving sticky residues. Easy-to-dispense doesn't require expensive machines to apply. Includes a durable plastic dispenser that is easy to maneuver while hand wrapping.



EXTENDED CORE HANDLE



HAND DISPENSER

Model	Gauge	W" x L'	Ctn Qty
242427	80	18 x 1500	4
242428	70	18 x 1500	4
B2043518	90	15 x 1600	4
806266	42	12 ¹³ / ₁₆ x 1588	4
B2057284	120	18 x 1100	4
806265	65	16 x 1500	4
Extended Core			
B2056397	70	20 x 1000	4
B2056822	80	20 x 1000	4
B3168685	120	20 x 800	4
B3168700	60	20 x 1000	4
Mini Wrap			
242430	80	5 x 1000	12
B2056093	120	3 x 700	18
B2043597	150	3 x 600	18
B2043690	80	2 x 1000	24

EXTENDED-REACH STRETCH WRAP DISPENSER



244294

This steel stretch wrap dispenser is designed to conveniently wrap pallets and containers from top to bottom without reaching or bending. Rubber handle and adjustable tension control allows you to easily adjust the degree of wrap tension for securing pallet loads while in transit. Supports 2" and 3" core films from 11" to 21" wide.

STRETCH WRAP DISPENSERS

Lightweight, high strength cast zinc dispenser with comfortable foam padded handle allows wrapping close to the bottom of a pallet. **Hand Savers** reduce hand stress and fatigue. Hand brake increases wrapping tension. Plastic construction for impact-resistance.



244290

Model	Type	Ctn Qty
244290	Pistol Grip Dispenser	1
B450072	Pistol Grip Dispenser	1
244245	Hand Saver Dispenser	2

STRETCH WRAP CUTTERS

Safely cut stretch wrap film in packaging & shipping applications. Cutters support multiple materials including stretch film, bubble wrap, and more. Blue plastic construction.



244292

244284

Model		Pkg Qty
244292	Heavy Duty Stretch Wrap Cutter	2
244284	Stretch Wrap Cutter	6

SEMI-AUTOMATIC RANDOM SIZE CASE SEALER

Outfitted with universal heads and top & bottom belt drives, this case sealer is built to upgrade. Universal Heads is built to upgrade the manual productivity for your shipment lines by providing an all-in-one sealing machine seals cases of vastly different dimensions to ensure convenient sealing for your business. Accepts tape width range from 1.5 – 3 inches.



412559



CORRUGATED CARDBOARD BOXES

Corrugated cardboard boxes feature a rigid cardboard construction to protect contents for everyday shipping or storage. Regular slotted standard corrugated cardboard boxes are top-opening and feature vertical C flutes. 32 ECT single wall fiberboard is strong and versatile; 100% recyclable.

Model	L" x W" x H"	Model	L" x W" x H"
B68561	4 x 4 x 4	B012974	12 x 10 x 8
B68569	5 x 5 x 5	B68658	12 x 12 x 8
B68570	6 x 4 x 4	B68660	12 x 12 x 10
B68571	6 x 6 x 4	B0012957	12 x 12 x 12
B68572	6 x 6 x 6	B0012954	14 x 14 x 14
B012955	8 x 6 x 4	B012980	16 x 12 x 8
B0012945	8 x 8 x 8	B68730	16 x 12 x 10
B39560	9 x 6 x 4	B0068740	16 x 16 x 16
B39561	9 x 6 x 5	B68762	18 x 12 x 12
B68601	9 x 6 x 6	B012982	18 x 14 x 12
B0012969	10 x 8 x 6	B012960	18 x 18 x 18
B012951	10 x 10 x 10	B028107	24 x 24 x 24

CORRUGATED MAILERS

Corrugated Mailers are used for shipping small, lightweight, or fragile items. Made of 200#/ECT-32-B construction. Crush resistant packaging boxes feature a double walled construction for maximum content protection. Lightweight construction saves on postage. Boxes fold together easily without tape, glue, or staples. Ship and store flat. Sold in package quantity of 50.



Model	Inside L" x W" x D"	Color
B40141	4 x 3 x 3	White
B40156	5 x 3 x 2	White
B40167	6 x 4 x 2	White
B40178	6 x 4 x 3	White
B40154	7 x 5 x 4	White
B40190	8 x 4 x 2	White
B1580086	9 x 6 1/4 x 2	Kraft
B40299	9 x 6 1/2 x 2 3/4	White
B1878835	10 x 10 x 3	White
B40218	10 x 10 x 4	White

PALLET CONTROL CONES

Pallet Control Cones prevent the double-stacking of pallets, and managing inventory. 3-sided shape provides high visibility from all angles. Ideal for warehouses, shipping and packaging logistic facilities, distribution centers, and more. A variety of color finishes provide the ability to color code inventory. Cones measure 10"W x 5"D.



Model	Type	Color
B1845728	3 Sided	Red
B1845744	3 Sided w/Dry Erase Decal	Green
B1845743	3 Sided w/Dry Erase Decal	Orange
B1845745	3 Sided w/Dry Erase Decal	Blue
B1845707	Magnets & Dry Erase Decal	Red

BOX CUTTERS

Box Cutters allow precision corrugated box cutting for warehouses, packaging areas, receiving departments. Construction is both strong and impact resistant making it ideal for harsh working conditions. Easy grip handle improves user control while reducing hand fatigue for optimal performance and comfort.



Model	Type	Qty./Box
412405	Box Cutter	6
412406	Multi-Function	12
412407	All-in-One	1
412408	Replacement Blades	20



SHIPPING CRATE

Global Industrial's Simple-Lock™ nail less wooden shipping crate are lighter, stronger and easier to assemble and fill than your standard pine or spruce box. This Simple-Lock™ crate ships and stores flat, saving money and space. The chamfered 1/4" plywood provides strength and durability. Its stamped integral metal rails and buckles provide structure and support. The Simple-Lock™ buckle and slot system allows for safe and easy assembly. This crate meets ISPM-15 international shipping requirements.

Model	Type	Outside Dim. L' x W" x H"	Inside Dim. L' x W" x H"
B2352229	Crate w/ Lid	12 x 12 x 12	11 1/4 x 11 1/4 x 11 1/2
B2352228	Crate w/Lid	18 x 18 x 18	17 1/4 x 17 1/4 x 17 1/2
B2352224	Crate w/Lid & Pallet	24 x 24 28-3/4	23 1/4 x 23 1/4 x 23 1/2
B2352223	Crate w/Lid & Pallet	30 x 30 x 30	29 1/4 x 29 1/4 x 29 1/2
B2352221	Crate w/Lid & Pallet	36 x 22 x 22	35 1/4 x 21 1/4 x 16 1/2
B2352219	Crate w/Lid & Pallet	40 x 40 x 40	39 1/2 x 39 1/2 x 34 1/2
B2352227	Crate w/ Lid	48 x 30 x 30	23 1/4 x 19 1/4 x 19 1/2
B2352214	Crate w/ Lid & Pallet	48 x 40 x 42	47 1/4 x 39 1/4 x 36 1/2
B2352211	Crate w/ Lid & Pallet	48 x 48 x 48	47 1/4 x 47 1/4 x 42 1/2



PALLET CONES

Prevent double stacking of freight orders by strapping or taping down the cones to the top of the pallet to reduce damage to shipments. Available in English or Trilingual: English, French & Spanish. Measures 8" x 8" x 10" ships flat, easy to store. Sold in bundles of 50.

Model	Description	Color
318522	English Only	White
412402	English, Spanish, French	Yellow

CARTON STANDS

Mobile carton storage stands are ideal for any packaging workstation needs. These carton stands help organize corrugated boxes for easy access. Racks include dividers for increased organization. Screw type leveling feet for uneven surfaces. Chrome plated finish.



Model	Description
184204	Single Level
184205	Dual Level
B3172707	Triple Level

POLYPROPYLENE STRAPPING

This Machine-Grade polypropylene strapping's stretch and strength characteristics are designed specifically to withstand semi-automatic and automatic strapping machines. It features high elongation and recovery with low tension retention for tight, strong, and fast strapping. 8" core. White.

Model	W"	Length'	Tensile Strength
921202WH	1/2	9,000	275 lb.
185620WH	1/2	9,900	325 lb.
921203WH	3/8	12,900	250 lb.
185621WH	3/8	12,900	300 lb.



HAND-GRADE POLYPROPYLENE STRAPPING

Made for use with hand strapping tools. This polypropylene strapping has just the right strength, stretch, and tension qualities to save you time and money. Polypropylene strapping retains loads better than steel or nylon strapping because it can shrink along with loads while maintaining tension.

Model	Length'	Break Core"	Strength Lbs.
921106	9000	16 x 6	250
241114	9000	8 x 8	300
422815	7200	16 x 6	500



STRAPPING CART WITH TOOL BALANCER

Made from durable steel, this product dispenser cart allows you to maneuver a complete strapping station around your warehouse. It has a tool mast that stabilizes heavy tools to aid in their effective application. Designed to handle one tool of up to 33 lbs., this dispenser works to minimize operator effort, improving productivity and efficiency. Its locking swivel casters provide additional stability and it's compatible with polypropylene, polyester, or steel strapping.



SEALLESS STEEL STRAPPING TOOL

This strapping tool eliminates the need for seals, saves time & money, has sealing and cutting depth adjustments, and can be used to strap pallets, boxes, cartons, and more horizontally or vertically. It utilizes punch joint sealing to increase the strap's holding efficiency. Accepts 1/2", 5/8", and 3/4" wide steel strapping.



FREE Roll 1/2" White Polypropylene Strapping with each Strapping Machine



POLYPROPYLENE STRAPPING MACHINE

This semi-automatic machine quickly & efficiently straps packages with minimum dimensions of 2 1/2" wide and 1" high with no maximum size. A tension gauge adjustment allows the operator to easily change the tension settings. Additional features include accepting straps from 1/4" - 5/8", 3" swivel casters (2 locking) for easy movement, adjustable table height. Unit measures 35"L x 23"D x 30"H and runs on 110V AC.

BATTERY-POWERED AUTOMATIC STRAPPING TOOL

Battery-powered automatic strapping tool tensions, seals, and cuts strapping in one easy operation. Use in automatic mode or in manual mode that permits custom tension adjustment. Accepts both polypropylene and polyester strapping in 1/2" or 5/8" widths. Maximum strap tension is 530 lbs. Includes two 14.4V Bosch Lithium Ion batteries and charger. Applies up to 600 straps of polypropylene or 300 straps of polyester strapping with each 30 minute charging cycle.

Model	Strap Width
412657	1/2"
412658	5/8"



POLYPROPYLENE STRAPPING KIT

This polypropylene strapping kit provides heavy duty content stability and spill prevention. Non-marring wheels allow ergonomic mobility and surface protection. Includes 1 reel of 1/2"W x 9000'L polypropylene strapping with 300lb. tensile strength, on an 8" x 8" core, 1000 seals, heavy-duty ratchet tensioner, hardened steel jaw crimper, and universal strapping cart.



DROP-IN STRAPPING CART

Made from durable steel, this cart can be used with polypropylene, polyester, or steel strapping. It's compatible with a core size of 7.87" or greater and includes a toolbox tray, so essential tools are readily accessible when needed.



PACKAGING & SHIPPING

DUNNAGE BAGS

Polywoven Dunnage Bags absorb impacts and provide content protection for packaging, shipping, and storage applications. The heavy-load stabilizing capacity and resistance to shifting make these bags ideal for heavy-duty material support. The recycled, high-strength polywoven construction provides moisture- and pressure-resistance for reliability in both indoor and outdoor environments.



Model	Size"	Pkg. Qty.
244255	36 x 48	30
244257	36 x 66	25
244269	48 x 48	25
244267	36 x 84	20
244275	48 x 84	20
244277	48 x 96	20
244278	Air Bag Inflator	



DR. SHRINK MARINE AND INDUSTRIAL SHRINK FILM

Dr. Shrink Marine and Industrial Shrink Film are used for commercial or industrial product storage and shipping applications. Made of premium 100% virgin resin shrink wrap material for long lasting durability and dependability. Used for covering and protecting large products against damage in transportation or storage.

Model	W" x L'	Mil	Color
B923086	36 x 100	5	Clear
B923083	17 x 120	6	Clear
B923079	12 x 175	6	White
B923296	17 x 31	6	Blue
B923312	40 x 200	7	White
B923215	18 x 200	7	White
B923230	14 x 425	7	Blue
B923252	40 x 100	8	White
B923313	50 x 200	9	White
B923318	20 x 100	10	White



PORTABLE HEAT SEALERS

Ideal for sealing small, irregular, or extra-long packages, these light & portable sealers are easy to move wherever they're needed. They seal cellophane, coated aluminum foil, Kraft paper, and other thicker materials. An adjustable temperature control enables precise heat control for different material types.

Model	Seal Length"	Seal Width	Thickness
M1623180	8	15mm	20 mil
M1623154	12	15mm	20 Mil
B2379024	12	12mm	20 Mil
B2379019	12	5mm	20 Mil
B2379023	16	12mm	20 Mil
M1885825	16	5mm	20 Mil



MANUAL LABEL DISPENSERS

Manual Label Dispensers enable easy content identification in commercial, industrial, & shipping applications. Pre-drilled holes allow for bench or wall mounting. These models have adjustable widths and accommodate multiple and single tape and/or label rolls.

Model	Width"	Maximum Dia. "	Core"
412613	2	6	3
412608	4	4	3
412614	6	6	3
412616	12	6	3



EDGE PROTECTORS AND CUTTER

Edge Protectors are made of sturdy fiberboard to stabilize loads and improve stacking strength when shipping. An Edge Cutter provides a convenient and efficient method of cutting cardboard edges for warehouses, mail rooms, and more.

Model	Size"	Thickness"	Pkg. Qty.
B069510	3 x 3 x 48	.16"	45
B546012	2 x 2 x 72	.16"	50
B0069506	2 x 2 x 36	.16"	100
B546022	3 x 3 x 72	.16"	20

CUTTER Model **244246**



PACKING LIST ENVELOPES

Packing List Envelopes ensure important document protection from dirt, moisture, and more. Pressure sensitive adhesive sticks to standard shipping surfaces. Features tamper evident protection.

Model	L" x W"	Type	Pkg. Qty.
354715	10 x 7	Clear	1000
354709	12 x 10	Clear	500
412404	6-1/2 x 10	Clear	1000
354712	7 x 5 1/2	Clear	1000
354713	12 x 9 1/2	Packing List Enclosed	500
412403	4 1/2 x 5 1/2	Packing List Enclosed	1000
354714	5 1/2 x 10	Packing List Enclosed	1000

RECLOSABLE BAGS

Reclosable Bags feature a secure closure mechanism that allows for easy opening and closing, keeping the contents fresh and protected. Reusable bags are ideal for storing food, organizing small items, or packaging products in various applications. The durable materials used in their construction ensure that these bags are long-lasting and reliable for all your packaging needs.



Model	W" x L"	Mil	Pkg Qty.
B2207637	18 x 24	4	250
B1878616	16 x 18	3	100
B44334	12 x 12	4	1000
B44294	4 x 7	2	1000
B44317	6 x 9	4	1000
B1878777	24 x 24	8	100

LABELS

Labels are designed for efficient identification and organization in inventory management and shipping applications. Shipping labels ensure clear identification and easy tracking of various products in retail or commercial settings to enhance workflow. Labels are durable to withstand daily use and are easy to read.



Model #	Size	Description	Ctn. Qty. Roles of 500
B1886036	2" Dia.	Round Fluorescent Colors	5 Rolls
B1886037	2" Dia.	Round Numbered 1-10	10 Rolls
B1886038	2" Dia.	Round 12 Months Of The Year	12 Rolls
B1878786	2"L x 3	Packing List Enclosed	1 Roll
B1886034	3"L x 2	Rectangle 12 Months Of The Year	12 Rolls
B3176170	5"L x 3	Mixed Merchandise...	1 Roll



NTEP PALLET SCALE

This steel scale is anti-corrosive and powder coat-finished to ensure years of reliable use in the most rugged commercial and industrial settings. A durable diamond deck tread plate prevents cargo from sliding, while the channel construction offers superior strength. Includes height adjustable ball and cup leveling feet. Pre-calibrated for a quicker setup. Ramp sold separately.

Model	Cap. Lbs.	Readability	W" x L"	Ramp
412228	5000	1 Lbs.	48 x 48	412229
412227	10000	2 Lbs.	48 x 48	412229
412556	5000	1 Lbs.	60 x 60	412558
412557	10000	2 Lbs.	60 x 60	412558



318506

PORTABLE FLOOR DRUM SCALES

Portable Floor Drum Scales are used for drums, barrels, industrial containers, and small crates. Drum Scales feature spacious platforms with two-way, easy-access integral ramps for easy loading and unloading. Navigate drum scales through doors with ease using handles and side wheels to go wherever you need them.

Model	Capacity Lbs.	Readability Lbs.	W" x L"
412582	1000	0.2	35 ³ / ₄ x 39 ¹³ / ₆₄
318506	1000	0.5	41 x 38
412583	5000	1.0	60 x 56 ¹⁵ / ₃₄



60 lb.
capacity

ELECTRONIC COUNTING SCALE

This Electronic Counting Scale is designed to provide high measuring accuracy for small items in both pounds and kilograms for multiple packaging and shipping applications. The large numerical LCD display ensures high readout visibility for convenient and efficient identification. The reinforced ABS plastic housing and stainless steel construction provides strength and impact-resistance for years of reliable service. Scale is powered by a 6V 4Ah lead-acid rechargeable battery or 12 VDC 500mA adapter. 1 year limited warranty.

Model	Lbs	Kg	Lbs	Kg
244280	60	30	0.002	0.001

PACKAGING & SHIPPING



Easy-to-read 1"H numbers



Post height adjusts for table top or floor applications

660 lb. capacity

BENCH/FLOOR SCALE

This digital bench/floor scale is ideal for multiple uses, including weighing, counting or as a system to accept or reject items from production line based on weight. The leveling indicator gives you proper and precise weighing capabilities. Operating functions include auto-zero, tare, accumulate and counting, and auto shutoff with sleep mode. Stainless steel platform measures 11³/₄"W x 15³/₄"L. LCD display. Removable adjustable posts. Leveling feet. 115V, AC with built-in rechargeable battery.

Model	Capacity Lbs.	Capacity Kg	Readability Lbs	Readability Kg	W" x L"	Ht. Adj.
244241	330	150	0.1	0.05	11 ³ / ₄ x 19 ¹ / ₂	18 ¹ / ₈ to 41 ¹⁵ / ₁₆
244242	660	300	0.25	0.1	15 ³ / ₄ x 23 ⁷ / ₁₆	18 ¹ / ₈ to 51



Easy to read LED Display



Rear Locking Casters



NTEP MOBILE BENCH SCALE

The Global Industrial™ NTEP Mobile Bench Scale with Backrail and LED Display is ideal for shipping docks, outdoor markets, and other areas where bulk amounts need weighing. This electronic bench scale is easily movable in any work area and features a rechargeable battery that provides up to 100 hours of service. Hinged indicator bracket allows the indicator to be tilted. Swivel wheel casters come with brakes in the back. Weight capacity of 500 lbs.

Model	Capacity Lbs.	Readability Lbs.	Platform
412664	500	0.1	24 x 18
412666	1000	0.2	32 x 24



DIGITAL SHIPPING SCALE

This rugged shipping scale is easy to operate and features a low-profile 12" x 12" steel platform & a large easy-to-read controller/display that comes on a 6'L coiled cord to mount where it's the most visible. Functions include tare/hold with auto-off after 2-minutes of non-use to save energy. Powered using the included AC adapter or six (6) user-supplied AA batteries.

Model	Cap. Lbs.	Kg	Accuracy Lbs.	Kg
318513	400	180	0.5	0.2



NEXEL® REACH-IN REFRIGERATORS & FREEZERS

These commercial-grade fridges & freezers feature a stainless-steel exterior, aluminum interior, adjustable shelves, incandescent interior lighting, and exterior thermometer controls. Available in a range of sizes, these units run on energy-efficient R290 refrigerant.

Model	Type	Shelves	Doors	Cu. Ft.	W" x D" x H"
243007	Refrigerator	3	1	23	29 x 32¼ x 82½
243008	Refrigerator	6	2	47	54 x 32¼ x 82½
243035	Refrigerator	9	3	72	80⅞ x 32¼ x 82½
243009	Freezer	3	1	23	29 x 32¼ x 82½
243010	Freezer	6	2	47	54 x 32¼ x 82½
243036	Freezer	9	3	72	80⅞ x 32¼ x 82½

NEXEL® REACH-IN GLASS DOOR REFRIGERATORS & FREEZERS

Equipped with transparent glass doors, a durable stainless-steel construction, and PVC-coated wire shelving, these Nexel® refrigerators and freezers are ideal for storing perishable goods in restaurants, cafeterias, and more. Each unit features an embedded digital thermostat with an LED display, which can adjust to below-freezing temperatures.



Model	Type	Shelves	Doors	Cu. Ft.	W" x D" x H"
243218	Refrigerator	3	1	23	29 x 32¼ x 82½
243219	Refrigerator	6	2	47	54 x 32¼ x 82½
243220	Freezer	3	1	23	29 x 32¼ x 82½
243221	Freezer	6	2	47	54 x 32¼ x 82½



NEXEL® GLASS DOOR MERCHANDISERS

Featuring energy-efficient double-pane glass doors, an aluminum interior, PVC-coated wire shelving, and interior lighting, these merchandisers are a convenient solution for displaying food and beverages. NSF-certified.

Model	Type	Doors	Shelves	Cu. Ft.	W" x D" x H"
243004	Refrigerator	1-Swing	4	9.1	21-7/10x21-7/10x63
243005	Refrigerator	1-Swing	4	23	28⅞ x 31⅞ x 79⅞
243006	Refrigerator	2-Sliding	8	45	53⅞ x 31⅞ x 79⅞
243037	Refrigerator	3-Swing	12	53	78⅞ x 30 x 84⅞
243050	Freezer	1-Swing	4	23	28⅞ x 31⅞ x 84⅞
243038	Freezer	2-Swing	8	45	53" x 31⅞ x 84⅞
243051	Freezer	3-Swing	12	52	79-1/2x30-3/8x80-3/4
243055	Ice Freezer	2-Swing	2	45	53⅞ x 31⅞ x 79⅞



NEXEL® REACH-IN SPLIT DOOR REFRIGERATORS & FREEZERS

The Nexel® Reach-In Split Door series provides reliable cold food and drink storage, perfect for high-traffic businesses from convenience stores to quick-service restaurants. Equipped with split doors to reduce energy costs, embedded digital thermostats, a durable stainless-steel construction, and PVC wire-coated shelving, these units are ideal for holding large quantities of products.

Model	Type	Shelves	Doors	Cu. Ft.	W" x D" x H"
243214	Refrigerator	3	2	23	29 x 32¼ x 82½
243215	Refrigerator	6	4	47	54 x 32¼ x 82½
243216	Freezer	3	2	23	29 x 32¼ x 82½
243217	Freezer	6	4	47	54 x 32¼ x 82½

NEXEL® REFRIGERATOR & FREEZER COMBO

These versatile fridge/freezer combos offer generous storage capacity in an easy-to-maintain design. Featuring adjustable glass shelves, a crisper drawer, and door storage, these units are an ideal solution for breakrooms, teacher's lounges, hotel suites, and more. Available in multiple sizes, freezer options, and colors. CUL-certified and DOE-tested. Limited 1-Year Warranty.



243226



242944



243228

Model	Type	Cu. Ft.	W" x D" x H"
243226	Compact Fridge & Top Freezer	3.1	21 x 19 x 33
243227	Refrigerator & Top Freezer	10	23⅞ x 25⅞ x 59⅞
243228	Refrigerator & Bottom Freezer	16	28⅞ x 29⅞ x 70
243229	Refrigerator & Bottom Freezer	18	32⅞ x 27⅞ x 70
242944	Mini Fridge & Freezer	1.7	17½ x 19 x 19½
242969	Compact Fridge & Freezer	2.6	19⅞ x 19⅞ x 24⅞

NEXEL® COUNTERTOP REFRIGERATORS

Compact storage that's cool inside and out. Nexel countertop refrigerators provide reliable cold food & beverage storage around the clock. Glass doors for clear visibility & durable epoxy coated steel shelves are ideal for holding beverages for your breakfast nook, breakroom and snack shop oasis. Digital thermostat for easy & flexible temperature control.



243053

243052

Model	Shelves	Cu. Ft.	W" x D" x H"
243052	2	4.9	24⅞x25⅞x33⅞
243053	3	6.3	24⅞x25⅞x38⅞

PURE CARBON BLOCK FILTERS

Designed to deliver clean water to commercial ice machines, this Global Pure™ filter features a carbon block that reduces chlorine taste, odor, bitterness, turbidity, particle class 1 particulates, and other offensive contaminants down to 0.5 microns. It has a 30 to 100 PSI operating range and is compatible with Nexel® ice makers, as well as ice machines with a 1-2 gpm flow rate. Limited 1-Year Warranty. Meets NSF/ANSI Requirements.



Model	Type
243048	Filter with Connector Head
243047	Filter
243046	Connector Head

NEXEL® SELF-CONTAINED UNDER-COUNTER ICE MACHINES

These stainless-steel ice machines produce high-quality, crystal-clear ice cubes and feature ample ice storage with automatic overflow prevention. Units include an ice scoop, water filter, and drain hose. ETL- & ETL-Sanitation-approved for commercial use.



Model	Ice Prod./24 hrs. Lbs.	W" x D" x H"	Storage Lbs.
243027	120	19 ³ / ₄ x 23 ¹ / ₄ x 35 ¹ / ₂	40
243028	160	26 x 27 ³ / ₄ x 38 ¹ / ₂	80
243029	210	26 x 27 ³ / ₄ x 38 ¹ / ₂	80
243030	280	26 x 27 ³ / ₄ x 38 ¹ / ₂	80



NEXEL® CHEST FREEZERS

These Nexel® Chest Freezers offer expansive storage to preserve the quality and freshness of bulk amounts of frozen goods. These coolers feature ample storage space, removable interior baskets, a metal body with a stark white finish, and an aluminum interior. Easy to use, secure, and maintain, these units are best suited for restaurants, convenience stores, ice cream shops, and other businesses.

Model	Baskets	Cu. Ft.	W" x D" x H"
243080	1	4.95	30 x 22 x 33
243081	1	10	44 x 25 ¹ / ₂ x 33
243082	2	15.4	60 ⁵ / ₈ x 29 x 33

NEXEL® ICE DISPENSER WITH ICE MACHINE & BIN

Constructed from stainless steel and food-grade PE, these commercial ice dispensers provide a convenient & hygienic solution for dispensing ice in vending areas. They feature an easy push-dispenser operation, a self-cleaning function, an "ice full" sensor for automatic shut-off, adjustable legs to provide stability, and a copper nickel-plated evaporator for more effective anti-corrosion. Ideal for hotels, resorts, motels, and other hospitality facilities, these air-cooled ice machines produce large amounts of ice per day.



Model	Ice Prod./24 Hrs. Lbs.	Bin Storage Lbs.	W" x D" x H"
243318	420	130	22 ¹ / ₁₆ x 33 ¹ / ₁₀ x 75 ¹ / ₁₆
243319	350	130	22 ¹ / ₁₆ x 33 ¹ / ₁₀ x 75 ¹ / ₁₆

NEXEL® MODULAR ICE MACHINE WITH STORAGE BIN

Air-cooled and reliable, these low-maintenance stainless-steel ice machines produce high-quality, crystal-clear ice cubes. Units feature a self-clean system, a flip-up lid with an LED light, an auto shut-off, and an ice scoop. NSF- and ETL-approved for commercial use.



Model	Ice Prod./24 hrs. Lbs.	Storage Lbs.	W" x D" x H"
243031	350	230	23" x 33 ³ / ₄ x 67"
243032	500	275	31" x 33" x 67"
243320	420	230	22" x 32 ³ / ₄ x 67"

ICE & WATER DISPENSERS

Conveniently dispense both ice & water with these air cooled counter top ice maker and water dispenser models. Perfect for breakrooms, offices & cafeterias. Units products easy to chew cublet ice.



Model	Brand	Ice Per Day Lbs.	Storage Cap. Lbs.	W" x D" x H"
243321	Nexel	220	6.6	13 ³ / ₄ x 23 ¹ / ₂ x 31 ¹ / ₄
243322	Nexel	313	16.5	18 ¹ / ₄ x 22 ¹ / ₄ x 36 ³ / ₄
M2096470	Manitowoc	315	10	16 ¹ / ₄ x 24 x 35
B443055	Hoshizaki	257	10	16 ⁵ / ₈ x 24 ¹ / ₄ x 31 ³ / ₄
B3136453	Accucold	160	5.3	13 ³ / ₄ x 24 x 24 ³ / ₄

NEXEL® COMMERCIAL MICROWAVE OVENS

Commercial microwaves are ideal for quick and efficient heating of soups, sandwiches, frozen foods, prepackaged meals and beverages. With a variety of cu. ft. capacities & wattages, these microwaves are perfect for use in breakrooms, cafeterias, breakfast nooks, kitchens, snack shop oasis and more. Models feature quick, easy turn dial or push button cooking, preset heating options, 60 second cool down after each cooking cycle and can accommodate 12" - 14" platters. ETL & cETL certified. 1 year warranty



242942



243325

Model	Type	Watts	Cu. Ft.	W" x D" x H"
242942	Dial	1000	0.9	20" x 17" x 12 ¹ / ₄ "
242945	Digital	1000	0.9	20" x 17" x 12 ¹ / ₄ "
242943	Digital	1000	1.1	20" x 15 ¹ / ₄ " x 12"
243325	Digital	1200	1.2	22 ⁵ / ₈ " x 20 ¹³ / ₁₆ " x 14 ¹ / ₂ "

COFFEE BREWERS & SUPPLIES

Suitable for breakrooms, reception & lobby areas, hotel rooms & offices, breakfast nooks, restaurants & more. Durable stainless steel construction & warming plates. Just add cold water and enjoy a delicious cup of coffee in minutes. Model B430137 requires plumbing.



243368



243370

Model	Description	W" x D" x H"
243368	Nexel Pourover Coffee Maker, 2 Warming Plates, 2 Decanters	7 ³ / ₄ " x 14" x 17"
243370	Nexel Airpot Coffee Brewer with 2.2L Airpot	7 ³ / ₄ " x 14" x 22"
B430137	BUNN Axiom Dual-Voltage Airpot Brewer	9" x 18 ¹ / ₂ " x 23 ³ / ₅ "
B2028669	Keurig Single Cup Brewer	10 ¹ / ₄ " x 12 ¹ / ₁₀ " x 12 ⁷ / ₁₀ "
Model	Description	Qty.
B2349087	Folgers Classic Ground Coffee	6/Canisters
B2946059	Maxwell House K-Cups	100/Box
243018	Hot Cups, 8 oz.	1000/Box
B3130992	Hot Cup Lid, Fits 8 oz. Cup, Black	1000/Box
B3131067	Wooden Stir Sticks, 7"	10,000
B2946072	Melitta Coffee Filters #4	3,000

DISPOSABLES

Improve efficiency in quick service, commercial kitchens, events and other foodservice settings with disposable serveware & tableware. Ensure ample supply in your breakroom, breakfast nook and cafeteria of cups, plates, napkins, & plastic utensils.



Model	Description	Qty.
243018	Hot Cups, 8 oz.	1000/Box
B3130630	Cold Cups 16 oz.	1000/Box
B1223325	Dixie Paper Plates, 10-1/8"	500/Box
B3180685	Fork, Spoon & Knife Kit	250/Box
244308	Dixie Ultra Tabletop Napkin Dispenser	1/Box
243014	Dixie Ultra Interfold Napkin Refills	6000/Box

TOASTERS

Toasters make a perfect self-used appliance suitable for breakrooms, cafeterias, breakfast nooks, hotel suites, restaurants & more. Brushed stainless steel housing & removable crumb tray allows for quick & easy cleaning. Key features include separate electronic browning controls, self-centering racks for all slots & extra-wide slots.



B2018009



B2018008

Model	Brand	Description
B2018009	Waring	Toaster with 4 Slots
B2018008	Waring	Toaster with 2 Slots

SNACKS & DRINKS

Keep your snack oasis, lobby & reception areas, offices, vending machines and more stocked with nourishing food and refreshing beverages. Crackers, chips & candy & nutrition bars make great vending machine snacks! Water and sports drinks keep workers and guests hydrated.



Model	Description	Qty.
B2947005	Chocolate Variety Pack	30/Box
B2946951	Potato Chip Variety Pack	50/Box
B2412656	Niagara Bottled Water	2016/pallet
B2412655	Overtime Sugar-Free Electrolyte	80/Box
B874422	Pepperidge Farm Goldfish Crackers	72/Box
B2946639	Nature Valley Granola Bar Variety Pack	84/Box

VENDING MACHINES

Vending machines offer convenient access to snacks, beverages, and other products in various locations including offices, schools, event venues and other public spaces. Available in different configurations, they cater to diverse consumer preferences and vending needs. The sturdy construction and advanced vending technology of the machines ensure reliable performance & customer satisfaction, making them indispensable assets. Combo vending holds both refrigerated & non-refrigerated items.



243019



B2021168

Model	Description
243019	Combo Vending, ADA, 29 Selections
B2021168	Snack Machine, 32 Selections
B2021176	Refrigerated Snack Machine, 45 Selections
B476697	Bill Changer, \$250 Capacity



CUT THE CORD & EMBRACE FREEDOM OF MOVEMENT WITH DEWALT CORDLESS TOOLS.



CORDLESS WORKSITE SOLUTIONS

Eliminate time spent running cords and locating power sources with DeWALT's rapidly expanding line of cordless equipment. Its advanced battery technology and fast chargers keep you running all day with less downtime. Cordless tools also save on setup time while providing you with the power you need.

Model	Description	DeWALT Part #	Battery	Kit Includes
B3090740	DeWALT 10 Tool Combo Kit	DCK1020D2	20V MAX	Drill Driver, Impact Wrench, Leaf Blower, Flashlight, Bluetooth Speaker, Oscillating Tool, Recip Saw, Grinder, Circ Saw, Vac, 2 Tools Carry Bags, 2 Batteries, & 1 Charger
B3090748	DeWALT 6 Tool Combo Kit w/Grinder	DCK695P2	20V MAX XR	Hammer Drill, Hex Impact, Circ Saw, Recip Saws, Flashlight, Grinder, Tool Bag, 2 Batteries, & 1 Charger
B3090747	DeWALT 6 Tool Combo Kit w/Oscillating Tool	DCK694P2	20V MAX XR	Hammer Drill, Hex Impact, Circ Saw, Recip Saw, Flashlight, Oscillating Tool, Tool Bag, 2 Batteries, & 1 Charger
B3090758	DeWALT Mixer/Drill with E-Clutch System	DCD130T1	60V MAX	Keyless Chuck Mixer/Drill, Tool Bag, 1 60V Battery, & 1 Charger
B3090760	DeWALT Compact Brushless Drill/Driver	DCD777C2	20V MAX	Drill/Driver, Tool Bag, 2 Batteries, and 1 Charger
B3136422	DeWALT ½" High Torque Impact Wrench	DCF900H1	20V MAX XR	High Torque ½" Anvil Impact Wrench, 1 Tool Bag, 1 Battery, & 1 Charger
B3090738	DeWALT ½" Mid-Range and ⅜" Compact Impact Wrench 2-Tool Kit	DCK205P1	20V MAX RX	1 Mid-Sized ½" Anvil Impact Wrench. 1 Compact ⅜" Anvil Impact Wrench, 1 Battery, & 1 Charger


TOOLS & INSTRUMENTS



QUIET & SILENT AIR COMPRESSORS

These air compressors are designed for low-noise operation while providing efficient pressurized air power. Sizes vary from small portables to large 2-stage 80-gallon industrial compressors. A-weighted decibels (dBAs) surpass current and future EPA requirements.

CHECK YOUR SOUND LEVEL SAFETY



133686



133754

Model	Brand	Noise Output	Gal. Cap.	HP	CFM
B2346486	California Air Tools	58 dBA	10	2	5.3
133754	Global Industrial	<60 dBA	20	2	5.0
B2346473	California Air Tools	75 dBA	60	4	10.6
717617	EMAX	<69 dBA	80	8	26.0
133686	Global Industrial	58 dBA	80	10	38.0



B2223267



B2811238



B765229

ROTARY SCREW & SCROLL AIR COMPRESSORS

Air compressors provide high volumes of air with minimal noise, low vibration, and maximum efficiency. Designed using oil-injected pumps, these durable compressors feature a continuous duty cycle to provide the convenience of continuous non-surge airflow.

Model	Brand	HP	Volts/Phase	Type	CFM
B2811238	GIC	7.5	230/1-Phase	Rotary Screw	24.1
B2811237	GIC	10	230/1-Phase	Rotary Screw	39.0
B2811233	GIC	5	230/1-Phase	Rotary Screw	16.6
B2338455	Atlas Copco	30	208-230/496 3-Phase	Rotary Screw	98.0
B765229	Ingersoll Rand	15	230/3-Phase	Rotary Screw	50.0
B2223301	PowerEx	5	230/3-Phase	Tankless Oil-Free Scroll	15.2
B2223267	PowerEx	10	208-230 3-Phase	120 Gal. Oil-Free Scroll	31.2

AIR DRYERS

Air dryers are a crucial component of a compressed air system. A highly cost-effective method for removing condensation from the system, they reduce corrosion and damage to tools, machines, and processes within the facility.



B2811239



B686819



B3145281

Model	Brand	Description	CFM	Volts/Phase
B2811239	GIC	Refrigerated Air Dryer	30	115/1-Phase
B686819	Ingersoll Rand	Non-Cycling Refrigerated Air Dryer	42	115/1-Phase
B3145281	Chicago Pneumatic	Non-Cycling Refrigerated Air Dryer	83	115/1-Phase
B686888	Ingersoll Rand	Non-Cycling High Temperature Refrigerated Air Dryer	15	115/1-Phase
B3077516	Atlas Copco	Refrigerated Air Dryer	94	115/1-Phase

HYDROMAX AIR COMPRESSOR

Keep your pneumatic system running smoothly with the Global Industrial™ Silent (63 dB at full operation) Two-Stage Variable Speed Air Compressor. Prewired for either single- or three-phase hookup and with a motor turn-down feature, this machine delivers 10 HP while acting as a 7.5 HP draw motor. Featuring a first-to-market closed cooling system, this air compressor uses a built-in antifreeze radiator, similar to a car engine, to keep the pump cool during operation. Its soft-start variable speed motor is designed to reduce energy draw, greatly reducing operational expense. This product is WIFI enable, which allows you to use a smartphone to remotely monitor average energy draw, peak demand times, and even be notified of potential component issues & upcoming maintenance requirements.

Model	HP	Volts/Phase	CFM	PSI	Gal. Cap.
133814	7.5 - 10HP	208 - 230/1 & 3 Phase	38	175	80
133815	7.5 - 10HP	460/3 Phase	38	175	80



TWO-STAGE AIR COMPRESSORS

Two-stage air compressors meet the high demands of maintenance shops, woodworking, production lines, car washes, commercial applications, and more. Compressors are available in a variety of sizes and power levels from 5-30 HP.

Model	HP	Gal. Cap.	Volts/Phase
B2811234	5	80	230/1-Phase
B2811235	7.5	80	230/1-Phase
B2811236	10	80	230/1-Phase



SINGLE-STAGE AIR COMPRESSORS

These compressors are a great value solution for air power and are commonly used in DIY shops, automotive garages, and light commercial applications. Single-stage compressors are made with cast iron or aluminum pumps and steel tanks.

Model	Brand	HP	Volts/Phase	CFM	PSI	Gal. Cap.
634163	Ingersoll Rand Company	3	230/1-Phase	11.3	135	60
634164	Ingersoll Rand Company	5	230/1-Phase	18.1	135	60
B2192499	Porter Cable®	3.5	230/1-Phase	11.5	135	60



GAS-POWERED FLEET AIR COMPRESSORS

Gas-powered air compressors are ideal for fleet service trucks, welding trucks, and remote jobsite locations where electrical power is limited or non-existent. Units are available in stationary or portable configurations to allow flexibility for the jobs at hand. Diesel engines also available.

Model	Brand	HP	Engine Brand	CFM	PSI	Gal. Cap.
B2190767	Emax	18	Honda	39	175	60
B686793	Ingersoll Rand	13	Honda	25	175	30
B686853	Ingersoll Rand	14	Kohler	24	175	30
B2117479	Puma	13	Honda	23	175	Tankless





AIRSPADE EXCAVATION TOOLS

AirSpades allow quick and easy excavation. Used in agriculture, utility, construction, and industrial applications, they uncover underground objects, utility lines, or even sensitive tree roots without harm, and dig faster and more efficiently than conventional hand tools.

Model	Mfg. #	Description
702188	ASU4150G4	Utility AirSpade 4000 105 CFM with 4 ft. Barrel
B904610	HT107	AirSpade 2000 Arbor/Landscape Kit with 150 CFM Nozzle
702187	ASU4150KT	Utility AirSpade 4000 Kit with 150 CFM Nozzle
B904609	HT106	AirSpade 2000 Utility/Construction Kit with 150 CFM Nozzle
B904611	LT3000	AirSpade 3000 330 CFM with 55" Barrel



COMPRESSED AIR PIPING KITS, TUBING KITS, & ACCESSORIES

These kits are an ideal solution for automotive, industrial, and manufacturing applications. Made from corrosion-resistant materials, these kits provide consistent airflow to air-powered tools, including nail guns, staplers, pneumatic wrenches, and more. Units may be wall-mounted.



PIPING AND TUBING KIT ACCESSORIES

Model	Brand	Mfg. Part #	Description	Hose I.D."	Price
B2211943	Maxline	M8064	Tubing Clamp - 10/pkg.	1/2	\$11.25
B2211945	Maxline	M8010	Tee Fitting	1/2	14.75
B2211981	Maxline	M8003	Tubing x Male NPT Fitting	3/4	22.25
B2211978	Maxline	M8067	Elbow Fitting	3/4	30.95
B2211976	Fastpipe	F2002	Union Fitting	1	23.00
B2211969	Fastpipe	F2003	Elbow Fitting	1	24.00

PIPING AND TUBING KITS

Model	Brand	Mfg. Part #	Description	Hose I.D."	Hose Length'
B2211962	Maxline	M6026	Master Tubing Kit	1/2	100
B2211963	Maxline	M3800	Master Tubing Kit w/3 Outlets	1/2	100
B2211959	Maxline	M7500	Master Tubing Kit w/3 Outlets	3/4	100
B2211957	Maxline	M6031	Master Tubing Kit	3/4	300
B2211960	Maxline	M7580	Master Tubing Kit w/3 Outlets	3/4	300
B2211950	Fastpipe	F28235	Master Piping Kit w/5 Outlets	1	235



ARROW PNEUMATICS IN-LINE DESICCANT DRYERS

Used to maintain compressed air quality, desiccant dryers remove all traces of water vapor, oil vapor, and dirt from a compressed air system. Built for long-lasting durability, these dryers feature materials like zinc, aluminum, or plastic.



Model	Mfg. Part #	Description	PSI	Port Size NPT"	Micron Rating	Bowl Type
B601902	DFD-10	Mini In-line	125	1/4	40	Plastic
B601899	D12-04	PneuMasterAir 1 Qt.	250	1/2	40	Zinc & Aluminum
B601901	D7612	Economy StageAir 1 Qt.	200	1/2	40	Zinc & Aluminum
B601900	D12-04XL	Dryer/Filter	250	1/2	40	Zinc & Aluminum
B601908	D12-04XXL	Dryer/Filter	250	1/2	40	Zinc & Aluminum
B601897	C7612XL	StageAir	250	1/2	0.03	Zinc & Aluminum
B601898	C7612XXL	StageAir 1 Gal.	250	1/2	0.03	Zinc & Aluminum

REPLACEMENT DESICCANT SILICA GEL

Model	Mfg. Part #	Description
B601903	34189	Arrow 1 Quart Replacement Desiccant Silica Gel - 6 Pk.
B601904	34417	Arrow 1 Gallon Replacement Desiccant Silica Gel - 4 Pk.

PNEUMATIC IMPACT WRENCHES

Used for automotive repair, large-scale construction projects, heavy equipment maintenance, and more. Impact wrenches provide high torque operation, operated via a compressed air system. Anvil, RPM, max torque, drive size, and air inlet vary per model.

Model	Brand	Mfg. Part #	Style	Anvil	CFM	RPM/BPM	Max. Torque Ft. lbs.
½" DRIVE							
B2383975	Global Industrial	G3431K	Pistol/Kit	Standard	2	7,000	260
700142	Ingersoll Rand	2235TIMAX	Pistol	Standard	3	8,500/1,220	930
133706	Global Industrial	133706	Pistol	Standard	5.7	13,000	400
700167	Ingersoll Rand	9RSQ83	Nut Runner	Standard	65	300/2500	61
133707	Global Industrial	SO3345	Pistol	Standard	7.3	9500/1100	1400
B3159124	Ingersoll Rand	2236QTIMAX-2	Pistol	Extended	36	7500/1350	900
¾" DRIVE							
133708	Global Industrial	133708	Pistol	Standard	7.3	6,000	1,300
700137	Ingersoll Rand	2145QIMAX	Pistol	Standard	32	6300/1150	1350
700117	Ingersoll Rand	261	Pistol	Standard	38	5500/1000	1100
B1319587	Air Cat	1600-TH-A	Pistol	Standard	10	4500/900	1600
1" DRIVE							
133710	Global Industrial	133710	D-Handle	Extended	7.5	5,500	2,200
B1222316	Chicago Pneumatic	8941077826	D-Handle	Extended	10	5,160/500	2,140
133706	Global Industrial	133706	Pistol	Standard	5.7	13,000	400
B3136067	Ingersoll Rand	280	Snub	Standard	55	6000/750	1600
700151	Ingersoll Rand	295A	Pistol w/D Handle	Standard	46	5250/700	1475
B3136043	Ingersoll Rand	217P	Pistol	Standard	46	6000/1025	1250



AIR GRINDERS AND SCALERS

Used for various professional grinding, surface preparation, or die maintenance applications. Grinders are lightweight, easy-to-use, and ideal for power finishing, cutting, or die maintenance applications. The configurations, CFM, RPM, and style vary per model.

Model	Grinder Type	CFM	RPM/BPM
B2383983	4" Angle Grinder	4	25,000
B2383982	Right Angle Die	4	22,000
B2383981	Straight Die w/Bur Kit	4.5	7,000
133716	Needle Scaler	4.5	4,800
B3136067	Straight Die Grinder	4	22000
B2383984	Straight Die Grinder Kit	4	22000

AIR SANDERS

Lightweight, easy-to-use air sanders are used in a variety of sanding, polishing, and finishing applications. Comfort grip handles and trigger mechanisms offer ergonomic control and reduce user fatigue. Various styles available.

Model	Sander Type	CFM	RPM
B2383970	2" Disc	3.6	15,000
B2383972	Jitterbug	4	6,500
B2383973	Dual Action	5.3	10,000
B1611225	Belt	4	20000
B1403929	Random Orbit	17	12000
700157	Angle	6.75	15000
B2680294	Random Orbit	13	12000



AIR DRILLS & SCREW DRIVERS

Air drills work at high speeds for efficient drilling in woodworking, metalworking, construction, and automotive applications. Lightweight composite housings and textured rubber handles provide comfort and reduce user fatigue. Chuck size, CFM, and RPM vary per model.

Model	Brand	Chuck Size"	CFM	RPM
B2383977	Global Industrial	⅜"	6	1,100
133711	Global Industrial	¼"	3.5	2,100
B1222304	Chicago Pneumatic	½"	6	800
B2254329	Jet Tools	½"	5	1200
B3136075	Ingersoll Rand	Spindle	55	350
B2680290	Sioux Tools	⅜"	30	2600
B2680292	Sioux Tools	3/8"	30	6000





DIGITAL MICROMETERS & INDICATORS

- Provides highly accurate measurements
- Features large LCD displays, auto on/off, carbide measuring surfaces, & fitted plastic storage cases

Model	Description	Max Measurement"	Max Measurement MM
B611563	Mitutoyo Digimatic 0-1"/25.4MM Digital Micrometer	1	25.4
534803	Global Industrial™ 0-1"/25.4MM Twin Force IP65 Digital Micrometer	1	25.4
B611564	Mitutoyo 293-832-30 Digimatic 0-1"/25.4MM Digital Micrometer W/ Ratchet Friction Thimble	1	25.4



CALIPERS

- Digital models feature large LCD displays, auto on/off, and carbide measuring surfaces
- Measurement ranges from 4" to 6" (150 mm)
- Includes fitted plastic storage cases

Model	Description
534250	Mitutoyo 500-196-30 Digimatic Stainless Steel Digital Caliper
534802	Global Industrial™ Absolute Origin IP54 Digital Caliper w/Factory Calibration
534164	Import Precision Dial Caliper



MEASURING TAPES & LASER DISTANCE METERS

- Ideal for use in construction, woodworking, engineering, crafting, and more
- Tape Measures from 10' to 200'
- Laser Distance Meters to 330' & transmits dimensions to your Bluetooth-enabled device



Model	Description	Max. Distance'
B983634	Stanley PowerLock® Classic Tape Measure	25
B454201	Leica DISTO™ Bluetooth 4.0 Laser Distance Meter	320



VICES

- Designed to hold objects securely in place during tasks
- Options of swivel or stationary bases & jaw surface material
- Drill Press & Angular options for metalworking & woodworking applications



Model	Description	Jaw W"	Throat D"	Max. Opening"
534515	Global Industrial™ General Purpose Bench Vise w/Swivel Base	4	2 1/4	4
B2281690	Wilton "Bullet" Tradesman Vise	8	5	7 3/4
B503828	Wilton Drill Press Vise	4	1 1/16	4 11/16

THERMAL IMAGING CAMERAS & NON-CONTACT INFRARED THERMOMETERS

- Quickly finds hidden faults & reduces diagnostic time
- Offers portable, accurate, non-contact measurements in the palm of your hands
- Excellent for automotive, HVAC, IT, plumbing, and construction applications



Model	Description	Temp. Range °F
B2280617	FLIR C5 Compact Thermal Imaging Inspection Camera w/wifi	14 to 122
B249634	General Tools "Heat Seeker" Mid-Range Infrared Thermometer	-4 to 608

RETRACTABLE HOSE REELS

These retractable hose reels are an essential storage choice for keeping long hoses untangled and available to use quickly.



Model	Description	PSI
534173	Global Industrial™ Spring Retractable Steel Hose Reel w/ 3/8" x 50' L Hose	300
237029	Reelcraft 3/8" x 50' All-Steel Spring Retractable Compact Hose Reel	300
854109	Reelcraft 3/8" x 50' Low-Pressure Spring Retractable Hose Reel	300
B250896	Reelcraft 3/4" x 50' Stainless Steel Spring Retractable Low-Pressure Hose Reel	500



DIGITAL MICROMETERS & INDICATORS

- Provides highly accurate measurements
- Features large LCD displays, auto on/off, carbide measuring surfaces, & fitted plastic storage cases

Model	Description	Max Measurement"	Max Measurement MM
B611563	Mitutoyo Digimatic 0-1"/25.4MM Digital Micrometer	1	25.4
534803	Global Industrial™ 0-1"/25.4MM Twin Force IP65 Digital Micrometer	1	25.4
B611564	Mitutoyo 293-832-30 Digimatic 0-1"/25.4MM Digital Micrometer W/ Ratchet Friction Thimble	1	25.4



CALIPERS

- Digital models feature large LCD displays, auto on/off, and carbide measuring surfaces
- Measurement ranges from 4" to 6" (150 mm)
- Includes fitted plastic storage cases

Model	Description
534250	Mitutoyo 500-196-30 Digimatic Stainless Steel Digital Caliper
534802	Global Industrial™ Absolute Origin IP54 Digital Caliper w/Factory Calibration
534164	Import Precision Dial Caliper



MEASURING TAPES & LASER DISTANCE METERS

- Ideal for use in construction, woodworking, engineering, crafting, and more
- Tape Measures from 10' to 200'
- Laser Distance Meters to 330' & transmits dimensions to your Bluetooth-enabled device



Model	Description	Max. Distance'
B983634	Stanley PowerLock® Classic Tape Measure	25
B454201	Leica DISTO™ Bluetooth 4.0 Laser Distance Meter	320



VICES

- Designed to hold objects securely in place during tasks
- Options of swivel or stationary bases & jaw surface material
- Drill Press & Angular options for metalworking & woodworking applications



Model	Description	Jaw W"	Throat D"	Max. Opening"
534515	Global Industrial™ General Purpose Bench Vise w/Swivel Base	4	2 1/4	4
B2281690	Wilton® Bullet® Tradesman Vise	8	5	7 3/4
B503828	Wilton Drill Press Vise	4	1 1/16	4 11/16

THERMAL IMAGING CAMERAS & NON-CONTACT INFRARED THERMOMETERS

- Quickly finds hidden faults & reduces diagnostic time
- Offers portable, accurate, non-contact measurements in the palm of your hands
- Excellent for automotive, HVAC, IT, plumbing, and construction applications



Model	Description	Temp. Range °F
B2280617	FLIR C5 Compact Thermal Imaging Inspection Camera w/wifi	14 to 122
B249634	General Tools "Heat Seeker" Mid-Range Infrared Thermometer	-4 to 608

RETRACTABLE HOSE REELS

These retractable hose reels are an essential storage choice for keeping long hoses untangled and available to use quickly.



Model	Description	PSI
534173	Global Industrial™ Spring Retractable Steel Hose Reel w/ 3/8" x 50' L Hose	300
237029	Reelcraft 3/8" x 50' All-Steel Spring Retractable Compact Hose Reel	300
854109	Reelcraft 3/8" x 50' Low-Pressure Spring Retractable Hose Reel	300
B250896	Reelcraft 3/4" x 50' Stainless Steel Spring Retractable Low-Pressure Hose Reel	500

B2836505



B885623



B1035177



MITER SAWS

Designed for cutting materials at single, double, or compound angles, miter saws feature powerful motors and a linear ball-bearing system to ensure precise cuts and long-lasting durability. Miter saw accessories such as stop kits, wing kits, and quick clamps are sold separately.



B246918

Model	Description	Amps	Sliding	Blade Size"	Compound	RPM	Max Cut"
B1035177	DeWALT® Double Bevel Miter Saw,	15	Yes	12	Yes	3,800	16
B885623	BOSCH® Dual-Bevel Glide Miter Saw	15	No	12	No	3,800	14
700220	DeWALT® Double Bevel Miter Saw & Rolling Stand	15	Yes	12	Yes	3,800	16
B246918	Makita®, Dual-Bevel Miter Saw with Laser	15	Yes	12	Yes	3,200	15
B1774957	Makita® Dual Miter Saw	13	Yes	10	Yes	4,300	12
B2836505	JET® Dual Bevel Miter Saw	15	Yes	12	Yes	4,200	14
B2428549	DeWALT®, Double-Bevel Miter Saw	15	No	12	Yes	3,800	16
320749	DeWALT®, Double-Bevel Miter Saw	15	Yes	12	Yes	3,800	14
B3090826	DeWALT® Single Bevel Miter Saw	15	Yes	Yes	Yes	4,000	16
B3142709	DeWALT®, Double Bevel Miter Saw Kitted Tool, Brushless,	9	12	12	Yes	3,800	15
B3090824	DeWALT®, Cordless Miter Saw, Single Bevel	15	Yes	7.25	3750	8	12



B2136716



B2136712



501235

STATIONARY AND PORTABLE TABLE SAWS

Constructed from durable materials, table saws are designed for precision cutting of various materials. Available in stationary and portable models, these saws are ideal for use in woodworking shops, construction sites, and industrial environments.



B2275928

Model	Description	AMPS 115/230	Voltage	Type	RPM	Fence Style	Max Rip Size"
B2136716	Delta 10" Type 2 UNISAW® 5HP Left Tilt W/52" Fence	17	230	Stationary	4,300	Biesemeyer	52
B2136712	Delta 10" Left Tilt Table Saw W/30" Right Rip, Cast Iron Wings	15/7.5	120/240	Stationary	3,450	Biesemeyer	30
B2275928	Powermatic 2000B Table Saw - 5HP 3PH W/Fence	13/6.5	115/230	Stationary	4,500	Accu-Fence	30
501235	DeWALT® 10" Jobsite Table Saw & Rolling Stand	15	120	Portable	4,800	Telescoping	32.5
B1140906	Powermatic 1-3/4HP Table Saw W/52" Fence	15/7.5	115/230	Stationary	4,200	Accu-Fence	52
B1224567	JET 5HP 1-Phase 12" Xacta; Table Saw	20	230	Stationary	4300	Xacta Fence II	14
B2136715	Delta 10 In. Type 2 UNISAW; 3 HP Left Tilt W/52 Fence	12	230	Stationary	4300	Biesemeyer	13.5
B57801	JET 3HP 1-Phase 50" Rip 10" Deluxe XactaSaw Table Saw	14.5	230	Stationary	4300	Xacta Fence II	13
B2136711	Delta 10 In. Left Tilt Table Saw W/52 In. Right Rip, Steel Wings	15	120	Portable	3450	Biesemeyer	15
B57803	JET 5HP 1-Phase 50" Rip 10" Deluxe XactaSaw Table Saw	18	230	Stationary	4300	Xacta Fence II	13

BAND & SCROLL SAWS

Our collection of band saws and scroll saws are designed to handle every cutting need. Choose from portable or stationary models in various sizes from the top name brands.



535715



B2185821



B1820349

Model	Description	Amps	Voltage	Type	SFPM or SPM
B2305538	JET 14" Steel Frame Bandsaw - 1.75 HP	15/7.5	115/230	Stationary Band	3,000
535715	Powermatic, 24" Bandsaw, 5HP	22	230	Stationary Band	2,500-4,800
B2185821	Delta 20" Variable Speed Scroll Saw	1.3	120	Benchtop Scroll	400-1,750
700177	DeWALT® Li-Ion Brushless Band Saw Kit	5.0Ah	20	Portable Band	0-490
B2396263	Milwaukee® 8 FUEL™ Band Saw Kit	3	18	Deep Cut	380
B503733	JET 3HP 20" Bandsaw W/ Steel Frame	12	230	Stationary	4850
B3169395	JET 8" x 14" Horizontal Bandsaw,	20	115/230	Portable	135/197/256
B3169513	JET 16" Vertical Tilt Frame Bandsaw	23	230	Stationary	76/430
B3169489	JET 16" Vertical Bandsaw	6.2/3.1	230/460	Stationary	82/3950

JOBSITE STORAGE

- Made from heavy-gauge steel for reinforced strength & durability
- Provides maximum, 24/7 security against theft of valuables
- Features heavy-duty hinges, recessed lock housings, & side housing reinforcements around the lock to resist pry-ins
- Choose from chests, cabinets, piano boxes, and data vaults



Model	Width"	Depth"	Height"	Type	Brand	Mfg. Number
B2143669	60	30	46	Piano	Knaack	89
133724	60 ¹ / ₈	24 ¹ / ₄	60 ³ / ₄	French Door	Global Industrial™	133724
133722	42	20	23 ¹¹ / ₁₆	Chest	Global Industrial™	133722
B3085165	36	20	27 ¹ / ₂	Chest	Jobox	2-652990
B2143684	60	24	60	French Door	Knaack	109
B2143714	60	15	65	Folding	Knaack	100
133730	63 ¹ / ₂	42 ¹ / ₂	80	Piano	Global Industrial™	133730

TOOL CHESTS & ROLLER CABINETS

Constructed from heavy-duty, reinforced steel with a durable powder coat finish, these tool chests and roller cabinets feature top surfaces with raised edges to retain contents. Units include high-security locks on all drawers, ball-bearing slides, heavy-duty swivel casters, and large handles for easy maneuvering.



Model	Width"	Depth"	Height"	Type	Brand	Mfg. Number
535364	26	18	32	Heavy-Duty Rolling Tool Cabinets	Global Industrial™	W26-7X BLACK
B3086223	54.875	20.875	38	Mobile Toolbox Workbenches	Stanley® Black & Decker	STST25291BK
B211725	40	39	19	Heavy-Duty Rolling Tool Cabinets	Kennedy® Manufacturing Co.	315XB
B3220917	75	35	52	Heavy-Duty Rolling Tool Cabinets	Extreme Tools®, Inc.	RX723019RCBKRD-250
B211650	27	18	16 5/8	Machinist Tool Boxes	Kennedy® Manufacturing Co.	285XB
535653	42 3/8	18	38 5/8	Heavy-Duty Rolling Tool Cabinets	Global Industrial™	W42-13XRD
536020	41	20	42 1/2	Heavy-Duty Rolling Tool Cabinets	Champion	FMPS4111RC



PORTABLE TOOL STORAGE

- Available in steel, plastic, or lightweight reinforced structural foam
- Machinists chests offer felt-lined drawers for the safekeeping of measuring instruments & other delicate tools



Model	Width"	Depth"	Height"	Weight	Brand	Mfg. Number
B2199633	21 ⁵ / ₈	16 ¹ / ₄	24 ³ / ₄	23.6 lbs.	Stanley® Black & Decker	020800R
B2282429	22 ¹ / ₈	16 ¹ / ₈	11 ⁵ / ₁₆	12.1 lbs.	Milwaukee Electric	48-22-8425
B3168326	22	15 ¹ / ₈	16 ⁵ / ₁₆	25.4 lbs.	Flex Tools	FS1106
B3131375	22 ¹ / ₁₆	19 ⁵ / ₁₆	26 ³ / ₈	29.8 lbs.	Flex Tools	FS1101
B983972	19 ¹ / ₄	10 ¹ / ₂	9 ³ / ₄	4 lbs.	Stanley®	019151M
B323294	20	8 ¹ / ₂	9 ¹ / ₂	14 lbs.	Proto®	J9975-NA
B211675	24 ¹ / ₈	8 ⁵ / ₈	9 ³ / ₄	14 ¹ / ₂ lbs.	Kennedy®	K24B



TIG/STICK WELDING

Constructed from durable materials for long-lasting use, these welding machines provide precision welds in automotive, aerospace, and other industries. Ideal for stick or TIG welding, this equipment can be used on mild steel, aluminum, stainless steel, cast iron, and more.

Model	Duty Cycle	Voltage	Amperage	Process	Brand	Mfg Number
B3172947	Stick: 180A/26.4V/25%, TIG: 200A/16.4V/25%	120/240	200	DC Stick and DC TIG	Lincoln Electric	K5584-1
B3173046	275 A @ 35%, 250 A @ 60%, 200 A @ 100%	208/230/380/415/460/575	20-275	Flextec 350X, 500X and 650X: Stick, Lincoln Electric TIG, MIG, Flux-Cored, & Gouging		K4869-1
B3160013	Stick: 80A @ 30%, TIG: 180A @ 25%	120/240	180	GMAW, SMAW	Forney	321
B3173011	125 A @ 25%, 100 A @ 40%, 85 A @ 60%, 75 A @ 20%, 65A A @ 60%, 200 A @ 25%, 160 A @ 40%, 130 A @ 60%, 170 A @ 20%, 100 A @ 60%	120/230	10-170	Stick, TIG	Lincoln Electric	K5126-1
B2346856	25% @ 200A	120/230	5-220	AC/DC TIG & Stick Welder	Forney	421
B3172985	40% @ 104/94/47A, 60% @ 86/78/39	2-375	2-375	Stick, TIG	Lincoln Electric	K3946-2
B3172906	61 A/55 A @ 40%, 52 A/47 A @ 60%	208/230	5-230	TIG	Lincoln Electric	K2535-1
ACCESSORIES						
B301373	Angled	Torch Body	150	Weldcraft	366-WP-17	421
B1963877	Semi Angled	Tig Torch	150 @ 35%	Metal Man	ACTT1	K3946-2



MIG WIRE FEED WELDING

Designed to allow the easy joining of metals through an electric arc process, MIG welding machines and equipment are essential tools that cater to diverse welding applications and skill levels. These units include power sources, wire feeders, torches, and safety gear.

Model	Duty Cycle	Voltage	Amperage	Process	Brand	Mfg Number
B3173009	90A @ 19.5V, 20%	120	140	MIG or Flux-Cored	Lincoln Electric	K5584-1
B3172941	250A @ 26.5V, 40%	208/230/460/575	300	MIG Welder	Lincoln Electric	K4869-1
B3172964	250A @ 26V, 40%	208/230	300	MIG or Flux-Cored	Lincoln Electric	K1053-9
B2298235	130A @ 25%	230	210	MIG or Flux-Cored	Forney	321
B3172963	250A @ 26V, 40%	230/460/575	300	MIG Welder	Lincoln Electric	K3068-2
B3173023	175A @ 22.8V, 30% (230 V), 95A @ 18.8V, 60% (120 V)	120/230	211	MIG Welder	Lincoln Electric	K6080-1
B2298233	90A @ 30%	120	140	MIG Welder	Forney	261
B2298232	200A @ 60%	230	30-270	MIG Welder	Forney	319
ACCESSORIES						
B3160030	Flux Core Welding Wire	Forney	42303	MIG or Flux-Cored	Lincoln Electric	K5584-1
B3172951	Welding Gun (Wire)	Lincoln	K4530-2	MIG Welder	Lincoln Electric	K4869-1



MULTI-PROCESS WELDERS

Multi-process welding systems provide the flexibility to perform various techniques using a single machine. They combine multiple processes into one unit, reducing the need for separate machines, which leads to space savings and cost efficiency. Multi-process welding machines are ideal for automotive, construction, and maintenance settings.

Model	Duty Cycle	Voltage	Amperage	Process	Brand	Mfg Number
B3173228	400 A @ 100%	200/208/220/230/380/400/415/460/575	5-400	Stick, Gouging, Flux-Cored, TIG, MIG, Pulsed MIG, Flux-Cored Self & Gas Shielded	Lincoln Electric	K5584-1
B3173184	215A @ 30%	120/230	20-140	Stick, Flux-Cored, TIG, MIG, Flux-Cored Self-Shielded, Flux-Cored Gas-Shielded	Lincoln Electric	K4869-1
B3173091	Kubota Engine Driven	120/240	50 - 450	Stick, Gouging, TIG, MIG, Flux-Cored Self-Shielded, Flux-Cored Gas-Shielded	Lincoln Electric	K1053-9
B3160014	Stick/TIG: 190A @ 30%, MIG: 190A @ 25%	120/240	190	GMAW, SMAW, FCAW, GTAW	Forney	321
B3173061	300 A @ 100%, 400 A @ 100%	120/240	20-400	Stick, Gouging, TIG, MIG, Flux-Cored Self-Shielded, Flux-Cored Gas-Shielded	Lincoln Electric	K2409-5-RP3
B3173075	300 A @ 100%	120/240 (LP Gas Powered)	20-300	Stick, Gouging, TIG, MIG, Flux-Cored Self-Shielded, Flux-Cored Gas-Shielded	Lincoln Electric	K3430-2
B3173054	300 A & 305 A @ 100%	120/240 (Gas Powered)	20-305	Stick, Gouging, TIG, MIG, Flux-Cored Self-Shielded, Flux-Cored Gas-Shielded	Lincoln Electric	K1726-5
B3173055	350 A @ 60%, 250 A @ 100%	120 (MP Gas Powered)	40-350	Stick, Gouging, TIG, MIG, Flux-Cored Self-Shielded, Flux-Cored Gas-Shielded	Lincoln Electric	K4263-1
ACCESSORIES						
B3173024	Innershield Welding Gun	Lincoln Electric	K126-2	MIG Welder	Forney	261
B3167684	Flux-Core Mig Wire	Forney	E71T-GS	MIG Welder	Forney	319

PLASMA CUTTING

Constructed from durable materials, these plasma cutters are designed to cut through thick pieces of metal and other electrically conductive materials using a high-velocity jet of hot plasma. Most types of plasma cutters feature inverter technology, which allows for a high-frequency arc start or pilot arc to jump-start the plasma before jumping the gap from the torch tip to the work surface.

Model	Voltage	Amperage	Process	Brand	Mfg Number
B3159951	240	45	Plasma Cutter	Forney®	446
B936234	110/220	40	Dual-Voltage Plasma Cutter	Longevity®	72140557400
B3169708	220	8	CNC Plasma Cutter	Baileigh	BA9-1231495A
B3159950	240	20	Plasma ST Cutter & Stick/TIG Welder	Industrial Pro®	320
B548599	208/220 V	60	Continuous Pilot Arc Plasma Cutter	Longevity®	721405557448
B2309953	120/220	20A on 120V/36A on 230V A	MIG, Flux Core, DC Stick, DC TIG	Metal Man Work Gear	MMP220IDV
B2336212	120	20	Flux Core	Metal Man Work Gear	FC130i
B3173195	208/230/1/50/60	Oct-40		Lincoln Electric®	K2807-1

B3159951



B936234

STICK WELDING

Stick welding, or Manual Metal Arc (MMA), is the process in which a power source is used to create an electric arc between a flux-covered electrode and the workpiece. Simply strike the electrode against the metal to ignite it and then melt the electrode into the joint to create the weld.

Model	Duty Cycle	Voltage	Amperage	Process	Brand	Mfg Number
B2336213	75A @ 40%	120	20	DC Stick, DC TIG with Optional ACTT1 Tig Torch	Metal Man	ARC80T
B2346854	35% @ 220A	120/230	220	DC TIG & Stick Welder	Forney®	430
B1097260	70A @ 10%	115	20	Stick Welder	Campbell Hausfeld®	WS099098AV
B548605	250A @ 60% 200A @ 100%	220	20 - 250	Stick Welder	Longevity	StickWeld 250
B3173035	250A/30V/30%	208/230/460	300	Stick Welder	Lincoln Electric®	K1053-9
B3173045	AC: 225A/25V/20%, DC: 125A/25V/20%	230	225	Stick Welder	Lincoln Electric®	K1297
B2298237	80A @ 30%	120	90	Stick Welder	Forney®	298
B2298238	235A @ 20%	230	45-235	Stick Welder	Forney®	314

Model	Amps	Process	Torch Style	Brand	Mfg Number
ACCESSORIES					
B3159923	250	Stick Welding	Electrode Holder & Cable Kits	Forney®	85670
B3159922	150	Stick Welding	Electrode Holder & Cable Kits	Forney®	85669
B2825379	300	Stick Welding	Electrode Holder & Cable Kits	Powerweld	A732



B548605



B2346854



B1097260

COBOTS

Designed to be user-friendly and easy to program, these Cobots offer flexible automation, which allows non-welding professionals to achieve high-performance welds with little to no welding experience.

B3172960



B3172939

Model	Type	Process	Power Source	Brand	Mfg Number
B3172939	Air Cools Welding Cobot w/ Cart	MIG, TIG, Flux-Cored, High Performance Pulse Modes	Power Wave® R450	Lincoln Electric®	AD2489-8
B3172960	Air Cools Welding Cobot	MIG, TIG, Flux-Cored, High Performance Pulse Modes	Power Wave® R450	Lincoln Electric®	AD2495-9

Model	Description	Process	Voltage	Brand	Mfg Number
ACCESSORIES					
B3173043	Robotic Torch Maintenance Center	Reamer, Sprayer, Wire Cutter	24V	Lincoln Electric®	K2391-2

WELDING HELMETS


Welding helmets are an ideal solution for protecting welders' faces and necks from sparks, fumes, and spatter. Constructed from durable materials to withstand high temperatures, these helmets are available in a range of shades and sizes to meet the needs of your business.

Model	Welding Helmets	Process	Power Source	Brand	Mfg Number
B3173141	Auto-Darkening	5 to 13	Viking™ 3350	Lincoln Electric®	K3683-4
B2347971	Passive	10	280	Selstrom®	S28301
B2836625	Auto-Darkening	4	HLX-100	Jackson Safety	46101
B3173132	Auto-Darkening	7 to 13	Viking™ 1840	Lincoln Electric®	K3023-4
B2186877	Auto-Darkening	5	Adflo™ PAPR	3m™	7100200574
B2453197	Passive	10	Pipeliner 110	Honeywell	110WH
B2347966	Auto-Darkening	9 to 13	Advantage Plus	SureWex USA®	S26200
B3173144	Auto-Darkening	5 to 13	Viking™ 3350	Lincoln Electric®	K3248-4

Model	Description	Lens Shade	Color	Brand	Mfg Number
ACCESSORIES					
B3173175	Viking™ 1740/1840 Outside Cover Lens	W3	Clear	Lincoln Electric®	KP3043-1
B3160680	Passive Filter 1127 Replacement Lens	W12	Black	Jackson Safety	14566



B3173141



B2836625



B2347971



B3173132



POOL & PUMP MOTORS

Pool and Pump Motors are specialized electric motors designed to ensure the efficient operation of swimming pool pumps. Constructed of durable and corrosion-resistant materials, pool motors are built to withstand harsh pool environments, ensuring long-lasting performance. Easy to install and works seamlessly with pool pump systems.



Model	HP	Voltage	RPM Range	Frame	Enclosure Type	Distributor Part #
B390490	40	230/460	3001-3600	286JM	OPSB	EJMM2538T
B390967	7.5	230/460	1701-1800	213JM	TEFC	VEJMM3710T
B390398	15	230/460	3001-3600	215JM	OPSB	EJMM3314T
B390325	10	208-230/460	3001-3600	213JM	OPSB	EJMM3312T
B390437	7.5	230/460	3001-3600	3728M	TEFC	EJMM3709T
B390409	20	230/460	1701-1800	256JM	TEFC	EJMM2334T
B390216	25	230/460	1701-1800	284JM	TEFC	EJMM4103T
B390505	25	230/460	3001-3600	256JM	OPSB	EJMM2516T
B390309	40	230/460	3001-3600	324JM	TEFC	EJMM4109T
B909720	15	230/460	3001-3600	215JM	DP	EJMM3314T-G
B389034	5	230	3001-3600	184JM	OPEN	JML1409T
B390305	7.5	208-230/460	3001-3600	184JM	OPSB	EJMM3219T
B466000	2	208-230/460	3001-3600	Square & C-Face Flange	ODP	EH637
B908973	5	208-230/460	1701-1800	184JM	TEFC	EJMM3615T
B908965	0.33	115/230	3001-3600	56J	OPEN	JL1205A
B390306	7.5	230/460	1701-1800	213JM	OPSB	EJMM3311T
B389335	1.5	115/230	3001-3600	56J	Totally Enclosed	JL3513A
B763327	20	208-230/460	1701-1800	256JP	Totally Enclosed	PEWWE20-18-256JP
B909785	7.5	208-230/460	3001-3600	184JM	Open/Drip Proof	EJMM3219T-G
B390401	15	208-230/460	1701-1800	254JP	Totally Enclosed	EJPM2333T
B390408	15	230/460	1701-1800	254JM	Totally Enclosed	EJMM2333T

WASHDOWN MOTORS

Washdown motors are specialized electric motors designed for applications requiring resistance to water and harsh environmental conditions. Motors are built to withstand washdown procedures, making them ideal for use in food processing, pharmaceuticals, and other settings where motors are routinely exposed to moisture and humidity.



Model	HP	Voltage	RPM Range	Frame	Mounting Location	Distributor Part #
B2331172	5	230/460	3001-3600	184TC	Face and Foot	CFSWDM3613T-E
B909513	3	208-230/460	3001-3600	182TC	C-Face Rigid	CESSWDM3610T
B388925	1	208-230/460	1701-1800	56C	Rigid	CESWDM3546
B388754	0.75	230/460	1701-1800	56C	Rigid	CEWDBM3542
B2330415	3	230/460	1701-1800	182TC	Face	VFSWDM3611T-E
B2330111	2	230/460	1701-1800	145TC	Face and Foot	CFSWDM3558T-E
B2331159	20	230/460	3001-3600	256TC	Face and Foot	CFSWDM41906T-E
B2330414	5	230/460	1701-1800	184TC	Face	VFSWDM3615T-E
B388827	5	230/460	1701-1800	184TC	Rigid	CESSWDM3615T
B391363	10	208-230/460	1701-1800	215TC	C-Face Footless	VEWDM3714T
B388922	10	208-230/460	3001-3600	215TC	Rigid	CESSWDM3711T
B391342	7.5	230/460	1701-1800	213TC	C-Face Footless	VEWDM3710T
B391921	1.5	115/230	1701-1800	56C	C-Face Footless	VWDL3514
B388923	10	230/460	1701-1800	215TC	Rigid	CESSWDM3714T
B388857	15	230/460	1701-1800	254TC	Rigid	CEWDM23933T
B390071	2	230/460	1701-1800	145T	Rigid	EWDM3558T
B388839	7.5	230/460	1701-1800	213TC	Rigid	CEWDM3710T
B391342	7.5	230/460	1701-1800	213TC	C-Face Footless	VEWDM3710T
B391921	1.5	115/230	1701-1800	56C	C-Face Footless	VWDL3514
B388923	10	230/460	1701-1800	215TC	Rigid	CESSWDM3714T
B390071	2	230/460	1701-1800	145T	Rigid	EWDM3558T

CONDENSER FAN MOTORS

Condenser Fan Motors are crafted for durability and performance in HVAC systems. These fan motors ensure efficient cooling in commercial settings and are replacement options. Ideal for those seeking a quality motor for commercial condenser fan systems to keep HVAC systems running smoothly.



Model	HP	Voltage	Rated RPM	Frame	Mounting Location	Distributor Part #
B2776597	2	208-230/460	1140	56HZ	Rigid base	H1052AV1
B2776480	1.5	200-230/460	1140	56Y	Round	H697V1
B244475	1	200-230/460	1075	56	Resilient	FC1106F
B2776598	2	208-230/460	1140	56Y	Round	H698V1

3-PHASE MOTORS

Suitable for general-purpose applications, these three-phase motors are a reliable and efficient solution for conveyor systems, pumps, compressors, and other machinery. Units are available in varying sizes, power ratings, and configurations to meet specific needs.

Model	HP	Voltage	RPM Range	Frame	Mounting Location	Distributor Part #
B390282	15	230/460	1701-1800	254T	Rigid	EM2333T
B389733	30	230/460	1701-1800	286T	Rigid	EM4104T
B390395	15	230/460	1701-1800	254T	Rigid	EM2513T
B389731	25	230/460	1701-1800	284T	Rigid	EM4103T
B389967	150	460	1701-1800	444T	Rigid	EM4406T-4
B390303	20	230/460	1701-1800	256T	Rigid	EM2334T
B390514	40	230/460	1701-1800	324T	Rigid	EM2539T
B763954	25	208-230/460	1101-1200	324TC	C-Face Rigid	PEWWE25-12-324TC
B390124	30	230/460	3001-3600	286TS	Rigid	EM4108T
B390985	1	208-230/460	1701-1800	56C	C-Face Footless	VEM3546
B389889	50	230/460	1101-1200	364T	Rigid	EM4312T
B389890	75	230/460	3001-3600	365TS	Rigid	EM4313T
B389892	5	208-230/460	1701-1800	184T	Rigid	EM3218T
B391360	5	230/460	1701-1800	56C	C-Face Footless	VM3538
B391091	2	208-230/460	1701-1800	145TC	C-Face Footless	VEM3558T
B388715	15	230/460	3001-3600	254TC	Rigid	CEM2394T
B390127	40	230/460	1701-1800	324T	Rigid	EM4110T
B390517	50	230/460	1701-1800	326T	Rigid	EM2543T
B763074	0.5	208-230/460	1701-1800	56C	C-Face Removable Base	NAT12-18-56CB
B390324	30	230/460	1701-1800	286T	Rigid	EM2535T
B763369	150	208-230/460	1701-1800	445T	Rigid	PEWWE150-18-445T
B390366	25	230/460	1701-1800	284T	Rigid	EM2531T

B389733



B390282

B763954

GENERAL PURPOSE HVAC MOTORS

Designed to specifically meet the requirements of HVAC applications, these specialized electric motors are crucial for maintaining proper airflow, temperature control, and overall efficiency for HVAC systems. HVAC motors come in various types, including condenser fan motors, cooling tower motors, circulating pump motors, and draft inducer motors.

Model	HP	Voltage	RPM	Frame	Mounting Location	Distributor Part #
B390331	15	208-230/460	1765	254T	Rigid	EHM2523T
B909989	40	230/460	1770	324T	Rigid	EM2539T-G
B910036	40	230/460	1770	324T	Rigid	EM4110T-G
B910014	50	230/460	1775	326T	Rigid	EM2543T-G
B909106	15	230/460	1765	254T	Rigid	EM2513T-G
B909120	100	460	1800	404T	Rigid	EM2555T-4G
B909982	20	230/460	1765	256T	Rigid	EM2515T-G
B910028	25	230/460	1770	284T	Rigid	EM4103T-G
B186309	.1	115	1075	42	Resilient	DBL6501
B390722	0.75	115/230	1725	56H	Resilient	RL1307A
B910019	5	208-230/460	1750	184T	Rigid	EM3615T-G
B909984	10	230/460	1770	215T	Rigid	EM3313T-G
B910060	15	230/460	1800	254T	Rigid	EM2333T-G
B909957	25	230/460	1800	284T	Rigid	EM2531T-G
B390424	75	230/460	1775	365T	Rigid	EHM2551T
B910068	20	230/460	1800	256T	Rigid	EM2334T-G
B390333		230/460	1760	284T	Rigid	EHM2531T
B909953		230/460	1200	256T	Rigid	EM2511T-G
B910029		208-230/460	3600	182T	Rigid	EM3212T-G
B388561		230/460	1725	184T	Rigid	AOM3615T
B910257		575	1800	286T	Rigid	EM4104T-5G

B390331



B909989

B390722

SINGLE-PHASE MOTORS

Single-phase motors use a single-phase power source to convert electrical power into mechanical power. Built for versatility, they are available in multiple voltage and horsepower amounts to power various equipment types, including conveyor systems, hoists, and small-sized industrial machinery.

Model	HP	Voltage	RPM Range	Frame	Mounting Location	Distributor Part #
B870503	.75/1	115/208-230	1701-1800	56HC	C-Face Removable Base	L3709T
B763390	1	115/208-230	1701-1800	56C	C-Face Removable Base	MG574
B391281	1	115/230	3001-3600	56C	C-Face Footless	NT1.5-18-56CB
B910310	1.5	115/230	1701-1800	56C	C-Face Footless	MG575
B910303	0.5	115/230	1725	56C	C-Face Footless	VL3504
B466229	0.33	115	1725	48Z	Rigid	D13B2N4Z
B389753	7.5	230	3450	213T	Rigid	L3709T
B870468	1.5	115/208-230	1800	56HC	C-Face Removable Base	MG574
B763076	1.5	115/208-230	1800	56C	C-Face Removable Base	NT1.5-18-56CB



B763390

B391281

LIGHTING & ELECTRICAL



DOCK LIGHTING

Provide adequate lighting around your facility with Global Industrial™ Dock Lights. Designed to increase visibility and safety in compact spaces, these lights are ideal for warehouses, loading docks, and manufacturing plants of all sizes and functions. Units are equipped with LED bulbs to enhance lighting efficiency, increase the lamp's overall life, and greatly reduce power consumption. Optional fans are available to help workers keep cool and increase trailer ventilation. Fans are UL- & cUL-listed. Limited 1-Year Warranty.



			Dock Light Kits		Kits with Fans	
Reach	Watts	Lumens	Model	Model	Model	Model
40"	20	2600	423250		501636	
40"	30	3200	812422		812423	
40"	40	5025	761245		761247	
40"	150		501753		812430	
60"	20	2600	812427		812432	
60"	30	3200	812428		812433	
60"	40	5025	761246		761248	
60"	150		812429		812431	
90"	20	2600	298807		298806	
90"	30	3200	298808		298804	
90"	40	5025	298809		298805	
90"	150		298803		298811	

Dock Light Heads		Dock Light Arms	
Watts	Model	Arm Length	Model
20	501714	40"	501716
30	812413	60"	501752
40	288151	90"	812438
150	501754		

COMMERCIAL™ LED HIGH BAY LIGHTING

These linear high bay lights use high-output LEDs to provide an energy-efficient, low-maintenance fixture that's ideal for warehouses, retail, and many other indoor settings. Units have an average LED life of 50,000 hours and feature an aluminum housing with polycarbonate lenses, a 5000K color temperature, and 80 CRI provide crisp, clean light.



Model	Watts	Lumens	Shape	Occupancy Sensor
812443	165	22500	Rectangular	No
812444	220	29500	Rectangular	No
B3149307	165	23000	Rectangular	Yes
B3149322	220	30000	Rectangular	Yes
812421	150	20250	Round	No
812435	240	32400	Round	No
812434	150	20250	Round	No
812436	240	32400	Round	No



Model	Watts	Voltage	Shape	Battery Backup
500780	12	120V/277V	Round	90 min
500789	5.4	120V/277V	Square	90 min

EMERGENCY LIGHTING

Our premium thermoplastic emergency lights provide reliable illumination in critical situations. These durable fixtures are made from high-quality materials and are resistant to impact, corrosion, and harsh environments. With long-lasting LED technology, these lights ensure essential lighting during emergencies. Trust our top-of-the-line thermoplastic emergency lights for enhanced safety and peace of mind.



OUTDOOR FLOOD LIGHTS

Featuring a durable construction built to withstand the elements, these energy-efficient LED flood lights use high lumen and wattage amounts to provide powerful outdoor lighting for any area.

Model	Lumens	Watts	Mount Type
500898	2700	30	Knuckle
500897	4500	50	Bracket
500899	4500	50	Knuckle
500900	1000	100	Bracket



EXTENSION CORDS

An ideal solution for indoor and outdoor electrical needs, these extension cords are designed with double insulation and individually insulated conductors. The solid molded plugs and outer jacket are resistant to abrasions, deterioration from moisture and sunlight, and won't mar floors or walls. Available in various lengths, voltages, and wire gauges, with optional lighted ends to highlight power availability.

Model	Length'	Gauge	Amperage	Lighted End
500792	50	16	13	No
500794	50	16	13	Yes
500790	50	14	15	No
500793	100	16	10	No
500795	100	16	13	Yes
500791	100	14	13	No

MOLDED RUBBER CABLE PROTECTOR

This molded rubber hose and cable ramp will protect your hoses and cables from roll-over damage in industrial and pedestrian applications. The black molded rubber has a slip-resistant traction surface and withstands capacities up to 2,200 lbs. The interlocking ends allow multiple ramps to connect for longer lengths or a customized size. Channel height is 1/2"; channel width is 1-12/20". Overall dimensions are 39"L x 5"W x 3/4"H.



708184BK



LAY-IN CABLE PROTECTORS

Protect wires, hose lines, powerlines, and other various cables with these heavy-duty multichannel cable protectors. Constructed from resilient plastic and rubber material, these lay-in protectors feature a non-slip textured surface and are ideal for use in areas where loaded pallet jack trucks, forklifts, and similar vehicles navigate.

Model	Channels	Length"	Width"	Weight Cap. Lbs.
670615	2	39	10	16,000
670616	2	39	10	24,000
670618	3	35	20	22,000
670619	3	35	20	32,600
670621	5	35	20	22,000
670622	5	35	20	32,600



POWER STRIPS

Keep your cords organized within one reliable outlet center for maximum convenience. Encased in strong aluminum housing, these sturdy power strips support 15A, making them ideal for a wide range of applications. The on/off rocker switch is easy to spot, illuminating red when the power is up and running. Easy to use and quick to install, this power strip will get you back to the task at hand with all your powered devices ready to go. Snap/slide mounting clips included.


Model	Number of Receptacles	Strip Length"	Cord Length'
500881	6	12	6
500882	7	21	6
500886	9	25	15
500887	10	48	6
500891	16	72	6
436950	16	24	15
500889	18	48	6
501789	18	24	15
500890	18	48	15



DROP OVER CABLE PROTECTORS

Drop Over Cable Protectors offer simple protection for wires, cables, or hose lines in high-traffic facilities. Constructed from resilient PVC, these protectors can be placed on level surfaces in warehouses, large storerooms, and other areas where loaded pallet jacks, forklifts, and similar vehicles navigate.

Model	Color	Length"	Width"	Weight Cap. Lbs.
670624	Yellow	39	12	18,000
670625	Black	39	12	18,000



B2319549

B3112804

ENGRAVERS

Customize and personalize metal products with these high-speed engraving machines or metal impact printer. Featuring a compact desktop design and included software, these easy-to-operate engravers are perfect for gift personalization, trophy customization, & more.

Model	Description	Max. Work Area
B2319549	Roland DE-3 Desktop Rotary Engraver	12" x 9"
B3112804	Vision S5 Express Engraver	6" X 8"
B3055643	Baileigh Industrial Desktop CNC Engraver DEM-0906	9" x 6"
B3055679	Baileigh Industrial Desktop CNC Engraver DEM-1717	17" x 17"
B3112814	iMARC Pet Tag Engraver	2.5" x 6"
B803566	General Tools 505 Battery-Powered Precision Engraver	
B3112803	Roland GS-24 Desktop Vinyl Cutter	



B2731069

B2802702

MAKERBOT® 3D PRINTERS

Produce prototypes on demand and make changes whenever you like with 3D printers. Perfect for designers, engineers, and inventors, these printers provide quick turnaround time for winning business when speed to market is key.

Model	Description	Max. Print Width	Max. Print Height	Max. Print Depth
B2731067	Method X 3D Printer	190.5 mm	196.85 mm	190.5 mm
B2731068	Method 3D Printer	190.5 mm	196.85 mm	190.5 mm
B2731071	Sketch Kit 3D Printer	149.86 mm	149.86 mm	149.86 mm
B2802702	Method 3D Printer-Carbon Fiber Edition	190.5 mm	196.8 5 mm	190.5 mm

3D PRINTING ACCESSORIES

FILAMENT-SKETCH		
Model	Description	Pack Size
B2731089	MakerBot® MakerBot Sketch Filament 4Pk	4
B2731085	Sketch Filament 5Pk	5
B2731039	MakerBot® Sketch Tough Filament Orange	12
B2731040	MakerBot® Sketch Tough Filament Gray	10
B2731031	MakerBot® Sketch PLA Filament Orange	10
B2731032	MakerBot® Sketch PLA Filament Red	12
B2731033	MakerBot® Sketch PLA Filament White	12
B2731034	MakerBot® Sketch PLA Filament Blue	12
B2731035	MakerBot® Sketch PLA Filament Black	12
B2731036	MakerBot® Sketch PLA Filament Gray	12
B2731037	MakerBot® Sketch PLA Filament Yellow	12
B2731038	MakerBot® Sketch PLA Filament Green	12



B2731089

B2731038

B2731045

B2731082

FILAMENT-METHOD		
Model	Description	Pack Size
B2731082	MakerBot® Mixed Pk Method X Filament 6ABS	1
B2731029	MakerBot® 75Kg Black Method X ABS Filament	1
B2731074	MakerBot® Method X ASA Filament Red 65Kg	10
B2731043	MakerBot® Method X PC-ABS Filament Black	10
B2731072	MakerBot® Method X ASA Filament Black	10
B2731073	MakerBot® Method X ASA Filament White	10
B2731075	MakerBot® 75Kg Red Method X ABS Filament	15
B2731045	MakerBot® Nylon Carbon Fiber Filament	15



B2731061

B2731065

B2731066

EXTRUDER-METHOD

Model	Description
B2731066	MakerBot® Composite Extruder For Method
B2731064	MakerBot® Sup 2XA Extruder For Method X
B2731062	MakerBot® Method Model Extruder
B2731061	MakerBot® Method Support Extruder
B2731065	MakerBot® MB LABS Gen 2 Extruder For Method

METAL CUTTING AND FORMING MACHINES

Metal cutting and forming tools are metalworking equipment that cuts and shapes sheets of metal. Whether its tools like Bandsaws that provide flexibility and precise cutting of various materials, Metal Shears designed to cut and snip smaller sections of material, Pan Finger Brakes that bend metal sheets, Metal Cutting & Forming tools are integral equipment in metalworking.

SAWS

Model	Description
B3082347	JET 18" EVS Metal/Wood Vertical Bandsaw
B2274945	DoALL Horizontal Structural Band Saw - 9" x 16" Machine Cap.
B2274942	DoALL Dual Miter Semi-Automatic Horizontal Band Saw - 14" x 20" Machine Cap.
B2331337	JET 7" x 12" Horizontal / Vertical Bandsaw
679179	Vertical Contour Band Saw - 20" x 13" Machine Cap. - DoAll
B2682658	DoALL Horizontal Structural Band Saw, 10" x 16" Cutting Capacity.
B2682467	DoALL Vertical Contour Band Saw, 20" x 13" Cutting Capacity.
B0503592	Jet Vertical Bandsaw
B2769639	Clausing Kalamazoo 10"L x 16"W Horizontal Bandsaw, Variable Speed
B3082348	JET 12" x 20" Semi Auto Variable Speed Dual Column Bandsaw

B3082347



B0503592



B2682658

SHEARS

Model	Description
B3055486	Baileigh Industrial Heavy Duty Metal Cutting Shear, 15 HP
B3055517	Baileigh Industrial Sheet Metal Shear, 7.5 HP
B3055475	Baileigh Industrial Compact Metal Shear, 5 HP
B3055495	Baileigh Industrial Sheet Metal Shear, 5 HP
B3055690	Baileigh Industrial Heavy Duty Foot Stomp Shear, 52" Length, 16 Gauge Mild Steel Capacity
B3055682	Baileigh Industrial Multi-Purpose Throatless Manual Sheet Metal Shear
B3055660	Baileigh Industrial 3 in 1 Combination Shear Brake and Roll, 52" Bed Width, 16 Gauge
B3055767	Baileigh Industrial Air Powered Shear, 52" Length, 16 Gauge Mild Steel Capacity
B3055661	Baileigh Industrial 3 in 1 Combination Shear Brake and Roll, 52" Bed Width, 20 Gauge
B3055691	Baileigh Industrial Foot Stomp Shear, 52" Length, 16 Gauge Mild Steel Capacity



B3055767



B3055691



B3169485



B3055638



B3055734

ROLLERS

Model	Description
B3055733	Baileigh Industrial Power Bead Roller Machine, 1/8 HP
B3169485	Baileigh Industrial 36" Envelope Throat Depth Bead Roller, 1/2 HP
B3055734	Baileigh Industrial Bead Roller, Single Phase, BR-22
B3055638	Baileigh Industrial Manually Operated Three Roll Ring Roller, Bends 1/2" Solid Round Rod
B3169485	Baileigh Industrial 36" Envelope Throat Depth Bead Roller, 1/2 HP,
B3169494	Baileigh Industrial 36" Lower Throat Depth Bead Roller, 1/2 HP
B3169508	Baileigh Industrial 36" Throat Depth Bead Roller, 1/2 HP, 110V



B3169485



B3055638



B3055734

BRAKES

Model	Description
B3055578	Baileigh Industrial Hydraulic Box and Pan Brake, 3 HP
B3055706	Baileigh Industrial Hydraulic Press Brake, 2 HP
B3169475	Baileigh Industrial; 31" Hydraulic Press Brake, 2 HP
B3055702	Baileigh Industrial Heavy Duty Manually Operated Hand Straight Brake, 8'L, 12 Gauge
B3055699	Baileigh Industrial Manually Operated Box and Pan Finger Brake, 4'L, 16 Gauge, BB4816
B3055729	Baileigh Industrial Heavy Duty Manually Operated Box and Pan Finger Brake, 8'L, 12 Gauge
B3169472	Baileigh Industrial; Manually Operated Magnetic Sheet Metal Brake, 4'L
B3169514	Baileigh Industrial; Manually Operated Magnetic Sheet Metal Brake, 8'L
B3055698	Baileigh Industrial Manually Operated Box and Pan Finger Brake, 4'L, 16 Gauge,



B3055597



B3055578



B3055729

JET® AND EDWARDS® METAL-WORKING EQUIPMENT

These industrial machines are designed for heavy-duty use. Choose from standing floor models or hydraulic drill presses, variable-speed milling machines, horizontal band saws with large handwheels, geared-head lathes, and open-tooling workstations.

Model	Description	Type
B0230730	Jet 354400 J-2500 15 Floor Model Drill Press, 115V, 1-Phase	Drill Presses
B0231116	Jet 690107 JTM-4VS Milling Machine w/Acu-Rite 200S DRO w/X-Axis Powerfeed, 3 HP	Vertical Milling Machines
B0503591	Jet 414468 HBS-916W 9" x 16" Horizontal bandsaw, 115/230V, 1-Phase	Horizontal Band Saws
B2365411	Jet 323374 GH-1440-1 With Acu-Rite 203 DRO	Bench Lathes
B3082348	JET 12" x 20" Semi Auto Variable Speed Dual Column Bandsaw 3HP, 230/460V, 3Ph	Ironworkers

B0503591



B2365411



HEAVY-DUTY JOBS REQUIRE INDUSTRIAL-STRENGTH TOOLS.



B231028



JET has provided the industrial marketplace with quality, innovation, and service for more than 60 years. Fueled by innovative product development, JET continues to establish itself as a full-line industrial tool brand.

B241865



WILTON has been making industrial work-holding equipment and striking tools for more than 80 years. It has painstakingly built a reputation for quality, durability, and reliability.

B3055700



Founded in 1999, Baileigh markets, manufactures, and distributes over 500 metalworking and woodworking products sold throughout the US & Europe. Baileigh designs and manufactures "Made-in-the USA" products to meet user demands.



B1140904



Since 1921, Powermatic has been committed to making durable, quality tools for the master woodworker. With innovative products for both commercial and home hobbyists' shops.

**SHOP
OUR FULL LINE OF
MACHINING PRODUCTS**



BLAST MEDIA

Abrasive tools designed for surface treatment and finishing processes. Sandblasting is ideal for metal fabrication, automotive, jewelry making, and more.

Model	Type
B2247229	ALC 40125 14/20 Grit Corn Cob - 50 lbs.
B2247230	ALC 40110 20/30 Grit Urea Plastic - 25 lbs.
B2247233	ALC 40105 60/100 Grit Glass Bead - 25 lbs.
B782600	Cyclone 5009 40-60 Grit Glass Beads
B782604	Cyclone 5011 170-325 Grit Glass Beads
B2247250	ALC 40107 60/100 Grit Glass Bead - 50 lbs.
B2247298	ALC 40130 50 Grit Bicarbonate of Soda - 50 lbs.
B2247248	ALC 40112 20 Grit Black Walnut Shells - 10 lbs.
B2247234	ALC 40109 60 Grit Steel Grit - 25 lbs.
B2247199	ALC 41110 20/30 Grit Urea Plastic - 10 lbs.

MACHINING



PORTABLE PRESSURE AND BLAST CABINETS

Blast cabinets are essential tools for efficient and controlled abrasive blasting in workshops, garages, and other industrial settings. These cabinets are available in a range of sizes and configurations to accommodate various needs.

Model	Material
320775	Global Industrial Sandblast Cabinet, 420L Capacity
B2312145	Econoline Direct Pressure Blast Cabinet
B782589	Cyclone 4826 Full Top & Side Open Blast System w/ Dust Collector
B2247197	Allsource Front Open High Pressure Blast Cabinet, Steel
B2312150	Econoline 101694S-A Siphon Blast Cabinet
B2312143	Econoline 101694D-A Direct Pressure Blast Cabinet
B2247198	Allsource 41800 Front Open Industrial Blast Cabinet, Steel
B2281378	Cyclone Dual Side Open Blast System w/ Dust Collector
B2312142	Econoline Direct Pressure Blast Cabinet
B2312147	Econoline 101696R-A Siphon Blast Cabinet

POINTS AND BURRS

Points and burrs are specialized abrasive tools designed for precision material removal, shaping, deburring, and finishing. They are ideal for metalworking applications, woodworking, and plastic fabrication processes.


Model	Description
B3137645	Global Industrial Bur Box, Double Cut, Set of 8
B2836947	Cle-Line 1855 Double-Cut Bur, 9 Piece Set with 3/32, 1/8 Set Size
B3137529	Global Industrial Bur Box, Diamond Cut, Set of 12
B2139653	Century Drill 75209 Mounted Grinding Point 3/4" Dia. 1/4" Shank Size
B2139655	Century Drill 75211 Mounted Grinding Point 1" Dia. 1/4" Shank Size A22 Aluminum Oxide
B2139683	Century Drill 75217 Mounted Grinding Point 1" Dia. 1/4" Shank Size
B2139654	Century Drill 75210 Mounted Grinding Point 1" Dia. 1/4" Shank Size W217
B3137539	Global Industrial Cylindrical No Endcut Bur, 23/4" L x 1/4" Shank Dia., 1/2" Cut Dia
B2139681	Century Drill 75215 Mounted Grinding Point 1/4" Dia. 1/4" Shank Size A24
B3137630	Global Industrial Bur Box, Diamond Cut, Set of 8



AMERICAN FORGE & FOUNDRY SHOP PRESS

This press is made with dual air motor operation, welded construction, & a shatter-resistant polycarbonate shield with 7-bed height positions and a lateral head adjuster. It includes a press plate set and pin & bearing press adapter set, plus a pressing force gauge. Overload protection improves safety and prevents over-pressure damage.

Model	Description
B2428142	Press Guard For 859ASD 100 Ton Shop Press
B2428185	Floor Press, 20 Ton
B2428368	Press Guard For 854ASD 50 Ton Shop Press, Polycarbonate
B2428369	Shop Press, 50 Ton, Super Duty
B2428370	Press Guard For 852ASD 30 Ton Shop Press, Polycarbonate
B2428371	Shop Press, 30 Ton, Super Duty
B2428402	Press Guard For 850ASD 20 Ton Shop Press, Polycarbonate
B2428403	Shop Press, 20 Ton, Super Duty
B2428404	Floor Press, 50 Ton
B2428405	Floor Press, 35 Ton



FASTENERS & HARDWARE



TAMPER-RESISTANT SHEET METAL SCREWS

Designed to prevent tampering and unauthorized removal, these screws require a special installation or removal tool for maximum security. 18-8 stainless steel provides corrosion resistance for wet environments. Available in several sizes and lengths. Additional finishes are available.



	Thread Size	Length	Pkg. Qty.	Round Head Model	Pkg. Qty.	Button Head Model	Pkg. Qty.	Pan Head Model	Pkg. Qty.	Flat Head Model
B2183980	#6	1/2"	100	B2184008	100	B2183980	100	B2183763	100	B2183765
	#6	3/4"	100	B2184007	100	B2183979	100	B2183762	100	B2183764
	#6	1"	100	B2184006	100	B2183982	100	B2183738	100	B2183792
	#8	1/2"	100	B2183811	100	B2183722	100	B2183897	100	B2183899
B2184008	#8	3/4"	---	---	100	B2183721	100	B2183896	100	B2183898
	#8	1"	100	B2183808	100	B2183747	100	B2183866	100	B2183928
	#8	1 1/4"	100	B2183835	100	B2183723	100	B2183868	100	B2183900
	#8	1 1/2"	100	B2183836	100	B2183746	100	B2183869	100	B2183901
B2183765	#8	2"	---	---	---	---	100	B2183871	100	B2183927
	#10	1/2"	100	B2184031	100	B2184131	100	B2184085	100	B2183863
	#10	3/4"	100	B2184030	100	B2184074	100	B2184084	100	B2183860
	#10	1"	100	B2184029	100	B2184130	100	B2183834	100	B2184412
B2183763	#10	1 1/4"	100	B2184032	100	B2184101	100	B2184062	100	B2184410
	#10	1 1/2"	100	B2184033	100	B2184099	100	B2183831	100	B2184411
	#14	1/2"	100	B2184113	100	B2184086	100	B2184117	---	---
	#14	3/4"	100	B2184112	---	---	100	B2184116	100	B2183694
B2183763	#14	1"	100	B2184090	100	B2184128	100	B2183693	100	B2183958
	#14	1 1/4"	100	B2184114	---	---	50	B2183689	50	B2183935
	#14	1 1/2"	100	B2184115	100	B2184088	50	B2183690	50	B2183936

FLUSH PRESS INSERTS

Press inserts are precision-engineered threaded inserts designed for thermoset plastics. These inserts act as threaded reinforcements within thermoset plastic materials, ensuring the establishment of secure and dependable fastening points for screws, bolts, or other threaded components. Ideal for electronic component assembly, consumer goods, and appliances, press inserts offer secure fastening points within thermoset plastic housings. Additionally, they find utility in industrial machinery and telecommunications equipment applications.



Flush Press Inserts				Brass		Stainless Steel	
Size	Thread	Length	Qty.	Model		Qty.	Model
0-80	Coarse	0.125"	25	B435457	---	---	---
2-56	Coarse	0.156"	50	B435462	10	B435523	---
4-40	Coarse	0.188"	50	B435463	10	B435524	---
6-32	Coarse	0.25"	50	B435464	10	B435525	---
8-32	Coarse	0.25"	100	B435465	---	---	---
8-32	Coarse	0.313"	50	B435466	10	B435526	---
10-24	Coarse	0.375"	25	B435489	---	---	---
10-32	Fine	0.25"	100	B435467	---	---	---
10-32	Fine	0.375"	25	B435468	5	B435527	---
1 1/4-20	Coarse	0.5"	25	B435490	5	B435529	---
5/16-18	Coarse	0.563"	10	B435491	5	B435543	---
3/8-16	Coarse	0.625"	10	B435486	5	B435531	---
M3x0.5	Coarse	0.188"	50	B435488			
M3.5x0.6	Coarse	0.25"	50	B435487			
M4x0.7	Coarse	0.313"	25	B435492			
M5x0.8	Coarse	0.375"	25	B435493			
M6x1	Coarse	0.5"	25	B435494			

WOOD INSERTS

Wood inserts are strong fastening solutions that reinforce and connect wood products or structures. Hex drive threaded inserts for wood can prevent wear, tear, and damage in high-stress areas. They feature sharp cutting teeth and a special installation tool to ensure a secure fit. These threaded inserts are designed for easy removal, making them ideal for maintenance or future changes. They simplify the assembly process, allowing for easier and more secure connections and are ideal for furniture assembly and wood construction projects.




Wood Inserts				Flanged		Flush	
Size	Thread	Length	Qty.	Model		Qty.	Model
8-32	Coarse	0.394"	100	B435360	100	B435349	---
10-24	Coarse	0.394"	50	B435361	---	---	---
10-24	Coarse	0.512"	---	---	50	B435350	---
10-24	Coarse	0.787"	50	B435362	---	---	---
10-32	Fine	0.394"	50	B435381	---	---	---
10-32	Fine	0.512"	50	B435382	50	B435351	---
10-32	Fine	0.787"	25	B435383	---	---	---
1 1/4-20	Coarse	0.512"	100	B435384	100	B435352	---
1 1/4-20	Coarse	0.787"	50	B435385	50	B435353	---
1 1/4-20	Coarse	0.984"	50	B435386	---	---	---
5/16-18	Coarse	0.512"	50	B435391	---	---	---
5/16-18	Coarse	0.787"	---	---	50	B435356	---
5/16-18	Coarse	0.984"	25	B435392	25	B435357	---
3/8-16	Coarse	0.512"	25	B435387	---	---	---
3/8-16	Coarse	0.584"	25	B435388	---	---	---
M6x1	Coarse	0.512"	50	B435358	50	B435347	---
M6x1	Coarse	0.787"	50	B435359	50	B435348	---
M8x1.25	Coarse	0.512"	25	B435389	25	B435354	---
M8x1.25	Coarse	0.787"	25	B435390	25	B435355	---

ALUMINUM TREBOL DOME HEAD RIVETS

An aluminum trebol rivet is a blind rivet used to fasten rigid materials to soft or low resistance materials.

Model	Head Type	Rivet Diameter	Grip Range	Quantity
B2078150	Dome	3/16"	.039-.118"	2000



POP BLIND RIVETS

These rivets are used to join materials with no access to the back side of the material. For standard fastening, open end rivets are recommended. For a tight seal, select closed end rivets.



Button Head Closed End Rivets						
Size	Rivet Diameter	Grip Range	Quantity	Aluminum / Aluminum Model	Aluminum / Steel Quantity	Model
4-2	1/8"	1/8"	500	B2193327	500	B2193212
4-3	1/8"	3/16"	500	B2193337	500	B2193322
4-4	1/8"	1/4"	500	B2193326	500	B2193211
4-5	1/8"	5/16"	---	---	500	B2193324
5-2	5/32"	1/8"	---	---	500	B2193321
5-3	5/32"	3/16"	---	---	500	---
6-2	3/16"	1/8"	500	B2193220	500	B2193320
6-4	3/16"	1/4"	500	B2193335	500	B2193318
6-6	3/16"	3/8"	500	B2193341	500	B2193323
6-8	3/16"	1/2"	500	B2193338	500	B2193325
6-10	3/16"	5/8"	---	---	500	B2193334

Brand	Weight Capacity	Hook Type	Magnet Type	Pack Qty.	Model
Global Industrial	65 lbs	Screw/Nut	Ceramic	6	320762
Global Industrial	45 lbs	Carabiner	Neodymium	6	320754
Global Industrial	35 lbs	Keyring	Neodymium	6	320756
Global Industrial	20 lbs	Open	Ceramic	6	320757
Master Magnetics	20 lbs	Open	Ceramic	25	B1798430
Master Magnetics	25 lbs	Open	Ceramic	12	B1798435
Global Industrial	40 lbs	Open	Neodymium	6	320758
Global Industrial	65 lbs	Open Swivel	Neodymium	6	320755
Master Magnetics	65 lbs	Open Swivel	Neodymium	4	B1798424
Global Industrial	95 lbs	Eyebolt	Ceramic	6	320759
Master Magnetics	95 lbs	Eyebolt	Ceramic	1	B1798416

MAGNETIC HOOKS

Magnetic Hooks are versatile accessories designed to combine a magnet's strength with a hook's functionality. They can be easily attached to any magnetic surface and have high weight capacities to hold various items. High-quality construction ensures durability and long-term use. These heavy-duty magnets are great for commercial and residential use.



Diameter	OAL"	Pkg. Qty.	Model
1/4"	1-3/4"	100	B701209
1/4"	2-1/4"	100	B701335
3/8"	2-1/4"	50	B701476
3/8"	2-3/4"	50	B701477
3/8"	3"	50	B701478
3/8"	3-1/2"	50	B701580
3/8"	3-3/4"	50	B701605
3/8"	5"	50	B701606
1/2"	3-3/4"	50	B701204
1/2"	4-1/2"	50	B701205
1/2"	5-1/2"	50	B701206
1/2"	7"	25	B701207
1/2"	10"	25	B701603
5/8"	3-1/2"	25	B701609
5/8"	4-1/2"	25	B701610
5/8"	5"	25	B701182
5/8"	6"	25	B701183
5/8"	8-1/2"	25	B701211
3/4"	4-1/4"	20	B701339
3/4"	5-1/2"	20	B701442
3/4"	6-1/4"	20	B701473
3/4"	7"	20	B701474
3/4"	8-1/2"	10	B701475
3/4"	10"	10	B701337

DEWALT ENGINEERED BY POWERS SLEEVE ANCHORS

Power-Stud®+ SD1 Anchors are a fully threaded, torque-controlled, wedge expansion anchor which is designed for consistent performance in cracked and uncracked concrete. Suitable base materials include normal-weight concrete, structural sand-lightweight concrete and concrete over metal deck. The anchor is manufactured with a zinc plated carbon steel body and expansion clip. Nut and washer are included.



BOBRICK STAINLESS STEEL HOOKS

Bobrick Stainless Steel Hooks are constructed of durable, corrosion resistant stainless steel, with a satin finish that goes with any décor. Ideal for use for robes, clothes, disposal bags, and more.

Type	H" x W" x D"	SATIN FINISH Model	BRIGHT POLISHED FINISH Model
Utility	2 x 2 x 2	B489185	B489186
Single Robe	2 x 2 x 2	B489249	B489250
Double Robe	2 ⁵ / ₁₆ x 4 x 2	B489244	B489251
Towel Pin	2 x 2 x 3 ³ / ₈	B489252	B489253

VEHICLE MAINTENANCE



JUMP STARTERS

Jump starters are a portable battery device that can jump-start cars, trucks, and semi trailers with a dead or weak battery. They have lithium-ion batteries that can hold charges for long periods of time and are relatively light for portability. Jump starters work by delivering a large amount of power to the vehicle's battery in a short burst, which allows the engine to start. They come in various amperages and voltages and can detect the type of battery to be jumped.



Model	Type	Voltage	Amperage	Brand	Mfr's #
B3085749	Boost Jump Starter	12	4250	Noco Company	GBX155
B2078435	Lithium Jump Starter	12	2000	Noco Company	GB70
B2871145	Jump Pack	12	10000	Goodall	JP-12-10000T
B2338664	Clore Heavy Truck Jump Starter	12/24	1400 12V/800 24V	Solar	HT1224AGM
717623	Lithium Heavy-Duty Jump Starter	12	1500	Noco Company	GB50
B2078436	Lithium Jump Starter	12	3000	Noco Company	GB150

CHARGERS

Battery chargers are essential for maintaining and recharging vehicle batteries in automotive and fleet maintenance applications. Auto battery chargers provide a reliable power supply to efficiently charge low or dead batteries, ensuring that vehicles are ready for use. Since we already have a section dedicated to Jump Starters, I would remove this entire sentence. With various sizes and charging capacities available, chargers are ideal for garages, auto shops, and commercial fleet maintenance.



Model	Type	Voltage	Amperage	Brand	Mfr's #
B2871051	Genius Series Battery Charger	6/12/24	25	Noco Company	GENIUSPRO25
B2779998	MPPT SmartSolar Charge Controller	12-48	20	Victron	SCC110020160R
B2780172	BlueSolar MPPT	12-24	10	Victron	SCC010010050R
B2338683	Midtronics Power Supply Charger	12	70	Midtronics	MSP-070-3

ENGINE STANDS & CRADLES

Engine Stands & Cradles are automotive shop equipment that support and secure vehicle engines during maintenance and repair. These engine run stands and cradles are built with sturdy materials and feature adjustable configurations for different engine sizes. They are essential in automotive repair shops, garages, and vehicle maintenance facilities.



Model	Type	Weight Lbs.	Capacity	Brand	Mfr's #
B2349336	Revolver Diesel Engine Stand	6000	722	OTC	1750A
B1145163	Folding Engine Stand	1250	93	Omeg	31256
B2352499	Geared Engine Stand	1000	92	Sunex Tools	8300GB
B2428222	Engine Tilter	2200	19	American Forge	582

VEHICLE LIFTS

Designed to provide optimal lifting solutions for various types of vehicles, these lifts increase efficiency and productivity in automotive repair shops, fleet management operations, and more.



Model	Type	Weight Capacity	PSI	Min/Max Height	Brand	Mfr's #
B2428178	Air Operated End Lift	10 Ton	200	12.5" / 50"	American Forge	3598
B1145184	Air Operated End Lift	2.5 Ton	200	8" / 35.5"	Hein-Werner	HW93696A
B2428181	Power Train Lift/Table	1.25 Ton	175	33" / 77"	American Forge	3182
B2349311	Power Train Lift W/Tilting Plate	.625 Ton	150	29.5" / 68.5"	OTC	OTC1585A



CREEPER SEATS

Creepers are automotive tools designed to enhance the convenience of mechanics and technicians working underneath vehicles. They provide a comfortable and mobile platform for personnel to access and perform maintenance or repairs on the underside of cars, trucks, and other automotive equipment.




Model	Type	Weight Cap. Lbs.	Tray Dimensions	Brand	Mfr's #
B1620344	Kneeling/Sitting Creeper w/Chest Support	300	8 x 17 x 1 in	RACATAC	01RAC3CS
B1033951	Swivel Tractor Seat w/Underseat Tray	300	17 Dia. x 1 Deep in	SUNEX	8514
B2183135	Maintenance Repair Stool	300	16 Dia. x 1 Deep in	BEVCO	3057
B2372443	Swivel Tractor Seat w/Underseat Tray	400	16 Dia. x 1 Deep in	Traxion	TRX2-700R
B2347005	Mechanics Stool w/Tool Tray	400	-	LDS	1010722
B3125256	Tractor Style Roller Seat w/Tool Tray	300	-	Viking	57108

FLOOR JACKS


Floor jacks are robust and essential tools for automotive and industrial maintenance tasks. Industrial floor jacks can lift heavy vehicles and machinery with ease and precision while ensuring the safety of both equipment and personnel. Heavy-duty floor jacks are engineered for durability and safety.

Model	Type	Weight Cap. Ton	Max Height"	Low Height"	Brand	Mfr's #
B1145158	Straight Handle Heavy-Duty Service Jack	3	23.5	5	Hein-Werner	HW93652
B1033960	T-Handle Heavy-Duty Floor Jack	5	22	5	Sunex	6604
133783	Floor Jack with T-Handle	5	22	6.25	Global Industrial™	TR50001
133784	Floor Jack with T-Handle	10	22	6.25	Global Industrial™	TR100001
133785	General Purpose Floor Jack	3	18	5	Global Industrial™	TZ830023



CRIBBING BLOCKS

Cribbing blocks provide reliable support, to create a stable foundation for vehicles during repairs or maintenance.



Model	Type	Weight Capacity	Kit	Dimensions	Weight Lbs.	Mfr's #
B2348446	Pyramid Surface Cribbing	26 Tons	No/Singular Crib	6" x 7" x 12"	17	15236
B1250047	9-Piece Super Stacker Cribbing Set	149 Tons	Yes/9 Assorted Crips	Various	108	15250
B2348442	Super Stacker Cribbing	64.5 Tons	No/Singular Crib	6" x 7" x 24"	103	15239
B1250049	12-Piece Super Stacker Cribbing Set	55 Tons	Yes/12 6" x 7" x 24" Crips	(12) 6" x 7" x 24"	312	15260

ROOF AND CARGO RACKS

Designed to attach securely to the roofs of various vehicles, heavy-duty cargo racks provide vehicles with additional storage space and offer a safe, reliable way to transport construction materials.

Model	Type	For Use With	Weight Cap. Lbs.	Mfr's #
B3091563	3-Bar Steel Ladder Roof Rack	Ford	750	H1723W
B3091615	2-Bar Steel Ladder Roof Rack	Ford	500	H1702B
B3091600	3-Bar Steel Ladder Rack	Chevy	750	H1023W
B3091542	3-Bar Steel Ladder Rack	Dodge	750	H1343B



OIL & FLUID MANAGEMENT

Ideal for use in automotive maintenance, industrial settings, and manufacturing processes, these products are designed to efficiently handle and transfer oils and fluids.

Model	Weight Lbs.	Type	Capacity Gal.	Fill Hole Size"	Compliance	Mfr's #
B2082061	1450	Used Oil	500	10	UL142	G2241
B2082058	600	Automotive	120	10	UL142	G2238
B2082060	900	Automotive	240	10	UL142	G2237
B2082059	800	Used Oil	185	10	UL142	G2235



AC SERVICE EQUIPMENT

The AC service equipment assists in diagnosing and identifying issues within the air conditioning system, enabling technicians to address problems promptly. This equipment is ideal for automotive repair shops, fleet maintenance centers, dealerships, and more.

Model	Description	Filter Cap. Lbs.	Vacuum Pump	Hose Length	Mfr's #
B2372478	Economy R-134A Recover, Recycle, Recharge Machine	150	1.5 CFM (42 L/m) @ 60 Hz	9'	G2241
B2372480	Multi-refrigerant recover, recycle, recharge machine	300	5.0 cfm at 60 Hz	18'	G2238



BUILDING SUPPLIES



TOP-SELLING ROOF HATCHES

Featuring a heavy-duty construction, these roof hatches are designed to provide secure, convenient entry to rooftop spaces while ensuring worker safety. Ideal for use in commercial environments, these durable hatches offer reliable weather protection and indoor climate control. Units are available in a range of sizes and materials to fit the needs of your business.

Model	Brand	Description	Rough Opening L" x W"	Frame W" x H"	Type	Finish	Mfr's #
713151	Global	Roof Hatch	24 x 36	31 x 43	Galv. Steel	Black Powder Coat	713151
713150	Global	Roof Hatch	30 x 36	37 x 43	Galv. Steel	Black Powder Coat	713150
B204620	Acudor	Roof Hatch	30 x 36	38 x 44	Galv. Steel	Gray Powder Coat	G3844
B692227	Bilco®	Standard Ladder Access	36 x 30	37 x 15	Galv. Steel	Red Oxide Prime	S-20
B204621	Acudor	Roof Hatch	36 x 36	44 x 44	Galv. Steel	Gray Powder Coat	G4444
B692234	Bilco®	Standard Ship Stair Access	30 x 54	61 x 15	Galv. Steel	Red Oxide Prime	NB-20
B692233	Bilco®	Standard Ladder Access	36 x 36	43 x 15	Aluminum	Mill	E-50
B204622	Acudor	Roof Hatch	48 x 48	56 x 56	Galv. Steel	Gray Powder Coat	G5656

ACCESSORIES							
Model	Brand	Description	Type	Finish	Mfr's #		
713157	Global	Roof Hatch Safety Extension Handle	Steel	Yellow Powder Coat	713157		
713158	Global	Steel Ladder Safety Post	Steel	Yellow Powder Coat	713158		
B204623	Acudor	Safety Extension Ladder	Steel	Yellow Powder Coat	SLE-Y		
B204624	Acudor	78"L Telescoping Safety Post	Aluminum	Mill	TSP-1		
B692249	Bilco®	62"L Safety Post	Steel	Yellow Powder Coat	LU-1		
B692246	Bilco®	Rail System For 30" x 54" Roof Hatch	Fiberglass	Yellow Powder Coat	RL-NB		
B692244	Bilco®	Rail System For 36" x 30" Roof Hatch	Fiberglass	Yellow Powder Coat	RL-S		



USG RADAR™ CLIMAPLUS™ ACOUSTICAL PANELS

Radar ClimaPlus™ acoustical ceiling panels are economical, medium-textured panels that provide excellent CAC performance and a noise reduction coefficient of 55. The ClimaPlus 30-year lifetime system warranties against visible sag, mold, and mildew.

Size"	Package Qty.	Edge Type	Grid Sizes"	Model
24 x 24	16	Shadowline Tapered	15/16	B1627265
24 x 24	16	Fineline w/Bevel	9/16	B1627266
24 x 24	16	Square	9/16 Or 15/16	B1627277
24 x 48	8	Square	15/16	B1627268



GENESIS SMOOTH PRO PVC CEILING TILE

Smooth Pro ceiling tiles have a clean and simple design with high light reflectance for indirect lighting. Waterproof and washable, these tiles are perfect for kitchens, bathrooms, and other high-humidity environments.

Size	Quantity/Case	Model
2' x 2'	12	B872969
2' x 4'	10	B872968



REFLECTIVE SAFETY TAPE AND APPLICATOR

Made of vinyl film with a rubber adhesive system, this Global Industrial™ Safety Tape adheres to most surface areas and is ideal for marking hazards and outlining aisles & walkways.

Color	Width	Model
SOLID COLOR		
Yellow	2"	670651YL
Yellow	3"	670652YL
Yellow	4"	670653YL
Orange	2"	670651OR
Orange	3"	670652OR
Orange	4"	670653OR
Red	2"	670651RD
Red	3"	670652RD
Red	4"	670653RD
Blue	2"	670651BL
Blue	3"	670652BL
Blue	4"	670653BL
Green	2"	670651GN
PATTERNED		
Yellow/Black	2"	670651YB
Yellow/Black	3"	670652YB
Yellow/Black	4"	670653YB
Red/White	2"	670651RW
Red/White	3"	670652RW
Red/White	4"	670653RW
TAPE APPLICATOR		
Black	up to 4 1/2"	708175

WORKBENCHES & SHOP DESKS



WALL-MOUNTED RECEIVING AND SHIPPING DESKS


Ideal for warehouses, receiving areas, and more, these wall-mounted desks are constructed from rugged channel-reinforced steel with a scratch resistant powder coated finish for long-lasting durability. Units are equipped with a large, solid work surface, a pigeonhole riser compartment, and a locking drawer with steel ball bearing drawer slides for secure storage. Sloped work surface for added ergonomic comfort. Featuring pre-drilled mounting holes and support brackets, these desks can easily be installed against walls at any height. Desks come standard with top compartment and drawer.



W" x D" x H"	Style	Blue	Gray
24 x 22 x 12	Desk	B237006BL	B237006GY
34 1/2 x 30 x 32 1/2	Desk, KO Outlet	634177BL	634177GY
34 1/2 x 30 x 61	Desk, KO Outlet, Pegboard	249510	249510GY
34 1/2 x 30 x 61	Desk, LO Outlet, Pegboard, Cabinet	249691	249691GY

ENCLOSED CABINET RECEIVING DESKS

Constructed from durable steel, these desks are equipped with a channel-reinforced steel sloped work surface, an easily accessible top compartment, a lockable drawer, and a lower storage cabinet with an adjustable center shelf, and knockout outlet. Enclosed base cabinet allows for easy storage of monitors and other supplies, making them an ideal solution for warehouses, shipping departments, workshops, and more.



W" x D" x H"	Style	Gray	Blue
34 1/2 x 30 x 51 1/2	Desk	300912GY	300912
34 1/2 x 30 x 80	Desk, Pegboard	249509GY	249509
34 1/2 x 30 x 80	Desk, Pegboard, Upper Cabinet	249692GY	249692

PEDESTAL SHOP DESKS

All-steel construction with scratch resistant powder coating. 4 drawers feature ball bearing glides, cylinder lock and padlock hasp for added safety. Includes pigeonhole riser with shelves and dividers for easily accessible storage. Measures 38"W x 29"D x 51"H.

Gray	Blue
319063	319063BL



MOBILE OPEN BASE SHOP DESKS

Work from anywhere with these mobile shop desks. Made from heavy-duty steel with a powder coat finish for long-lasting durability, these desks with plenty of writing and storage space provide a convenient work surface that can be moved where you need it. Units roll smoothly throughout your facility on swivel casters and are equipped with sloped or flat work surfaces, a lockable drawer, a pigeonhole riser, a lower storage shelf, height-adjustable feet, and knockout outlets for easy electrical access.

Surface	Blue	Gray	Black
Sloped	254635CBL	254635CGY	254635CBK
Flat	319355CBL	319392CGY	319355CBK



* Shown with optional hook set 606968 & light kit 249460

249458

ADJUSTABLE HEIGHT LEG

INDUSTRIAL-GRADE SHOP & SHIPPING DESKS

Create convenient workspaces in warehouses, receiving areas, and more with these industrial-grade shop and shipping desks. Constructed from rugged channel-reinforced steel, these desks feature a durable work surface, storage shelving compartments, a lockable drawer with steel ball bearings, height-adjustable feet for fighting fatigue, and knockout outlets for easy electrical access. Desks come standard with top compartment, drawer, bottom shelf, and knockout outlet. Desk measures 34 1/2"W x 30" D and adjusts from 38"H up to 42 1/2"H. Optional pegboard measures 28 1/2" H.

Style	Gray	Blue
Flat Desk	319392	319355A
Sloped Desk	254635GY	254635
Flat Desk, Pegboard	319416GY	319416BL
Sloped Desk, Pegboard	249458GY	249458
Sloped Desk, Pegboard, Top Cabinet	249690GY	249690



STAINLESS STEEL WORK TABLES

18 gauge, 430 series Stainless Steel Work Tables are perfect for all light duty applications that require the convenience and durability of stainless steel. Work surface has two channel supports for added stability. All work tables feature an adjustable, galvanized lower shelf. Tubular legs are 35" High, 1 $\frac{1}{8}$ " diameter with 1" adjustable leveling feet. NSF approved. Work tables are available with or without a 2" backsplash.



319059



319055

STAINLESS WORK TABLES WITH 2" BACKSPLASH		STAINLESS WORK TABLES WITHOUT BACKSPLASH	
W" x D "	Model	W" x D "	Model
30 x 24	300804	30 x 24	606738
36 x 24	300805	36 x 24	606739
48 x 24	300806	48 x 24	606740
60 x 24	300807	60 x 24	606741
72 x 24	300808	72 x 24	606742
96 x 24	300809	96 x 24	606743
30 x 30	300810	30 x 30	606744
36 x 30	300811	36 x 30	606745
48 x 30	300812	48 x 30	606746
60 x 30	300813	60 x 30	606747
72 x 30	300814	72 x 30	606748
96 x 30	300815	96 x 30	606749

Accessories:

	Model
Stainless Steel Drawer 15" W x 20"D x 5"H	319129
Casters (set of 4 Heavy Duty Swivel & Locking Casters)	493571



STAINLESS STEEL WORK TABLE WITH WIRE UNDERSHELF

Work Table features a chrome-plated shelf and posts that resist rust, scratches, and dents. It includes one reinforced chrome plated wire shelf that provides maximum strength, visibility, and ventilation. The heavy duty top is constructed of 16 gauge 304 stainless steel. This versatile work table holds up to 2,000 lbs. and comes with adjustable leveling feet. Unit is easy to clean and assemble.

W" x D " x H"	Model
60 x 30 x 34	318655
72 x 30 x 34	318654



STAINLESS STEEL SLIDING DOOR CABINET BENCHES

Stainless steel cabinet workbenches come in an easy-clean satin finish. Welded assembly and 17/8" hemmed safety edges help deaden sound to resist vibration. Made with a 14-gauge, type 304 stainless steel top. Top features a 4" backsplash to help retain contents. Back, sides, and door panels are made using 18-gauge stainless steel. 16 gauge stainless steel tubular legs include adjustable feet.

W" x D " x H"	Model
60 x 24 x 35	185705
72 x 24 x 35	185706
60 x 30 x 35	185707
72 x 30 x 35	185708



BENCH WITH SINK*

STAINLESS STEEL BENCH WITH SINK

Easy-clean, satin finish benches are perfect for food service, laboratory, and many other applications. All models are sound deadened to resist vibration with 17/8" hemmed safety edges. These 30"D benches are channel reinforced for extra strength. 14 gauge bench tops offer a 1,000 lb. capacity; 96"L benches come with 6 legs for added strength. Benches include height adjustable, 18 gauge steel lower shelf for added storage. All models are 35"H. Tubular legs are 1 $\frac{1}{8}$ " diameter with 1"H adjustable leveling feet. These sink benches feature a 16" x 21" x 8" sink with 4" back splash and 6"H gooseneck faucet. Connects easily to standard plumbing. Available with left, right, or center sink. Meets NSF and ISDA standards.

W" x D " x H"	Sink Location	Model
48 x 30 x 35	Center	579155C
60 x 30 x 35	Center	579156C
48 x 30 x 35	Left	252396L
60 x 30 x 35	Left	579156L
72 x 30 x 35	Left	579157L
96 x 30 x 35	Left	250180L
48 x 30 x 35	Right	579155R
60 x 30 x 35	Right	579157R
72 x 30 x 35	Right	252398R
96 x 30 x 35	Right	250180R

ADJUSTABLE HEIGHT C- CHANNEL LEG WORKBENCHES

Steel open leg frames featured 2 electrical knockouts that accept installation of duplex outlets for electrical wiring or optional plug-in outlet. 3" W steel legs with channel construction for extra strength.

These industrial workbenches include a full width lateral brace for added reinforcement. Legs adjust in 1/2 increments from 27 7/8" to 35 1/2" H. Weight capacity of 2,000 lbs. Available in grey or black. Additional tops and size options available online.

	MAPLE SQUARE EDGE	BIRCH SQUARE EDGE	LAMINATE SAFETY EDGE
Size"	Model	Model	Model
60 x 30	183166	318912	183991
72 x 30	183168	318913	601425



HEAVY-DUTY EXTRA LONG ASSEMBLY WORKBENCHES

Designed to accommodate large packing, assembly, or heavy duty operations. Space efficient design folds for storage and setup in seconds. Heavy-duty, steel top is one piece of 12 gauge steel that's channel formed on 4 sides for superior strength. Welded, tubular steel legs telescope to adjust height, support storage shelf, and are finished in durable gray enamel. 2000 lbs. weight capacity evenly distributed.

Size"	STEEL Model	1/4" HARDWOOD Model
96 x 34	606761	606770
96 x 48	606762	606771
120 x 34	606764	606773
120 x 48	606765	606774



ADJUSTABLE-HEIGHT SHOP STANDS

Heavy duty construction with 2,000 lb load capacity. Adjustable height 16 gauge steel shelves and 12 gauge steel legs. Features tension frame construction to prevent sway. Top shelf has 2 knockouts that accept duplex or plug-in outlets.




Model	W" x D" x H"	Construction
254840	24 x 18 x 18-24	Steel
254842	24 x 18 x 30-36	Steel
254844	36 x 24 x 18-24	Steel
254846	36 x 24 x 30-36	Steel

HEAVY DUTY ELECTRIC HEIGHT ADJUSTABLE WORKBENCH

Our electric adjustable height workbench provides effortless height adjustment with the push of a button. The heavy duty tubular 4-leg frame can hold up to 1,000lbs. The 24V DC motor adjusts height at 2.3" per second. Unit includes programmable height & easy push-button control.

	MAPLE Model	LAMINATE Model
Size"	Model	Model
60 x 30	800577	800579
72 x 30	800578	800580



SCAN FOR OUR
TERMS &
CONDITIONS

TERMS & CONDITIONS:

Prices subject to change. Current price at time of printing/posting. Prices are subject to change, please confirm current price with a member of our sales team or at globalindustrial.com. All orders are subject to the Global Industrial Terms & Conditions

WARNING California Proposition 65.

The State of California requires that certain warnings be given concerning products which contain chemicals subject to Proposition 65. A complete list of Proposition 65 regulated chemicals is available at www.oehha.ca.gov. The required warnings are as follows:



WARNING: Certain products in this catalog can expose you to chemicals which are known to the State of California to cause cancer. For more information go to www.p65warnings.ca.gov.



WARNING: Certain products in this catalog can expose you to chemicals which are known to the State of California to cause birth defects or other reproductive harm. For more information go to www.p65warnings.ca.gov.

For information on whether a specific product you are considering purchasing from Global Industrial falls under California Proposition 65 warning requirements, please email prop65@globalindustrial.com and include the model number.



711157



711147

HEAVY DUTY PEDESTAL WORKBENCH WITH STEEL FRAME & DRAWERS

Workbench drawer cabinets and legs are constructed of welded steel for long lasting durability. All drawers feature a 200 lb weight capacity and ample tool storage and lock with central cylinder lock key. Easy open drawers feature roller glides that allow full drawer extension and full width handles. Tubular legs are welded 1 1/2" steel. Workbenches are available in multiple top options. Weight capacity is 5,000 lbs. Legs and drawers are blue powder coated. Easy assembly.

Description	3 Drawer	5 Drawer	7 Drawer
MAPLE			
Square Edge	711141	711152	711163
Safety Edge	711147	711158	711169
LAMINATE			
Square Edge	711148	711159	711170
Safety Edge	711146	711157	711168
PHENOLIC			
Safety Edge	711145	711156	711167
STAINLESS STEEL			
Square Edge	711142	711153	711164
SHOP TOP			
Square Edge	711151	711162	711173
Safety Edge	711150	711161	711172



254755B
POWER
RISER WITH
8 OUTLETS



PEDESTAL WORKBENCH WITH FIXED FLARED LEG

Pedestal workbench is made with strong, all welded steel that withstands tough industrial environments, and provides storage for any application. Pedestal drawers offer smooth drawer operation using nylon rollers and full-length aluminum handles. All drawers individually lock using cylinder locks for secure storage. Inside drawer dimensions are 13"W x 17-3/4"D x 5-1/2"H. Includes 13 gauge steel open leg frame.

Description	60 x 30	72 x 30
MAPLE		
Square Edge	607676	607677
Safety Edge	607682	607683
LAMINATE		
Square Edge	607678	607679
Safety Edge	---	607685
PHENOLIC		
Square Edge	300743	300744
Safety Edge	300757	300758



**MODEL 249205
SHOWN WITH
OPTIONAL
CENTER SHELF**



Description	60 x 30	72 x 30
MAPLE		
Square Edge	249217	249206
Safety Edge	249205	249218
LAMINATE		
Square Edge	249203	249204
Safety Edge	249215	249216
PHENOLIC		
Safety Edge	249211	249224
STAINLESS STEEL		
Square Edge	249213	249214
SHOP TOP		
Square Edge	249209	249210
Safety Edge	249221	249222

MOBILE CABINET WORKBENCHES

Enclosed cabinet is made with heavy gauge steel to provide security for all of your storage needs. Easily transport your workbench where you need it using 5" phenolic swivel casters with brackets. Built to last using rugged 2" square x 14 gauge tubular steel legs that are 36"H. Offers 2000 lb weight capacity. Cabinets include cut resistant padlockable clasp for security. Wide assortment of top options and finishes available to suit your needs. Optional accessories available for purchase.

ACCESSORIES	
60" W	72" W
INSIDE CABINET SHELF	
253970	253971

CUSTOMIZE YOUR BENCH WITH OUR PREMIUM BENCH TOPS

MAPLE



Maple butcher block is kiln dried, electronically glued, cured, and sanded smooth. Finished with a penetrating mineral oil protectant. Available in 1 3/4" thick.

W" x D"	Model
48 x 30	601148
48 x 36	607286
60 x 24	432251
60 x 30	601150
60 x 36	601152
72 x 24	432252
72 x 30	601154
72 x 36	601156
96 x 30	607287
96 x 36	601180

MAPLE



Solid maple strips are glued together and electronically cured. The top is kiln dried, sanded smooth, and finished with a penetrating oil protectant. Rounded front safety edge protects workers from leaning against sharp edges. Available in 1 3/4" thick.

W" x D"	Model
48 x 30	607283
48 x 36	607284
60 x 30	601367
60 x 36	607285
72 x 24	432252
72 x 30	601368
72 x 36	601369

BIRCH



Birch tops kiln dried, glued, and sanded smooth. All tops are treated with mineral oil to protect from drying. These are economical, all-purpose bench tops for general purpose applications. Available in 1 1/2" thick.

W" x D"	Model
48 x 30	318849N
48 x 36	318853N
60 x 30	318850N
60 x 36	318854N
72 x 30	318851N
72 x 36	318855N


PHENOLIC RESIN



Chemical resistant bench tops are great for use in laboratories. The black phenolic resin withstands moisture and resists chemicals. Impact resistant for superior strength. Rounded front Safety edge. Available in 1" thick.

Model	Size
237388	60 x 30
237390	60 x 36
237392	72 x 30
237394	72 x 36


ESD



Prevents damage to sensitive electronic circuitry during assembly. White plastic top dissipates 5000 volts of static electricity in .01 seconds. Cleans easily. Complies MIL-B817058 and 101B, 101C Method 4046. Available in 1 1/4" thick.

	SQUARE EDGE	SAFETY EDGE
W" x D"	Model	Model
48 x 30	651448	706357
48 x 36	607282	607281
60 x 30	255217	706358
60 x 36	651449	706359
72 x 30	284CP9	706360
72 x 36	284CP8	706361
72 x 36	601369	601369

LAMINATE



Super-strong, easy to clean, high pressure plastic, laminate-faced, wood core takes heavy abuse. Serves as a smooth, tough working surface for many applications. Available in 1 5/8" thick.

	SQUARE EDGE	SAFETY EDGE
Size"	Model	Model
48 x 30	601149	607289
48 x 36	607291	607290
60 x 30	601166	601364
60 x 36	601168	579311
72 x 30	601170	601365
72 x 36	601172	601366

STEEL



Steel bench tops won't crack or buckle. 12 gauge, steel top with heavy duty flanged construction for extra strength. Available in 1 3/4" thick.

W" x D"	Model
48 x 30	253CP83
48 x 36	253CP84
60 x 30	253CP85
60 x 36	253CP86
72 x 30	253CP87
72 x 36	253CP88

STAINLESS STEEL



Square edge top is made with a durable particle board core with a phenolic backer wrapped with 16 gauge, type 304 stainless steel. Tops have stainless edges and are welded and polished. Available in 1 1/2" thick.

Model	Size
239118	48 x 30
B835882	48 x 36
239119	60 x 30
B835885	60 x 36
239120	72 x 30
B835920	72 x 36

SHOP TOP



Square edge top is faced on two sides with 3/8" thick high grade, high density particleboard sealed with a catalyzed finish to resist liquids. Super strong MDF core. Available in 1 1/2" thick.

Model	Size
601157	48 x 30
601158	60 x 30
601160	60 x 36
601162	72 x 30
601164	72 x 36
601165	96 x 30
601167	96 x 36

SHOP TOP



Safety radius edge top is faced on two sides with 3/8" thick high grade, high density particleboard sealed with a catalyzed finish to resist liquids. Super strong MDF core. Available in 1 3/4" or 2 1/4" thick.

	1 3/4" Thick	2 1/4" Thick
Size"	Model	Model
48 x 30	607288	---
60 x 30	601361	601785
72 x 30	601362	601786
72 x 36	601363	601787

COMPLETE ADJUSTABLE HEIGHT PACKING WORKBENCH WITH RISER & LOWER SHELF

The complete packing workbench includes a riser kit, and lower shelf kit. This workbench is supported by heavy-duty 2" square 14 gauge steel tubular legs that adjust from 29-7/8 - 41-3/4"H at 2" increments and are tested to capacity of 5000 lbs for stationary and 2000 lbs. for mobile. It includes adjustable leveling floor glides and leveling foot plates that allow floor anchoring. This workbench has a powder coat finish, and it is quick and easy to assemble. The riser kit includes 48"H uprights, bin rail, reel holder, two 12" depth shelves (1 with 6 adjustable carton dividers), and a 72"W LED light kit. The lower shelf kit measures 25"D with 4 carton dividers and a has 5"H storage shelf.



STATIONARY UNIT

ESD TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244187	244189
60 x 36	412448	412450
72 x 30	244188	244190
72 x 36	412449	412451
MAPLE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	---	244185
60 x 36	412444	412446
72 x 30	244184	244186
72 x 36	412445	412447
LAMINATE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244179	244181
60 x 36	412440	412442
72 x 30	244180	244182
72 x 36	412441	412443

MOBILE UNIT

ESD TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244187A	244189A
60 x 36	412448A	412450A
72 x 30	244188A	244190A
72 x 36	412449A	412451A
MAPLE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244183A	244185A
60 x 36	412444A	412446A
72 x 30	244184A	244186A
72 x 36	412445A	412447A
LAMINATE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244179A	244181A
60 x 36	412440A	412442A
72 x 30	244180A	244182A
72 x 36	412441A	412443A

STATIONARY UNIT

ESD TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244211	244213
60 x 36	412472	412474
72 x 30	244212B	244214
72 x 36	412473	412475
MAPLE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244207	---
60 x 36	412468	412470
72 x 30	244208	244210
72 x 36	412469	412471
LAMINATE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	412440	244181
60 x 36	412464	412442
72 x 30	244180	244182
72 x 36	412441	412443

MOBILE UNIT

ESD TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244211A	244213A
60 x 36	412472A	412474A
72 x 30	244212A	244206A
72 x 36	412473A	412475A
MAPLE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	412473A	244209A
60 x 36	412468A	412470A
72 x 30	244208A	244210A
72 x 36	412469A	412471A
LAMINATE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244203A	244205
60 x 36	412464A	412466A
72 x 30	244204	244206A
72 x 36	412467A	412467A



ADJUSTABLE HEIGHT PACKING WORKBENCH WITH LOWER SHELF

This workbench includes the lower shelf kit which includes: 4 carton dividers and 5"H storage shelf, shelf measures 25"D. Available in stationary or mobile versions. Optional power apron available. Heavy Duty weight capacity of 5,000 lbs for stationary and 2,000 lbs for mobile.

ADJUSTABLE HEIGHT PACKING WORKBENCH WITH RISER

Enhance your work area with the Global Industrial™ Packing Workbench with Riser Kit. The packaging workbench includes: uprights, bin rail, reel holder, two 12" depth shelves. The workbench is finished in a powder coated finish. Unit is quick and easy to assemble. Weight capacity is 5,000 lbs for stationary and 2,000 lbs for mobile.



STATIONARY UNIT

ESD TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244199	244201
60 x 36	412460	412462
72 x 30	244200	244202
72 x 36	412461	412463
MAPLE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244195	244197
60 x 36	412456	412458
72 x 30	244196	244198
72 x 36	412457	412459
LAMINATE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244191	244193
60 x 36	412452	---
72 x 30	244192	244194
72 x 36	412453	412455

MOBILE UNIT

ESD TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244199A	244201A
60 x 36	412460A	412462A
72 x 30	244200A	244202A
72 x 36	412461A	412463A
MAPLE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244195A	244197A
60 x 36	412456A	412458A
72 x 30	244196A	244198A
72 x 36	412457A	412459A
LAMINATE TOP		
SQUARE EDGE		SAFETY EDGE
W" x D"	Model	Model
60 x 30	244191A	244193A
60 x 36	412452A	412454A
72 x 30	244192A	244194A
72 x 36	412453A	412455A

HEAVY DUTY COMPLETE PRODUCTION WORKBENCH

This high quality industrial work bench is built to last. Features include rugged 2" x 2" x 14 gauge tubular steel height adjustable legs. Legs adjust from 28" to 34"H at 2" increments. These workbenches are tested to 5,000 lb capacity. 6"H and 12" H drawers can be mounted to either left or right hand side under the top for lockable storage. Secure valuable tools, supplies, and more using a cylinder lock with 2 keys. Includes a set of adjustable leveling floor glides and a set of leveling foot plates that allow for floor anchoring.

ESD TOP WITH SQUARE EDGE		ESD TOP WITH SAFETY EDGE	
Model	W x D	Model	W x D
319300*	48 x 30	319299BL	48 x 30
319307BL	48 x 36	319308*	48 x 36
319313*	60 x 30	319314*	60 x 30
319323BL	60 x 36	319324BL	60 x 36
319332*	72 x 30	319333*	72 x 30
319343*	72 x 36	319344*	72 x 36

MAPLE TOP WITH SQUARE EDGE		MAPLE TOP WITH SAFETY EDGE	
Model	W x D	Model	W x D
319297*	48 x 30	319298BL	48 x 30
319304BL	48 x 36	319305*	48 x 36
319163	60 x 30	319311*	60 x 30
319320BL	60 x 36	319321BL	60 x 36
319329*	72 x 30	319330BL	72 x 30
319340*	72 x 36	319341*	72 x 36

LAMINATE TOP WITH SQUARE EDGE		LAMINATE TOP WITH SAFETY EDGE	
Model	W x D	Model	W x D
319294BL	48 x 30	319310*	48 x 36
319309BL	48 x 36	319315*	60 x 30
319162	60 x 30	319326BL	60 x 36
319325*	60 x 36	319335*	72 x 30
319334BL	72 x 30		
319346BL	72 x 36		


SHOP TOP WITH SAFETY EDGE		PHENOLIC TOP WITH SAFETY EDGE		BIRCH TOP WITH SQUARE EDGE	
Model	W x D	Model	W x D	Model	W x D
319302BL	48 x 30	319316*	60 x 30	319312*	60 x 30
319318*	60 x 30	319327BL	60 x 36	319322*	60 x 36
319338*	72 x 30	319336*	72 x 30	319342*	72 x 36
319349*	72 x 36	319347*	72 x 36		
319328*	60 x 36				
319348*	72 x 36				

COMPLETE BENCH INCLUDES:

- 15"D Lower Shelf
- 6"H Drawer
- 12"H Drawer
- 48"H Uprights
- Bin rail
- Pegboard Panel Mounting Kit
- Cantilever Shelf
- Led Light Kit with Arm Mount



Select models available in Blue and Tan finishes,
*Add Color Suffix to Model Number: Blue (BL),
Tan (TN)



INDUSTRIAL BENCH-IN-A-BOX

This complete adjustable height workbench is made of all-welded steel for long lasting durability and strength. Open leg workbench features 13 gauge channel formed steel legs with adjustable height from 57.5" to 62.5" high on 1" increments. Features a 15" deep shelf below for convenient storage. 1.5" thick top with side to side steel reinforcement and 3000 lb. capacity provides a sturdy work surface. Bench top is constructed of plastic laminate with standard square edge.



STANDARD BENCH INCLUDES LOWER SHELF



OPTIONAL LOCKABLE STEEL DRAWER



OPTIONAL STEEL PEGBOARD RISER




STEEL CHANNEL REINFORCED TOP

Model	Description
606929	Complete Bench (includes riser, lower shelf, surge protector, drawer & 30 pc. peg hook kit)
606795	Workbench with Lower Shelf
606797BL	Steel Drawer With Cylinder Lock
606796	Steel Pegboard Riser
606968	30 pc. assorted Pegboard Hook Set
607734A	6-Outlet Surge Protector, 120 Volt 6 Ft. Cord

WORKBENCHES & SHOP DESKS

SHOWN WITH
MAPLE TOP




PRE-WIRED POWER
APRON

2" SQUARE
TUBULAR STEEL
CONSTRUCTION

INCLUDES
CHROME PLATED
FOOTREST

5000 lb.
Capacity

BENCH LEGS INCLUDE FOOT PLATES
AND GLIDES



Available in Blue or Tan powder coat finish. Specify
color suffix: Blue (BL) or Tan (TN).

AVAILABLE STAINLESS STEEL TOP



BASIC BENCH WITH 1½" STAINLESS SQUARE EDGE

Model	W x D
242261	48 x 30
242262	60 x 30
242263	72 x 30

EXTRA STRONG
FULL PERIMETER
CHANNEL FRAME



14 GAUGE
STEEL




HEAVY-DUTY PRODUCTION BENCHES

Long lasting, high quality benches are made with strong 2" square, 14 gauge tubular steel legs that are height adjustable at 2" increments from 28" - 34"H. Withstands up to 5,000 capacity. Includes adjustable leveling floor glides and foot plates for anchoring. Optional pre-wired power apron provides a convenient power source for electric equipment: add suffix "B" to model. Panel Mounting Kits create a completely customizable workstation. Workbenches available in blue or tan finish. *Add color suffix to model number: Blue (BL), Tan (TN).



EXTRA STRONG FULL
PERIMETER CHANNEL
FRAME



1 5/8" PLASTIC
SQUARE EDGE

1 5/8" PLASTIC
SAFETY EDGE

1 3/4" MAPLE
SQUARE EDGE

1 3/4" MAPLE
SAFETY EDGE

1 1/4" ESD
SQUARE EDGE

1 1/4" ESD
SAFETY EDGE

1 1/2" SHOP TOP
SQUARE EDGE

1 3/4" SHOP TOP
SAFETY EDGE

1" PHENOLIC
SAFETY EDGE

BASIC BENCH WITH BENCH TOP

W" x D"	PLASTIC SQUARE EDGE	PLASTIC SAFETY EDGE	MAPLE SQUARE EDGE	MAPLE SAFETY EDGE	ESD SQUARE EDGE	ESD SAFETY EDGE	SHOP TOP SQUARE EDGE	SHOP TOP SAFETY EDGE	PHENOLIC RESIN SAFETY EDGE
Model	Model	Model	Model	Model	Model	Model	Model	Model	Model
48 x 30	606974	606998	606982	607004	606990	607263	253835*	253842*	---
48 x 36	606975	606999*	606983	607005*	606991	607264	---	---	---
60 x 24	249185	---	249187	---	---	---	---	---	---
60 x 30	606976	607000	606984	607006	606992	607265	253836*	253843*	237383
60 x 36	606977	607001*	606985	607007	606993	607266	253837*	---	237384
72 x 24	249186	---	249188	---	---	---	---	---	---
72 x 30	606978	607002	606986	607008	606994	607267	253838	253844*	237385
72 x 36	606979	607003	606987	607262	606995	607268	253839	253845*	237386
96 x 30†	606980	---	606988	---	606996	---	253840*	---	---
96 x 36†	606981	---	606989	---	606997	---	253841	---	---

†4000 lb. capacity *Only available in blue

Pre-Wired Power Apron includes three duplex outlets, circuit breaker switch, 15 amps/115 volts, 13'L cord. Add "B" to the Model

HEAVY-DUTY PRODUCTION BENCHES



PANEL MOUNTING KIT

Mounting Kits provide additional storage and organizational options for all production benches. Mounting kits are available with multiple louver panels and pegboard combinations for bin storage, and peg hooks with magnetic whiteboards for added functionality. Specify color suffix: Blue (BL) or Tan (TN). Requires 48"H upright (Model 606940BL or 606940TN) to install Panel Mounting Kit.

PANEL MOUNTING KIT		
Model	Mounting Kit Description	Bench W"
318873	36"W Pegboard Kit	48
318874	36"W Louver Kit	48
319178	36"W Whiteboard Kit	48
318864	18" & 36"W Pegboard Kit	60
318865	18" & 36"W Louver Kit	60
318866	18"W Pegboard and 36"W Louver Kit	60
318867	18"W Louver and 36"W Pegboard Kit	60
319174	18"W Whiteboard and 36"W Pegboard Kit	60
319175	18"W Whiteboard and 36"W Louver Kit	60
319176	18"W Pegboard and 36"W Whiteboard Kit	60
319177	18"W Louver and 36"W Whiteboard Kit	60
319180	18"W and 36"W Whiteboard Kit	60
318860	18"W and 36"W Pegboard Kit	72
318861	18"W and 36"W Louver Kit	72
318862	18"W Pegboard and 36"W Louver Kit	72
318863	18"W Louver and 36"W Pegboard Kit	72
319170	18"W Whiteboard and 36"W Pegboard Kit	72
319171	18"W Whiteboard and 36"W Louver Kit	72
319172	18"W Pegboard and 36"W Whiteboard Kit	72
319173	18"W Louver and 36"W Whiteboard Kit	72
319179	18"W and 36"W Whiteboard Kit	72



WORKBENCH TOOL ORGANIZER AND SORTING TRAY

This 60"L sorting tray makes it easy to quickly access small components and tools for manufacturing and assembly purposes. Tray features 5 movable divider panels to customize compartments. For use with all wood and wood core workbench tops. Includes all mounting hardware.

HEAVY DUTY PRODUCTION BENCH ACCESSORIES

48"H UPRIGHT*

Model	Bench W"
606940	48

UPRIGHT SHELF-12"D*

Model	Bench W"
606945	48
606946	60
606947	72
606948	96

(Requires Upright Kit)

ARTICULATING TOOL HOLDER*

Model
319402

BIN RAIL*

Model	Bench W"
606941	48
606942	60
606943	72
606944	96

(Requires Upright Kit)

(See Page 34 for Bins)

SHELF WITH PRE-WIRED ELECTRIC*

Three duplex outlets, circuit breaker, switch, and 12 ft. power cord. 15 amps-115 volts.

Model	Bench W"
249294	48
249295	60
249296	72
249297	96

(Requires Upright Kit)

ELECTRIC STRIP-48"L (15 AMP-120V) 15 ft. cord

Model	Outlets
482511	16
500890	18

LCD MONITOR ARM

Model
249624

(Requires Upright Kit)

LED LIGHT KIT

Model	Bench W"
319403	48
319404	60
319405	72
319406	96

(Requires Upright Kit)

STORAGE CABINET*

with removable center shelf, recessed handle, and cylinder lock; 17-1/4"W x 20"D x 16"H.

Model
273116*

*Fits 24", 30", and 36" depth.

STACKING DRAWER*

Model	H"
249374*	6
249375*	12

*Fits 24", 30", and 36" depth benches.

LOWER SHELF-15"D*

Model	Bench W"
606949	48
606950	60
606951	72
606952	96

WORKBENCH TOOL ORGANIZER - 60"W

Model
319350

30 PIECE PEG HOOK SET

Model
606968

TOOL BALANCER-8 foot cable

Model	Cap.
249459	10 lbs.

(Requires Tool Balancer Track Kit)

TOOL BALANCER TRACK KIT

Includes tool track & 2 rolling hook trolleys.

Model	Bench W"
249497	60
249498	72

(Track Kit Requires Upright Kit)

PRE-WIRED POWER APRON: Includes one USB type A/C and two duplex outlets, circuit breaker, switch 15 amps/115 volts, and 13' cord. Add "B" to model and add \$50.00 to listed price.

* Specify color suffix: Blue (BL) or Tan (TN)

Indoff

A Global Industrial Company

indoff.com

11816 Lackland Rd
St. Louis, MO
63146

THE SOURCE FOR INDUSTRIAL EQUIPMENT & SUPPLIES



**JANITORIAL & FACILITY
MAINTENANCE**



**STORAGE
& SHELVING**



**FURNITURE
& DECOR**



CARTS & TRUCKS



**SAFETY
& SECURITY**



**MATERIAL
HANDLING**



**FOODSERVICE
& RETAIL**



**WORKBENCHES
& SHOP DESKS**

Quality Products At Competitive Prices.

HOSPITALITY

**WAREHOUSE
& DISTRIBUTION**

PUBLIC SECTOR

EDUCATION

MANUFACTURING